



NWB Tools

Richard Dwyer &lt;richard.dwyer@nwb-oen.ca&gt;

## Meadowbank Agnico Eagle 2016 annual report 2AM-MEA1525

Richard Dwyer &lt;richard.dwyer@nwb-oen.ca&gt;

Thu, Aug 3, 2017 at 1:28 PM

To: Mhaly Bois-Charlebois &lt;mhaly.charlebois@agnicoeagle.com&gt;

Cc: Licensing Department &lt;licensing@nwb-oen.ca&gt;

Bcc: Distro Meadow Bank &lt;distro-2am-mea@nwb-oen.ca&gt;

Good afternoon,

The deadline for comment submission on 2AM-MEA1525 2016 annual report is extended to August 11, 2017.

Regards,

Richard



Richard Dwyer- ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ

Licence Administrator- Administratrice des permis

ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ- Laisaliyiyi Aulattiyyi

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ - NUNAVUT IMALIRIYIN KATIMAYINGI

[www.nwb-oen.ca](http://www.nwb-oen.ca)

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ᐱᐱᐱᐱᐱᐱ 119

ᐱᐱᐱᐱᐱᐱ, ᐱᐱᐱᐱ X0B 1J0

Titigaqavua 119

Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayaula: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email