# **Appendix G9**

# **2017 Noise Monitoring Program**



# MEADOWBANK GOLD PROJECT

# **2017 Noise Monitoring Report**

In Accordance with NIRB Project Certificate No.004

Prepared by: Agnico-Eagle Mines Limited – Meadowbank Division

March, 2017

### **EXECUTIVE SUMMARY**

The 2017 noise monitoring program at Meadowbank was conducted according to the Noise Monitoring and Abatement Plan (AEM, 2014). The objective of this program is to measure noise levels at five previously determined monitoring locations around the Meadowbank site, over at least two 24 h periods. Since high winds in the area tend to substantially reduce the quantity of available valid data, Agnico Eagle aims to conduct a minimum of two monitoring rounds of 2-4 days per station. In 2017, noise monitoring was conducted over 38 days, and the total usable amount of data for each station ranged from 10 - 91 hours. Daytime, night-time, 10-11pm, and 24 h Leq values were calculated from recorded 1-min Leq values for each monitoring event and location and are shown in Table 1.

The daytime target sound level (55 dBA) was not exceeded during any monitoring event. One night-time value at R1 slightly exceeded the target sound level (45 dBA), with a recorded  $L_{eq,night}$  value of 46.2 dBA. An examination of the data indicated that as in previous years, 1-h  $L_{eq}$  values only exceeded 45 dBA in the early morning hours (6 – 7 am), which corresponds to shift change-over on the minesite and generally increased activity levels.

Overall, since targets were only marginally exceeded on one occasion, during peak helicopter season, and by a maximum of 1.2 dB, significant impacts to wildlife beyond impact predictions are not anticipated. Furthermore, regular wildlife monitoring continues to indicate that monitoring thresholds related to sensory disturbance are not being exceeded (see 2017 Wildlife Summary Report).

Table 1. Daytime, night-time, 10-11 pm, and 24-h  $L_{\text{eq}}$  values for monitoring locations R1 – R5, and percentage of the corresponding time period for which valid data was available (% coverage). Day- and night-time periods with fewer than 3 hours of valid data are excluded (-), and those exceeding corresponding target sound levels are shaded grey.

Site	Dates (2017)	L <sub>eq, day</sub> 7am-11pm (dBA)	% coverage	L <sub>eq, night</sub> 11pm-7am (dBA)	% coverage	L <sub>eq, 1 h</sub> 10-11pm (dBA)	L <sub>eq, 24 h</sub> (dBA)	% coverage
R1	Jul. 21	47.1	75%	-	0%	39.4	47.1	50%
	Aug. 8 - 10	45.9	31%	46.2	100%	24.6	46.1	54%
	Sept. 3 - 5	-	13%	30.4	75%	35.3	32.0	33%
R2	Jul. 7 - 10	-	6%	39.7	63%	36.8	39.3	25%
	Jul. 26 - 27	-	13%	-	0%	-	56.2	8%
R3	Jul. 2 - 4	38.6	100%	36.2	100%	31.0	37.9	100%
	Aug 8 - 10	48.4	31%	43.5	100%	49.1	46.1	54%
	Aug. 20 - 22	37.9	100%	35.0	100%	33.0	37.1	100%
R4	Jul. 10 - 12	41.4	94%	42.4	100%	32.2	41.8	96%
	Aug. 1 - 2	38.1	56%	40.7	100%	38.1	39.5	71%
	Aug. 16 - 18	39.6	25%	-	0%	41.9	39.6	17%
R5	Jul. 13 - 14	38.6	19%	41.7	63%	-	40.8	33%
	Aug. 4 - 6	44.1	81%	34.8	63%	32.8	42.9	75%
	Aug. 26 - 30	-	6%	25.6	75%	-	34.0	29%

## **TABLE OF CONTENTS**

SECTION 1 • INTRODUCTION       1         1.1 Monitoring Locations       1         1.1.1 R1       3         1.1.2 R2       3         1.1.3 R3       3         1.1.4 R4       3         1.1.5 R5       3         SECTION 2 • METHODS       4         2.1 Sound Level Meter       4         2.2 Weather Data       4         2.3 Field Notes       4         2.4 Data Analysis       4         SECTION 3 • RESULTS       6         3.1 R1       6         3.2 R2       12         3.3 R3       17         3.4 R4       24         3.5 R5       30         SECTION 4 • SUMMARY       39         4.1 Daytime, Night-time, and 24 h Leq       39         4.2 Historical Comparison       40         SECTION 5 • CONCLUSION       25         SECTION 6 • ACTIONS       25	EXE(	CUTIVE S	SUMMARY	II
1.1       Monitoring Locations       1         1.1.1       R1       3         1.1.2       R2       3         1.1.3       R3       3         1.1.4       R4       3         1.1.5       R5       3         SECTION 2 • METHODS       4         2.1       Sound Level Meter       4         2.2       Weather Data       4         2.3       Field Notes       4         2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	or or	MON 1	INTRODUCTION	
1.1.1       R1       3         1.1.2       R2       3         1.1.3       R3       3         1.1.4       R4       3         1.1.5       R5       3         SECTION 2 • METHODS         4       2.1       Sound Level Meter       4         2.2       Weather Data       4         2.3       Field Notes       4         2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	SECT	ION I •	INTRODUCTION	1
1.1.1       R1       3         1.1.2       R2       3         1.1.3       R3       3         1.1.4       R4       3         1.1.5       R5       3         SECTION 2 • METHODS         4       2.1       Sound Level Meter       4         2.2       Weather Data       4         2.3       Field Notes       4         2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	1.1	Monito	ring Locations	
1.1.3       R3       3         1.1.4       R4       3         1.1.5       R5       3         SECTION 2 • METHODS       4         2.1       Sound Level Meter       4         2.2       Weather Data       4         2.3       Field Notes       4         2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25				
1.1.4       R4       3         1.1.5       R5       3         SECTION 2 • METHODS       4         2.1       Sound Level Meter       4         2.2       Weather Data       4         2.3       Field Notes       4         2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25		1.1.2	R2	3
1.1.5       R5.       3         SECTION 2 • METHODS       4         2.1       Sound Level Meter       4         2.2       Weather Data       4         2.3       Field Notes       4         2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25		1.1.3	R3	3
SECTION 2 • METHODS       4         2.1 Sound Level Meter       4         2.2 Weather Data       4         2.3 Field Notes       4         2.4 Data Analysis       4         SECTION 3 • RESULTS       6         3.1 R1       6         3.2 R2       12         3.3 R3       17         3.4 R4       24         3.5 R5       30         SECTION 4 • SUMMARY       39         4.1 Daytime, Night-time, and 24 h Leq       39         4.2 Historical Comparison       40         SECTION 5 • CONCLUSION       25				
2.1       Sound Level Meter       4         2.2       Weather Data       4         2.3       Field Notes       4         2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25		1.1.5	R5	3
2.1       Sound Level Meter       4         2.2       Weather Data       4         2.3       Field Notes       4         2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	SECT	TON 2 •	METHODS	4
2.3       Field Notes	2.1	Sound		
2.4       Data Analysis       4         SECTION 3 • RESULTS       6         3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	2.2	Weath	er Data	4
SECTION 3 • RESULTS       6         3.1 R1       6         3.2 R2       12         3.3 R3       17         3.4 R4       24         3.5 R5       30         SECTION 4 • SUMMARY       39         4.1 Daytime, Night-time, and 24 h Leq       39         4.2 Historical Comparison       40         SECTION 5 • CONCLUSION       25	2.3	Field N	lotes	4
3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	2.4	Data A	nalysis	4
3.1       R1       6         3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	CECT	NON 2	DEGLI TO	
3.2       R2       12         3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	SECI			
3.3       R3       17         3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	-			
3.4       R4       24         3.5       R5       30         SECTION 4 • SUMMARY       39         4.1       Daytime, Night-time, and 24 h Leq       39         4.2       Historical Comparison       40         SECTION 5 • CONCLUSION       25	3.2	R2		12
3.5 R5	3.3	R3		
SECTION 4 • SUMMARY	3.4	R4		24
4.1 Daytime, Night-time, and 24 h Leq	3.5	R5		30
4.1 Daytime, Night-time, and 24 h Leq	SECT	ION 4 •	SUMMARY	39
4.2 Historical Comparison	<i>1</i> 1	Daytim	ne Night-time and 24 h L	30
SECTION 5 • CONCLUSION25		•		
	4.2	HISTORY	Sai Companson	40
SECTION 6 • ACTIONS25	SECT	TION 5 •	CONCLUSION	25
	SECT	TON 6 •	ACTIONS	25
SECTION 7 • REFERENCES	SECT	ION 7 •	REFERENCES	25

## LIST OF TABLES

and percentage of the corresponding time period for which valid data was available (% coverage). Day- and night-time periods with fewer than 3 hours of valid data are excluded (-), and those exceeding corresponding target sound levels are shaded greyii
Table 2. UTM coordinates and dates of measurement for the Meadowbank noise monitoring locations
Table 3. Hourly L <sub>eq</sub> values and weather data for monitoring station R1 at the Meadowbank site (monitoring events 1, 2 and 3). Hours filtered out due to set-up, take-down or non-optimal weather conditions are shaded grey.
Table 4. Hourly L <sub>eq</sub> values for monitoring station R2 at the Meadowbank site. Data points filtered out of subsequent analyses due to set-up or non-optimal weather conditions are shaded grey
Table 5. Hourly L <sub>eq</sub> values for monitoring station R3 at the Meadowbank site. Data points filtered out of subsequent analyses due to set-up or non-optimal weather conditions are shaded grey
Table 6. Hourly L <sub>eq</sub> values for monitoring station R4 at the Meadowbank site. Data points filtered out of subsequent analyses due to set-up or non-optimal weather conditions are shaded grey
Table 7. Hourly L <sub>eq</sub> values for monitoring station R5 at the Meadowbank site. Data points filtered out of subsequent analyses due to set-up or non-optimal weather conditions are shaded grey
Table 8. Daytime, night-time, 10-11 pm, and 24-h L <sub>eq</sub> values for monitoring locations R1 – R5, and percentage of the corresponding time period for which valid data was available (% coverage). Day- and Night-time periods with fewer than 3 hours of valid data are excluded (-), and those exceeding corresponding target sound levels are shaded grey 39
LIST OF FIGURES
Figure 1. Noise monitoring locations at the Meadowbank site
Figure 3. One-minute L <sub>eq</sub> , L <sub>max</sub> and L <sub>min</sub> values recorded at monitoring station R1 at the Meadowbank site during monitoring event 2. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 15 km/h, RH > 90%)
Figure 4. One-minute L <sub>eq</sub> , L <sub>max</sub> and L <sub>min</sub> values recorded at monitoring station R1 at the Meadowbank site during monitoring event 3. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 15 km/h, RH > 90%)
Figure 5. One-minute L <sub>eq</sub> , L <sub>max</sub> and L <sub>min</sub> values recorded at monitoring station R2 at the Meadowbank site during monitoring event 1. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%)
Figure 6. One-minute L <sub>eq</sub> , L <sub>max</sub> and L <sub>min</sub> values recorded at monitoring station R2 at the Meadowbank site during monitoring event 2. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%)
Figure 7. One-minute Leq, L <sub>max</sub> and L <sub>min</sub> values recorded at monitoring station R3 at the Meadowbank site during monitoring event 1. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%)

Figure 8. One-minute $L_{eq}$ , $L_{max}$ and $L_{min}$ values recorded at monitoring station R3 at the	
Meadowbank site during monitoring event 2. Filtered data excludes those measurements	3
taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%)	19
Figure 9. One-minute Leq, Lmax and Lmin values recorded at monitoring station R3 at the	
Meadowbank site during monitoring event 3. Filtered data excludes those measurements	3
taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%)	
Figure 10. One-minute Leq, Lmax and Lmin values recorded at monitoring station R4 at the	
Meadowbank site during monitoring event 1. Filtered data excludes those measurements	3
taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%)	25
Figure 11. One-minute Leq, Lmax and Lmin values recorded at monitoring station R4 at the	
Meadowbank site during monitoring event 2. Filtered data excludes those measurements	3
taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%)	26
Figure 12. One-minute Leq, Lmax and Lmin values recorded at monitoring station R4 at the	
Meadowbank site during monitoring event 3. Filtered data excludes those measurements	3
taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%)	27
Figure 13. One-minute Leq, Lmax and Lmin values recorded at monitoring station R5 at the	
Meadowbank site during monitoring event 1. Filtered data excludes those measurements	3
taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%)	31
Figure 15. One-minute Leq, Lmax and Lmin values recorded at monitoring station R5 at the	
Meadowbank site during monitoring event 2. Filtered data excludes those measurements	
taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%)	32
Figure 16. One-minute Leq, Lmax and Lmin values recorded at monitoring station R5 at the	
Meadowbank site during monitoring event 3. Filtered data excludes those measurements	3
taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%)	33
Figure 16. Leq values calculated from filtered data for various time periods at locations R1 – R5 or	n
the Meadowbank site in surveys from 2009 - 2017. Dashed lines indicate target sound	
levels (day-time and night-time only)	41

# LIST OF APPENDICES

APPENDIX A: Site Photos

APPENDIX B: Field Logs

**APPENDIX C:** Leq Values by Day

#### SECTION 1 • INTRODUCTION

Since 2008, Agnico Eagle Mines Ltd. (Agnico Eagle) has conducted outdoor noise monitoring at the Meadowbank site, near Baker Lake, Nunavut, in accordance with the Noise Monitoring and Abatement Plan (AEM, 2014). The objective of this monitoring program is to measure representative noise levels at the perimeter of the minesite, to inform the implementation of noise mitigation measures. Although no residential receptors are located nearby, Agnico Eagle aims to meet target sound levels identified in Environment Canada's "Environmental Code of Practice for Metal Mines" (2009). These values are 55 dBA (daytime) and 45 dBA (night-time).


#### 1.1 MONITORING LOCATIONS

To fulfill the monitoring objectives, the Noise Monitoring and Abatement Plan (AEM, 2014) indicates that at least two 24 h surveys of ambient outdoor noise will be conducted annually at five representative locations. However, due to a tendency towards sub-optimal weather conditions for noise monitoring (see Section 2.2), Agnico Eagle aims to conduct a minimum of 2 surveys for each location, with each survey lasting 2-4 days. In 2017, 2 - 3 surveys were conducted for each site. In total, monitoring occurred on 38 days, with 6 - 9 days for each site.

Noise monitoring locations have not changed since 2014 and were located as recommended in the Noise Monitoring and Abatement Plan (2014). UTM coordinates are provided in Table 2, and are shown in relation to mine site features in Figure 1. Photos of the monitoring locations are provided in Appendix A.

Table 2. UTM coordinates and dates of measurement for the Meadowbank noise monitoring locations.

Monitoring Location	Easting	Northing	Dates	# Days	Hours
R1	636149	7217332	July 21		9:16 am – 10:31 pm
			August 8 - 10	7	9:20 am - 8:20 am
			September 3 - 5		4:50 pm – 4:31 pm
R2	636795	7214435	July 7 - 10	6	5:06 pm – 9:12 am
			July 26 - 27	O	9:52 am - 7:14 am
R3	641104	7214427	July 2 - 4		2:09 pm – 8:39 am
			August 8 - 10	9	9:21 am – 8:20 am
			August 20 - 22		3:13 pm – 6:17 pm
R4	639990	7218810	July 10 - 12		12:20 pm – 8:32 am
			August 1 - 2	8	3:18 pm – 8:32 am
			August 16 - 18		10:52 am - 8:50 am
R5	633781	7214493	July 13 - 14		8:26 am – 1:02 pm
			August 4 - 6	9	2:02 pm - 9:14 am
			August 26 - 30		9:52 am – 9:52 am



### 1.1.1 R1

Location R1 was formerly approximately 700 m south of the explosive storage area, and 400 m northeast of the all-weather access road. A spur road and a storage area were constructed within 100 m of this location in 2011. As a result, in 2014 Agnico Eagle moved this station approximately 700 m northwest of the explosives storage area to better represent the originally intended orientation.

#### 1.1.2 R2

Location R2 is approximately 600 m west of the airstrip. Third Portage Lake is to the west and southwest and surrounding terrain is vegetated tundra with rocky outcrops.

#### 1.1.3 R3

Location R3 is approximately 1,800 m east of the East Dike. Second Portage Lake is to the west and east, and surrounding terrain is vegetated tundra with rocky outcrops.

#### 1.1.4 R4

Location R4 is approximately 1,500 m southwest of the future location of Vault Pit, and less than 1 km from the Vault Haul Road. Turn Lake is to the west, and surrounding terrain is vegetated tundra with rocky outcrops.

#### 1.1.5 R5

Location R5 is approximately 500 m south of the exploration camp and 300 m east of the all-weather access road. Third Portage Lake is immediately to the east, and surrounding terrain away from the shoreline is vegetated tundra with rocky outcrops. This location is situated on a known caribou migration route.

#### SECTION 2 • METHODS

In 2017, Agnico Eagle technicians conducted noise surveys at each of the locations described in Section 1.1. These surveys provide data on average noise levels during a typical day, as well as variability of noise levels within the day.

#### 2.1 SOUND LEVEL METER

For all stations a Bruel and Kjaer Model 2250 integrating sound level meter was used to conduct the noise survey. As in the past, the noise level logging rate was set at one-minute intervals, and sound was recorded in 10 minute intervals.

The parameters logged each minute included:

- Integrated average sound level, in dBA Leq
- Absolute maximum sound level, in dBA L<sub>max</sub>
- Absolute minimum sound level, in dBA Lmin

Calibration of the instrument was performed before and after each monitoring event using a Bruel and Kjaer Type 4231 Calibrator, to ensure variance was within 0.5 dB (see field notes, Appendix B). Estimated uncertainty of the calibrator is ± 0.12 dB at a 99% confidence level.

#### 2.2 WEATHER DATA

Weather data for the noise monitoring periods was collected using the mine site's permanent weather station. Hourly data for wind, temperature and relative humidity was available from this station.

The Alberta Energy Resource Conservation Board (ERCB, 2007) has published preferred weather conditions for data to be used in noise complaint investigations because wind and precipitation can affect noise levels. Based on these guidelines, noise monitoring data was filtered to remove measurements collected outside of conditions where wind speed exceeded 15 km/h (4.17 m/s) or relative humidity exceeded 90% (assuming precipitation occurred) prior to data analysis. In 2017, as in all previous years, wind speeds commonly exceeded preferred levels, so the available data was significantly reduced.

#### 2.3 FIELD NOTES

A pocket weather meter (Kestrel 3000) was used by field staff to record wind speed, direction and temperature at the beginning and end of each monitoring period. Other observations included precipitation, cloud cover and observed noises during instrument set-up and take-down. All field observations are provided in Appendix B.

#### 2.4 DATA ANALYSIS

Since noise levels constantly vary over time, the monitoring instrument used at Meadowbank measures continuously and records a single-number value for each minute, representing the equivalent sound level (Leq).

All datapoints associated with the first hour of measurement were filtered out to remove noise from technicians, and to ensure more than 30 min of data contributed to hourly averages. Since noise monitors were left in the field until the battery ran out, records from the last hour were only filtered out if less than 30 min of data were recorded.

Recorded one-minute  $L_{eq}$  values were then used to calculate hourly equivalent noise levels ( $L_{eq, 1h}$ ). After further filtering based on weather considerations (Section 2.2), valid hourly  $L_{eq}$  values were energy-averaged across calendar days within a monitoring event (2 – 4 sequential days) and average values for each hour were used to calculate daytime (7am-11pm), night-time (11pm-7am) and 24 h  $L_{eq}$  values for each event. This approach was taken beginning in 2016 due to the frequency of highwind conditions, in order to maximize the utility of the available data, and produce day- and night-time  $L_{eq}$  values with the greatest possible recorded coverage of their respective time periods, resulting in more representative measurements. However, for consistency,  $L_{eq}$  values for each 24-h period were also calculated as in previous years, and are presented in Appendix C. No differences in exceedances of target sound levels occurred between the two methods.

#### SECTION 3 • RESULTS

#### 3.1 R1

One-minute filtered and unfiltered  $L_{eq}$  values, maximum sound levels ( $L_{max}$ ), and minimum sound levels ( $L_{min}$ ) over the three monitoring events at R1 are shown in Figures 2, 3 and 4. Filtered one-minute  $L_{eq}$  values exclude data collected in the first hour to remove technician interference, and data collected under non-optimal weather conditions (wind speed > 15 km/h, relative humidity > 90%). Filtered values were used in subsequent analyses, but unfiltered values are provided for reference. For station R1, a total of 33 h of data was available after filtering the total 111 h of recorded sound levels.

Hourly L<sub>eq</sub> values were calculated as described in Section 2.4, and are shown in Table 3, and the hours filtered out for subsequent analyses are identified.

Weather data for noise monitoring dates at R1 is shown in Table 3. While wind speeds tended to be lower in July (event 1), hourly average wind speeds in excess of 4.17 m/s and/or probable precipitation occurred for more than half of events 2 and 3 (August and September).

Audible noises noted in the field log previously at this location include exploration helicopter noise, construction activities at the emulsion plant, AWAR traffic, insects and birds.




Figure 2. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R1 at the Meadowbank site during monitoring event 1. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 15 km/h, RH > 90%).




Figure 3. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R1 at the Meadowbank site during monitoring event 2. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 15 km/h, RH > 90%).




Figure 4. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R1 at the Meadowbank site during monitoring event 3. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 15 km/h, RH > 90%).

Table 3. Hourly  $L_{\text{eq}}$  values and weather data for monitoring station R1 at the Meadowbank site (monitoring events 1, 2 and 3). Hours filtered out due to set-up, take-down or non-optimal weather conditions are shaded grey.

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max Wind Speed (m/s)
7/21/17	9:00 AM	41.02	9.19	65.96	3.71	5.41
	10:00 AM	39.10	10.48	59.15	2.78	4.53
	11:00 AM	34.51	11.89	51.15	1.86	3.06
	12:00 PM	28.43	13.67	47.82	1.05	2.22
	1:00 PM	42.01	15.49	43.95	1.21	3.59
	2:00 PM	40.82	16.79	39.49	2.47	7.04
	3:00 PM	39.86	17.49	35.09	2.96	6.31
	4:00 PM	48.79	18.46	27.05	4.06	5.96
	5:00 PM	53.89	19.18	29.75	3.27	5.47

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max Wind Speed (m/s)
	6:00 PM	53.53	19.61	29.11	3.18	6.12
	7:00 PM	35.23	20.29	25.76	4.44	7.61
	8:00 PM	38.75	20.82	25.69	2.33	4.19
	9:00 PM	37.39	20.74	29.14	1.05	2.41
	10:00 PM	39.45	18.81	43.41	2.16	4.35
8/08/17	9:00:00 AM	54.59	6.08	90.30	8.05	10.92
	10:00:00 AM	44.60	6.38	86.30	7.91	11.31
	11:00:00 AM	44.22	7.49	75.96	7.00	11.11
	12:00:00 PM	51.55	8.99	67.99	6.85	9.39
	1:00:00 PM	51.66	10.11	60.63	6.34	9.76
	2:00:00 PM	46.90	10.92	53.93	6.22	9.17
	3:00:00 PM	44.75	11.83	48.41	6.84	9.70
	4:00:00 PM	54.44	12.61	46.55	6.20	9.66
	5:00:00 PM	53.31	13.24	42.39	5.74	8.19
	6:00:00 PM	52.85	13.68	44.65	5.71	8.64
	7:00:00 PM	27.99	13.84	42.05	4.91	6.90
	8:00:00 PM	32.24	13.79	41.75	3.85	6.41
	9:00:00 PM	29.57	13.26	46.04	2.60	4.16
	10:00:00 PM	24.61	12.38	50.96	1.76	2.57
	11:00:00 PM	26.27	11.35	59.76	1.27	2.04
8/09/17	12:00:00 AM	30.66	10.08	79.78	0.27	1.24
	1:00:00 AM	28.35	9.25	83.20	0.93	1.67
	2:00:00 AM	34.52	8.91	83.50	0.97	2.14
	3:00:00 AM	33.82	8.56	86.50	1.99	2.96
	4:00:00 AM	34.53	8.27	84.60	2.54	3.49
	5:00:00 AM	38.26	8.10	82.70	3.99	6.21
	6:00:00 AM	55.01	8.23	79.65	3.72	5.27
	7:00:00 AM	51.89	9.49	67.85	3.72	6.59
	8:00:00 AM	46.88	11.05	62.94	5.62	8.90
	9:00:00 AM	48.40	12.24	63.40	8.29	10.49
	10:00:00 AM	55.78	13.52	66.91	7.80	9.86
	11:00:00 AM	39.06	13.51	78.96	5.27	9.25
	12:00:00 PM	45.59	13.53	89.00	3.82	6.72
	1:00:00 PM	51.47	13.95	85.80	5.45	7.78
	2:00:00 PM	48.20	14.38	86.80	4.93	6.72
	3:00:00 PM	44.57	15.84	77.58	6.98	10.86
	4:00:00 PM	52.18	16.57	70.61	7.93	10.66
	5:00:00 PM	53.10	17.07	67.37	8.30	12.19

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max Wind Speed (m/s)
	6:00:00 PM	51.71	16.62	72.71	9.17	12.94
	7:00:00 PM	45.11	15.15	68.99	9.26	12.23
	8:00:00 PM	45.01	15.01	66.35	7.80	10.49
	9:00:00 PM	35.05	13.99	67.49	7.05	10.02
	10:00:00 PM	34.54	12.39	72.90	5.46	8.55
	11:00:00 PM	42.60	10.56	79.53	5.35	7.43
8/10/17	12:00:00 AM	43.90	9.09	84.10	5.81	9.09
	1:00:00 AM	44.82	7.12	88.10	7.07	10.11
	2:00:00 AM	39.91	6.18	92.70	7.06	10.80
	3:00:00 AM	38.24	5.65	97.80	5.85	8.76
	4:00:00 AM	37.03	5.02	99.70	6.05	8.21
	5:00:00 AM	37.48	4.66	100.00	5.54	7.72
	6:00:00 AM	60.57	4.62	100.00	4.71	7.47
	7:00:00 AM	58.42	4.58	100.00	4.84	7.33
	8:00:00 AM	39.37	4.61	100.00	4.97	7.15
9/03/17	4:00 PM	59.86	10.20	42.98	9.25	13.01
	5:00 PM	48.21	10.98	42.02	8.47	12.74
	6:00 PM	49.61	11.00	42.43	8.05	11.52
	7:00 PM	38.13	10.68	47.78	7.18	11.11
	8:00 PM	37.06	9.91	56.11	6.84	10.00
	9:00 PM	36.73	8.49	65.74	5.15	7.94
	10:00 PM	36.25	7.40	66.22	5.90	8.06
	11:00 PM	38.03	6.75	69.14	5.47	8.62
9/04/17	12:00 AM	35.97	5.81	77.70	5.71	8.06
	1:00 AM	38.46	5.18	81.30	5.97	9.45
	2:00 AM	39.85	4.47	86.80	5.31	8.06
	3:00 AM	39.16	3.83	91.10	5.94	8.13
	4:00 AM	40.39	3.35	95.90	5.73	8.68
	5:00 AM	42.57	2.78	99.30	5.45	8.09
	6:00 AM	61.76	1.72	100.00	4.89	7.10
	7:00 AM	38.38	1.28	100.00	5.37	8.15
	8:00 AM	39.69	1.43	100.00	3.76	6.74
	9:00 AM	42.79	1.39	100.00	4.61	6.78
	10:00 AM	40.85	1.84	95.70	5.48	7.19
	11:00 AM	39.67	2.96	92.20	5.02	6.94
	12:00 PM	35.35	4.54	76.35	5.87	8.80
	1:00 PM	51.78	6.34	62.29	5.62	7.70
	2:00 PM	44.31	7.79	65.05	6.58	8.82

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max Wind Speed (m/s)
	3:00 PM	45.24	8.66	58.82	5.94	8.49
	4:00 PM	40.63	9.34	54.25	5.55	8.90
	5:00 PM	33.12	10.32	51.30	5.25	7.80
	6:00 PM	28.25	10.34	51.67	5.31	7.29
	7:00 PM	29.32	9.76	59.63	4.82	6.29
	8:00 PM	35.20	8.77	66.06	4.22	6.51
	9:00 PM	34.39	7.09	74.48	4.03	5.14
	10:00 PM	35.28	6.42	76.72	3.90	5.33
	11:00 PM	27.14	6.34	75.97	3.97	5.16
9/05/17	12:00 AM	23.10	6.36	75.63	4.08	5.70
	1:00 AM	29.09	6.25	72.79	3.55	5.55
	2:00 AM	24.90	6.33	76.92	3.39	5.08
	3:00 AM	30.67	5.97	81.00	2.92	4.76
	4:00 AM	35.61	5.76	88.70	2.77	4.51
	5:00 AM	39.03	5.14	94.10	2.91	4.68
	6:00 AM	41.41	4.66	99.20	3.38	4.90
	7:00 AM	34.02	4.91	100.00	5.51	7.31
	8:00 AM	43.07	5.16	100.00	5.58	7.55
	9:00 AM	41.08	5.24	94.30	5.76	7.43
	10:00 AM	39.33	5.63	85.80	6.33	8.74
	11:00 AM	37.83	5.73	86.40	6.20	8.94
	12:00 PM	47.32	5.99	89.50	6.44	9.21
	1:00 PM	46.78	6.48	79.55	5.84	7.84
	2:00 PM	41.09	7.04	68.58	5.78	8.00
	3:00 PM	44.90	7.44	74.74	6.06	9.31
	4:00 PM	46.22	7.37	65.84	6.31	9.06

## 3.2 R2

One-minute filtered and unfiltered  $L_{eq}$  value, maximum sound levels ( $L_{max}$ ), and minimum sound levels ( $L_{min}$ ) over the two monitoring events at R2 are shown in Figures 5 and 6.

Hourly  $L_{eq}$  values were calculated as described in Section 2.4, and are shown in Table 4, and data points filtered out from subsequent calculations are indicated.

Weather data for noise monitoring dates at R2 is shown in Table 4. Wind exceeded 4.17 m/s for more than 75% of each monitoring event at this site. Monitoring was conducted for a total of 88 h, and just 10 h were available after filtering.

Audible noises noted in the field log at this location include road traffic and helicopters.




Figure 5. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R2 at the Meadowbank site during monitoring event 1. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%).




Figure 6. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R2 at the Meadowbank site during monitoring event 2. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%).

Table 4. Hourly  $L_{\text{eq}}$  values for monitoring station R2 at the Meadowbank site. Data points filtered out of subsequent analyses due to set-up or non-optimal weather conditions are shaded grey.

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
7/07/17	5:00 PM	45.65	16.71	23.67	6.48	9.80
	6:00 PM	46.61	16.90	23.88	6.10	8.96
	7:00 PM	41.06	16.75	21.10	5.71	8.72
	8:00 PM	38.10	16.48	17.92	6.10	9.15
	9:00 PM	33.80	15.80	26.59	4.66	7.47
	10:00 PM	36.75	14.61	34.57	4.07	6.00
	11:00 PM	39.55	12.85	42.70	3.86	5.86
7/08/17	12:00 AM	38.64	11.71	49.61	5.06	7.76
	1:00 AM	38.73	10.90	53.23	5.02	7.27

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	2:00 AM	37.60	9.72	59.88	4.06	5.59
	3:00 AM	35.77	8.85	53.62	3.39	6.27
	4:00 AM	36.74	8.44	63.10	4.56	6.49
	5:00 AM	37.65	8.55	63.91	4.52	6.55
	6:00 AM	49.06	9.28	56.45	5.60	7.80
	7:00 AM	41.73	10.37	45.41	5.68	8.17
	8:00 AM	36.42	11.55	36.07	5.44	8.04
	9:00 AM	38.83	12.11	34.24	6.42	9.31
	10:00 AM	41.90	12.60	40.53	7.19	10.09
	11:00 AM	44.39	12.92	43.57	7.79	10.54
	12:00 PM	44.16	13.24	43.27	7.75	10.94
	1:00 PM	47.20	13.29	47.23	8.43	11.25
	2:00 PM	44.93	13.15	46.75	8.07	10.86
	3:00 PM	48.79	13.62	45.77	9.15	12.09
	4:00 PM	52.51	13.88	46.92	10.41	13.48
	5:00 PM	52.27	14.18	44.49	10.06	13.84
	6:00 PM	51.30	14.60	41.41	10.21	13.17
	7:00 PM	51.43	14.82	42.42	10.04	14.31
	8:00 PM	52.60	14.53	49.46	10.24	13.96
	9:00 PM	49.71	13.51	57.10	9.04	13.09
	10:00 PM	50.06	12.46	60.36	8.82	11.88
	11:00 PM	49.39	11.01	71.03	8.30	11.84
7/09/17	12:00 AM	51.62	9.71	79.88	9.45	12.62
	1:00 AM	52.58	9.27	78.67	9.72	13.58
	2:00 AM	50.38	8.90	82.00	9.23	12.56
	3:00 AM	51.63	8.02	86.10	9.45	13.25
	4:00 AM	49.32	7.78	89.70	8.10	12.07
	5:00 AM	50.79	7.91	90.00	9.37	12.49
	6:00 AM	51.88	8.07	89.50	9.16	11.70
	7:00 AM	52.15	8.86	83.70	10.03	13.09
	8:00 AM	50.41	9.34	76.40	9.00	12.23
	9:00 AM	51.17	10.27	69.98	9.84	12.70
	10:00 AM	52.61	12.31	63.71	10.12	12.74
	11:00 AM	51.76	12.94	55.95	10.13	13.27
	12:00 PM	51.81	14.34	47.16	9.94	13.58
	1:00 PM	50.22	15.37	41.90	9.12	13.25
	2:00 PM	49.90	16.25	31.18	8.94	12.98
	3:00 PM	51.12	16.82	31.48	9.41	13.37

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	4:00 PM	50.21	8.90	82.00	9.23	12.56
	5:00 PM	51.48	17.13	32.13	8.91	12.68
	6:00 PM	50.93	17.44	29.86	9.18	13.54
	7:00 PM	49.61	17.41	33.07	9.24	13.21
	8:00 PM	47.62	17.16	35.78	9.12	13.01
	9:00 PM	44.56	16.66	33.01	8.60	11.25
	10:00 PM	40.91	15.77	41.67	8.02	11.43
	11:00 PM	40.63	14.78	46.96	6.75	9.35
7/10/17	12:00 AM	37.97	13.25	54.77	5.42	7.62
	1:00 AM	38.54	12.37	57.72	5.05	7.84
	2:00 AM	38.65	11.63	64.16	4.87	6.94
	3:00 AM	39.98	10.96	71.61	4.15	6.08
	4:00 AM	39.40	10.30	75.61	4.12	6.02
	5:00 AM	38.29	10.01	78.78	4.51	6.15
	6:00 AM	42.33	10.37	75.30	3.51	5.17
	7:00 AM	42.95	10.97	72.32	3.83	5.84
	8:00 AM	32.52	12.36	61.98	4.30	5.82
	9:00 AM	40.30	13.97	50.95	4.41	6.06
7/26/17	9:00 AM	48.70	8.61	95.00	5.17	7.29
	10:00 AM	36.55	9.38	78.85	4.77	6.92
	11:00 AM	35.40	10.02	74.31	4.38	6.57
	12:00 PM	59.10	10.40	71.06	4.14	6.53
	1:00 PM	40.79	10.80	69.36	3.80	6.14
	2:00 PM	34.06	11.49	60.49	4.46	7.70
	3:00 PM	40.04	12.09	60.93	4.30	6.66
	4:00 PM	42.08	12.29	53.92	4.94	7.62
	5:00 PM	47.89	12.62	56.70	5.91	8.45
	6:00 PM	48.06	12.45	54.06	7.77	10.45
	7:00 PM	49.88	11.95	56.46	8.16	11.02
	8:00 PM	48.20	11.37	55.32	8.02	10.58
	9:00 PM	46.41	10.65	65.72	7.74	10.66
	10:00 PM	46.73	10.16	64.70	6.81	11.21
	11:00 PM	45.66	9.86	59.90	6.70	9.60
7/27/17	12:00 AM	44.68	9.20	71.93	5.90	8.60
	1:00 AM	51.61	8.78	76.17	5.94	8.21
	2:00 AM	46.58	8.60	84.30	7.63	11.80
	3:00 AM	47.02	8.08	81.50	6.72	8.98
	4:00 AM	46.80	8.09	82.60	6.88	8.84

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	5:00 AM	47.94	7.17	83.80	6.35	12.49
	6:00 AM	48.72	7.46	88.30	6.53	9.74
	7:00 AM	45.09	7.25	86.50	7.18	9.23

#### 3.3 R3

One-minute filtered and unfiltered  $L_{eq}$  value, maximum sound levels ( $L_{max}$ ), and minimum sound levels ( $L_{min}$ ) over the two monitoring events at R3 are shown in Figures 7, 8 and 9.

Hourly Leq values were calculated as described in Section 2.4, and are shown in Table 5.

Weather data for noise monitoring dates at R3 is shown in Table 5. Wind speeds were low during the first event, but exceeded 4.17 m/s for the majority of the second event, and part of the third event. Between the three events, a total of 91 out of 143 h of data collected were usable.

Audible noises previously noted in the field log at this location include boats, birds, insects, traffic and pit noise. Activities contributing to the acoustic environment at this location include Vault road traffic and increased helicopter activity due to exploration works.




Figure 7. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R3 at the Meadowbank site during monitoring event 1. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%).




Figure 8. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R3 at the Meadowbank site during monitoring event 2. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%).




Figure 9. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R3 at the Meadowbank site during monitoring event 3. Filtered data excludes those measurements taken outside of optimal conditions (set-up, take-down, wind > 4.17 m/s, RH > 90%).

Table 5. Hourly  $L_{eq}$  values for monitoring station R3 at the Meadowbank site. Data points filtered out of subsequent analyses due to set-up or non-optimal weather conditions are shaded grey.

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
7/02/17	2:00 PM	39.19	22.11	32.18	2.36	3.76
	3:00 PM	26.79	22.74	27.65	3.47	4.88
	4:00 PM	28.51	22.76	33.12	3.82	5.57
	5:00 PM	27.89	22.69	29.87	3.66	5.29
	6:00 PM	26.54	22.44	28.25	2.68	4.65
	7:00 PM	22.70	22.58	30.79	2.23	3.69
	8:00 PM	24.01	21.86	35.46	1.24	2.72
	9:00 PM	27.15	20.14	47.84	2.00	3.16
	10:00 PM	31.45	18.77	55.53	1.15	2.00
	11:00 PM	34.71	17.43	42.51	0.51	1.49

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
7/03/17	12:00 AM	34.43	18.30	42.25	0.41	1.25
	1:00 AM	32.23	16.58	64.72	1.14	1.73
	2:00 AM	34.04	13.84	59.51	0.76	2.20
	3:00 AM	38.25	14.29	61.62	0.19	1.00
	4:00 AM	38.28	13.56	65.40	0.69	1.78
	5:00 AM	31.46	15.04	54.67	0.29	1.57
	6:00 AM	29.41	16.41	53.60	1.44	3.06
	7:00 AM	29.10	16.79	46.53	3.15	5.27
	8:00 AM	29.18	18.32	40.47	4.25	5.63
	9:00 AM	28.70	18.89	36.98	4.03	5.17
	10:00 AM	27.46	20.22	32.72	3.64	5.31
	11:00 AM	27.35	21.34	29.17	3.69	5.84
	12:00 PM	49.76	21.99	27.27	2.55	4.33
	1:00 PM	21.71	22.25	26.26	1.91	3.67
	2:00 PM	22.65	23.22	30.34	1.61	3.98
	3:00 PM	22.67	23.25	23.48	1.70	4.19
	4:00 PM	25.46	23.71	22.91	1.75	3.74
	5:00 PM	26.02	23.71	24.06	2.28	5.66
	6:00 PM	28.79	23.50	28.96	2.33	4.29
	7:00 PM	26.30	23.13	27.31	3.32	5.63
	8:00 PM	24.90	22.92	27.71	3.25	4.67
	9:00 PM	26.65	21.04	41.72	2.46	4.37
	10:00 PM	30.61	19.61	41.60	0.79	1.57
	11:00 PM	31.66	18.38	50.73	0.63	1.29
7/04/17	12:00 AM	30.91	17.67	47.70	0.46	1.31
	1:00 AM	32.30	17.46	46.04	0.30	1.27
	2:00 AM	35.95	17.00	57.17	0.53	1.57
	3:00 AM	36.39	16.77	52.98	1.20	2.00
	4:00 AM	39.37	16.73	53.41	1.60	2.37
	5:00 AM	38.80	16.70	56.37	1.99	2.76
	6:00 AM	40.98	17.08	52.93	2.38	3.08
	7:00 AM	31.80	18.05	43.88	2.02	2.84
	8:00 AM	41.06	19.00	43.00	2.28	3.31
8/08/17	9:00 AM	45.65	6.08	90.30	8.05	10.92
	10:00 AM	46.61	6.38	86.30	7.91	11.31
	11:00 AM	41.06	7.49	75.96	7.00	11.11
	12:00 PM	38.10	8.99	67.99	6.85	9.39
	1:00 PM	33.80	10.11	60.63	6.34	9.76

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	2:00 PM	36.75	10.92	53.93	6.22	9.17
	3:00 PM	39.55	11.83	48.41	6.84	9.70
	4:00 PM	38.64	12.61	46.55	6.20	9.66
	5:00 PM	38.73	13.24	42.39	5.74	8.19
	6:00 PM	37.60	13.68	44.65	5.71	8.64
	7:00 PM	35.77	13.84	42.05	4.91	6.90
	8:00 PM	36.74	13.79	41.75	3.85	6.41
	9:00 PM	37.65	13.26	46.04	2.60	4.16
	10:00 PM	49.06	12.38	50.96	1.76	2.57
	11:00 PM	41.73	11.35	59.76	1.27	2.04
8/09/17	12:00 AM	36.42	10.08	79.78	0.27	1.24
	1:00 AM	38.83	9.25	83.20	0.93	1.67
	2:00 AM	41.90	8.91	83.50	0.97	2.14
	3:00 AM	44.39	8.56	86.50	1.99	2.96
	4:00 AM	44.16	8.27	84.60	2.54	3.49
	5:00 AM	47.20	8.10	82.70	3.99	6.21
	6:00 AM	44.93	8.23	79.65	3.72	5.27
	7:00 AM	48.79	9.49	67.85	3.72	6.59
	8:00 AM	52.51	11.05	62.94	5.62	8.90
	9:00 AM	52.27	12.24	63.40	8.29	10.49
	10:00 AM	51.30	13.52	66.91	7.80	9.86
	11:00 AM	51.43	13.51	78.96	5.27	9.25
	12:00 PM	52.60	13.53	89.00	3.82	6.72
	1:00 PM	49.71	13.95	85.80	5.45	7.78
	2:00 PM	50.06	14.38	86.80	4.93	6.72
	3:00 PM	49.39	15.84	77.58	6.98	10.86
	4:00 PM	51.62	16.57	70.61	7.93	10.66
	5:00 PM	52.58	17.07	67.37	8.30	12.19
	6:00 PM	50.38	16.62	72.71	9.17	12.94
	7:00 PM	51.63	15.15	68.99	9.26	12.23
	8:00 PM	49.32	15.01	66.35	7.80	10.49
	9:00 PM	50.79	13.99	67.49	7.05	10.02
	10:00 PM	51.88	12.39	72.90	5.46	8.55
	11:00 PM	52.15	10.56	79.53	5.35	7.43
8/10/17	12:00 AM	50.41	9.09	84.10	5.81	9.09
	1:00 AM	51.17	7.12	88.10	7.07	10.11
	2:00 AM	52.61	6.18	92.70	7.06	10.80
	3:00 AM	51.76	5.65	97.80	5.85	8.76
	4:00 AM	51.81	5.02	99.70	6.05	8.21

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	5:00 AM	50.22	4.66	100.00	5.54	7.72
	6:00 AM	49.90	4.62	100.00	4.71	7.47
	7:00 AM	51.12	4.58	100.00	4.84	7.33
	8:00 AM	50.21	4.61	100.00	4.97	7.15
8/20/17	3:00 PM	54.43	13.73	31.26	7.13	10.88
	4:00 PM	41.38	14.46	28.35	6.39	9.47
	5:00 PM	41.28	14.87	29.90	6.75	9.68
	6:00 PM	40.98	15.01	29.46	6.88	9.19
	7:00 PM	38.03	14.79	34.78	6.75	9.39
	8:00 PM	35.30	14.09	37.89	6.42	9.02
	9:00 PM	27.18	13.03	39.72	5.91	8.45
	10:00 PM	30.11	11.73	50.59	4.88	7.35
	11:00 PM	33.56	10.85	48.83	4.86	8.00
8/21/17	12:00 AM	34.04	10.27	54.49	5.53	8.02
	1:00 AM	34.93	9.50	54.09	6.06	9.31
	2:00 AM	33.26	8.81	59.88	5.23	8.53
	3:00 AM	32.11	8.46	60.66	4.47	7.02
	4:00 AM	27.44	8.17	60.66	4.74	7.13
	5:00 AM	27.56	7.93	66.72	4.27	6.94
	6:00 AM	28.96	6.62	73.51	3.20	4.86
	7:00 AM	27.63	6.29	77.03	4.06	5.51
	8:00 AM	25.34	6.99	69.63	3.67	5.53
	9:00 AM	24.70	8.02	63.91	3.41	5.14
	10:00 AM	30.64	9.49	47.51	3.19	4.90
	11:00 AM	27.99	10.69	39.79	3.87	5.16
	12:00 PM	23.88	11.80	36.27	3.49	5.17
	1:00 PM	23.46	12.52	38.77	2.94	4.68
	2:00 PM	51.79	13.09	38.97	2.17	3.96
	3:00 PM	22.59	13.90	32.47	1.59	3.21
	4:00 PM	24.70	14.75	31.79	1.24	3.14
	5:00 PM	26.94	15.21	30.77	1.65	4.21
	6:00 PM	26.35	15.51	25.80	2.57	4.65
	7:00 PM	30.25	15.52	32.06	3.40	4.82
	8:00 PM	31.40	15.28	33.75	2.67	4.08
	9:00 PM	31.94	14.13	38.90	2.35	3.53
	10:00 PM	33.04	12.53	45.27	2.56	4.31
	11:00 PM	33.56	11.30	51.61	2.79	3.72
8/22/17	12:00 AM	35.09	10.17	55.45	1.76	4.12

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	1:00 AM	29.89	9.81	58.39	1.40	3.31
	2:00 AM	33.31	9.03	63.41	1.62	3.92
	3:00 AM	35.50	8.57	77.29	2.40	3.88
	4:00 AM	34.62	8.30	74.14	3.02	4.74
	5:00 AM	38.94	7.89	80.10	2.07	3.45
	6:00 AM	35.62	7.47	81.90	2.39	4.00
	7:00 AM	38.45	7.56	86.10	1.48	2.88
	8:00 AM	39.50	7.90	74.88	2.97	4.67
	9:00 AM	35.98	9.62	62.78	2.88	4.14
	10:00 AM	31.83	11.21	57.15	3.07	4.02
	11:00 AM	32.13	12.63	53.18	3.13	4.65
	12:00 PM	34.79	13.63	50.61	3.03	6.27
	1:00 PM	26.90	14.51	39.70	2.80	4.72
	2:00 PM	28.72	14.99	41.22	2.76	5.55
	3:00 PM	29.29	15.52	34.97	2.47	4.18
	4:00 PM	28.78	15.93	30.10	3.05	5.78
	5:00 PM	26.82	16.42	25.03	2.33	3.61
	6:00 PM	41.33	16.90	23.81	3.21	5.04

### 3.4 R4

One-minute filtered and unfiltered  $L_{eq}$  value, maximum sound levels ( $L_{max}$ ), and minimum sound levels ( $L_{min}$ ) over the three monitoring events at R4 are shown in Figure 10, 11 and 12.

Hourly  $L_{\text{eq}}$  values were calculated as described in Section 2.4, and are shown in Table 6, along with data filtered out for subsequent calculations.

Weather data for noise monitoring dates at R4 is shown in Table 6. After 110 h of monitoring, 52 h were available for analysis after filtering data. Relatively good conditions occurred throughout events one and two but precipitation as well as high winds occurred throughout nearly the entirety of the third event.

Noises noted in the field log include wind, rain, traffic, and birds.




Figure 10. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R4 at the Meadowbank site during monitoring event 1. Filtered data excludes those measurements taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%).




Figure 11. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R4 at the Meadowbank site during monitoring event 2. Filtered data excludes those measurements taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%).




Figure 12. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R4 at the Meadowbank site during monitoring event 3. Filtered data excludes those measurements taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%).

Table 6. Hourly  $L_{eq}$  values for monitoring station R4 at the Meadowbank site. Data points filtered out of subsequent analyses due to set-up or non-optimal weather conditions are shaded grey.

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
7/10/17	12:00 PM	44.28	16.39	32.63	5.31	8.57
	1:00 PM	42.81	17.00	35.78	5.30	9.41
	2:00 PM	36.31	17.72	35.29	4.01	7.17
	3:00 PM	38.01	18.58	30.70	3.79	8.90
	4:00 PM	34.78	18.50	36.92	3.83	7.13
	5:00 PM	41.85	18.34	37.25	2.10	4.16
	6:00 PM	49.07	18.90	35.43	2.04	3.55
	7:00 PM	31.62	19.25	36.24	1.65	4.59
	8:00 PM	29.89	19.16	38.27	1.43	4.06
	9:00 PM	34.72	19.12	39.82	1.68	2.82

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	10:00 PM	32.15	18.30	40.37	1.20	1.96
	11:00 PM	31.48	16.83	51.50	0.84	1.67
7/11/17	12:00 AM	31.50	15.59	54.16	0.50	1.08
	1:00 AM	33.21	13.76	66.34	2.68	4.96
	2:00 AM	37.41	13.33	69.86	2.96	4.68
	3:00 AM	34.67	13.42	59.81	4.15	6.92
	4:00 AM	35.19	12.52	67.47	2.37	5.29
	5:00 AM	33.95	13.16	65.30	3.73	6.72
	6:00 AM	46.96	13.17	65.23	1.26	3.80
	7:00 AM	42.34	13.91	57.98	1.59	6.25
	8:00 AM	39.30	15.55	56.14	5.30	7.29
	9:00 AM	35.39	15.94	58.03	5.60	7.80
	10:00 AM	33.54	16.77	54.38	4.09	5.84
	11:00 AM	33.87	17.07	56.53	4.03	6.53
	12:00 PM	34.29	17.57	52.43	3.41	5.57
	1:00 PM	41.68	18.16	47.06	3.61	6.17
	2:00 PM	38.99	18.45	36.58	4.95	7.64
	3:00 PM	44.44	18.40	30.60	5.53	8.23
	4:00 PM	43.90	17.70	34.36	6.79	10.23
	5:00 PM	43.14	17.19	34.19	7.01	9.84
	6:00 PM	40.01	17.40	26.31	6.54	9.41
	7:00 PM	38.62	17.13	24.92	5.57	7.55
	8:00 PM	39.44	17.07	28.88	5.78	8.41
	9:00 PM	41.29	16.21	40.72	5.87	8.13
	10:00 PM	42.81	15.17	45.33	5.93	8.13
	11:00 PM	42.82	14.14	54.63	4.70	7.21
7/12/17	12:00 AM	40.54	13.21	57.78	3.96	6.59
	1:00 AM	41.70	12.64	59.48	3.73	6.37
	2:00 AM	44.92	11.93	67.85	1.83	2.90
	3:00 AM	49.28	11.38	68.02	1.36	2.23
	4:00 AM	41.81	9.44	89.40	1.29	3.00
	5:00 AM	40.96	9.30	84.00	0.79	1.98
	6:00 AM	45.71	9.61	85.30	1.16	2.23
	7:00 AM	44.30	10.12	82.50	2.02	3.88
	8:00 AM	46.69	10.44	82.10	3.89	5.41
8/01/17	3:00 PM	39.81	12.68	41.17	4.12	6.86
	4:00 PM	37.34	12.79	42.66	3.63	7.00
	5:00 PM	35.65	13.10	42.08	4.14	7.08

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	6:00 PM	33.80	13.10	41.47	4.12	8.17
	7:00 PM	34.52	13.37	43.87	3.86	6.96
	8:00 PM	36.50	13.39	41.44	2.94	5.63
	9:00 PM	35.55	13.33	41.20	2.89	5.57
	10:00 PM	38.05	12.94	44.99	2.40	4.59
	11:00 PM	43.43	11.95	51.61	0.94	2.22
8/02/17	12:00 AM	42.11	10.63	57.06	0.58	1.33
	1:00 AM	40.67	10.14	70.68	0.46	1.10
	2:00 AM	40.52	9.02	77.79	0.62	1.55
	3:00 AM	35.11	9.06	78.70	0.61	1.45
	4:00 AM	31.06	8.73	74.48	1.29	2.04
	5:00 AM	39.92	8.44	77.18	2.23	3.45
	6:00 AM	42.49	8.46	76.74	2.57	4.18
	7:00 AM	44.19	8.38	84.80	3.32	4.96
	8:00 AM	35.58	9.03	79.76	2.63	3.92
8/16/17	10:00 AM	59.44	9.63	91.40	6.00	7.94
	11:00 AM	40.54	9.49	91.50	5.67	7.76
	12:00 PM	43.03	9.24	94.70	6.46	8.58
	1:00 PM	40.85	9.36	94.90	6.36	8.00
	2:00 PM	43.73	9.75	98.60	5.24	6.90
	3:00 PM	39.24	9.83	97.10	4.84	7.17
	4:00 PM	40.75	10.59	93.20	4.99	7.25
	5:00 PM	41.68	11.18	88.10	5.36	7.61
	6:00 PM	41.05	11.61	88.50	5.63	7.82
	7:00 PM	43.46	11.62	86.30	5.33	7.90
	8:00 PM	42.50	11.69	80.90	5.29	8.06
	9:00 PM	41.49	11.50	81.70	5.89	8.72
	10:00 PM	42.30	11.37	84.90	5.11	7.39
	11:00 PM	41.85	11.37	90.10	5.09	7.61
8/17/17	12:00 AM	43.06	11.44	88.80	5.51	9.23
	1:00 AM	41.61	11.17	84.50	6.08	9.09
	2:00 AM	44.77	10.65	88.00	6.01	8.86
	3:00 AM	45.78	9.79	87.80	6.19	9.07
	4:00 AM	46.16	9.78	87.60	6.17	9.51
	5:00 AM	44.09	10.11	83.00	6.37	8.94
	6:00 AM	44.51	9.99	83.10	7.26	9.76
	7:00 AM	45.07	10.05	80.40	6.95	9.43
	8:00 AM	43.48	10.13	79.32	6.51	9.33

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	9:00 AM	44.84	10.20	85.40	5.98	10.21
	10:00 AM	49.17	10.04	87.90	5.81	9.11
	11:00 AM	43.78	10.08	84.20	6.03	8.33
	12:00 PM	43.69	10.49	78.30	6.50	8.33
	1:00 PM	45.19	11.00	71.87	6.30	8.53
	2:00 PM	41.55	11.82	63.81	5.59	8.55
	3:00 PM	41.02	12.31	59.40	5.64	8.33
	4:00 PM	39.88	12.61	59.78	5.26	7.80
	5:00 PM	39.30	12.57	59.54	4.74	6.92
	6:00 PM	34.03	12.53	58.19	4.08	6.06
	7:00 PM	36.95	12.48	59.54	4.18	6.39
	8:00 PM	40.57	12.15	64.22	3.80	5.72
	9:00 PM	38.47	11.51	69.20	3.01	4.68
	10:00 PM	41.92	11.05	73.40	2.52	3.90
	11:00 PM	43.01	9.98	90.10	2.06	2.74
8/18/17	12:00 AM	37.29	9.15	94.70	2.10	2.61
	1:00 AM	37.46	8.88	98.30	2.36	3.18
	2:00 AM	42.60	8.35	97.20	2.52	3.31
	3:00 AM	37.93	8.51	97.30	2.68	4.53
	4:00 AM	39.81	8.37	100.00	2.83	4.59
	5:00 AM	40.05	7.82	100.00	1.95	2.94
	6:00 AM	38.30	7.66	100.00	2.32	3.33
	7:00 AM	46.23	7.39	100.00	1.88	3.04
	8:00 AM	55.95	7.85	100.00	2.43	3.78

#### 3.5 R5

One-minute filtered and unfiltered  $L_{eq}$  values, maximum sound levels ( $L_{max}$ ), and minimum sound levels ( $L_{min}$ ) over the three monitoring events at R5 are shown in Figure 13, 14, and 15.

Hourly L<sub>eq</sub> values were calculated as described in Section 2.4, and are shown in Table 7, along with data filtered out for subsequent calculations.

Weather data for noise monitoring dates at R5 is also shown in Table 7. Winds tended to be high during about half of events 1 and 2, and probable precipitation occurred throughout much of the third event. Out of 171 monitoring hours, 34 were available for analysis after filtering the data.

Audible noises noted in the field log at this location include birds, insects, road traffic, wind, and activities at the nearby former exploration camp. Increased exploration activities related to the Amaruq project since 2014 have resulted in higher helicopter traffic throughout the summer months.




Figure 13. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R5 at the Meadowbank site during monitoring event 1. Filtered data excludes those measurements taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%).




Figure 14. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R5 at the Meadowbank site during monitoring event 2. Filtered data excludes those measurements taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%).




Figure 15. One-minute  $L_{eq}$ ,  $L_{max}$  and  $L_{min}$  values recorded at monitoring station R5 at the Meadowbank site during monitoring event 3. Filtered data excludes those measurements taken outside of optimal conditions (set-up, wind > 4.17 m/s, RH > 90%).

Table 7. Hourly Leq values for monitoring station R5 at the Meadowbank site. Data points filtered out of subsequent analyses due to set-up or non-optimal weather conditions are shaded grey.

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
7/13/17	8:00 AM	39.58	5.51	63.25	5.57	8.09
	9:00 AM	37.33	5.85	61.58	5.75	8.82
	10:00 AM	36.45	6.16	60.46	5.14	7.94
	11:00 AM	40.58	6.68	59.92	4.70	7.78
	12:00 PM	62.05	7.46	55.11	5.01	7.29
	1:00 PM	35.72	8.40	51.38	4.78	7.08
	2:00 PM	32.51	8.79	48.57	5.21	8.37
	3:00 PM	35.06	9.96	45.69	4.13	7.15
	4:00 PM	34.42	11.47	42.22	4.89	7.68
	5:00 PM	32.83	12.54	41.20	4.88	7.78

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	6:00 PM	31.88	13.14	39.92	4.65	7.31
	7:00 PM	28.05	13.43	40.90	3.65	6.12
	8:00 PM	42.57	13.30	42.96	3.92	6.61
	9:00 PM	34.67	12.49	64.52	5.74	10.80
	10:00 PM	25.03	11.93	67.06	5.39	8.06
	11:00 PM	29.24	11.15	73.03	2.78	4.10
7/14/17	12:00 AM	25.52	10.14	71.27	2.20	3.12
	1:00 AM	28.10	10.08	76.31	2.41	3.76
	2:00 AM	29.18	9.92	71.38	4.49	6.00
	3:00 AM	32.38	9.11	68.89	4.59	6.17
	4:00 AM	32.20	7.91	71.50	4.21	5.37
	5:00 AM	37.84	7.40	73.53	4.12	5.16
	6:00 AM	48.15	7.60	80.30	3.94	5.37
	7:00 AM	53.44	8.21	65.40	4.99	6.76
	8:00 AM	51.43	8.91	68.89	6.10	11.92
	9:00 AM	53.63	9.45	60.92	10.17	13.78
	10:00 AM	55.53	9.57	61.32	11.40	15.64
	11:00 AM	54.96	9.63	56.92	11.40	15.19
	12:00 PM	55.01	9.64	57.50	11.64	15.23
	1:00 PM	56.30	10.01	53.60	11.35	15.41
8/04/17	2:00 PM	39.43	19.54	31.74	4.75	6.74
	3:00 PM	49.85	19.79	34.48	5.24	7.08
	4:00 PM	54.21	19.93	36.98	5.28	7.08
	5:00 PM	33.07	19.99	37.18	5.13	7.51
	6:00 PM	33.52	19.75	42.87	4.10	5.57
	7:00 PM	33.66	19.73	43.24	4.31	5.70
	8:00 PM	34.50	19.39	49.76	4.99	6.76
	9:00 PM	33.48	18.04	47.23	4.80	6.02
	10:00 PM	32.77	17.19	54.92	3.66	5.39
	11:00 PM	37.33	15.86	54.58	2.80	4.08
8/05/17	12:00 AM	37.72	15.61	59.22	4.58	6.39
	1:00 AM	34.60	14.81	72.90	4.07	5.47
	2:00 AM	31.17	14.03	76.35	4.37	5.57
	3:00 AM	29.74	13.93	83.50	1.82	5.80
	4:00 AM	33.48	14.15	81.00	2.14	3.69
	5:00 AM	35.73	13.96	86.10	2.99	4.74
	6:00 AM	54.47	13.61	91.60	2.04	4.21
	7:00 AM	36.02	13.50	91.60	2.81	4.35

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	8:00 AM	34.12	13.50	92.20	3.20	4.90
	9:00 AM	33.87	14.11	84.90	1.43	2.69
	10:00 AM	32.24	15.36	80.70	0.95	2.20
	11:00 AM	28.50	16.60	71.53	0.90	1.90
	12:00 PM	27.93	17.88	66.42	1.05	2.61
	1:00 PM	38.24	19.10	62.59	1.06	2.92
	2:00 PM	53.95	19.56	60.97	1.71	4.18
	3:00 PM	31.28	20.39	53.87	1.42	3.67
	4:00 PM	29.60	21.09	52.11	1.05	2.49
	5:00 PM	29.62	21.39	49.31	1.25	2.71
	6:00 PM	34.49	21.54	51.67	1.27	2.92
	7:00 PM	38.62	21.08	51.11	2.59	3.74
	8:00 PM	47.81	20.69	72.21	3.12	5.19
	9:00 PM	34.09	17.04	94.20	2.54	9.45
	10:00 PM	33.93	16.03	100.00	3.56	5.41
	11:00 PM	39.24	15.79	100.00	4.83	7.47
8/06/17	12:00 AM	42.55	15.21	100.00	5.73	9.15
	1:00 AM	41.58	14.60	100.00	6.49	9.58
	1:00 AM	41.58	13.49	100.00	6.42	10.13
	2:00 AM	42.38	13.09	100.00	6.23	8.60
	3:00 AM	37.56	12.83	100.00	5.51	8.00
	4:00 AM	46.76	12.65	100.00	7.20	11.62
	5:00 AM	51.64	11.38	100.00	10.42	13.54
	6:00 AM	52.59	9.93	100.00	10.47	14.17
	7:00 AM	51.53	14.11	84.90	1.43	2.69
	8:00 AM	51.12	9.35	100.00	10.22	13.39
	9:00 AM	56.83	9.40	100.00	10.29	13.80
8/26/17	9:00 AM	46.39	13.97	85.60	6.75	9.55
	10:00 AM	44.53	14.23	89.20	6.51	8.92
	11:00 AM	41.12	15.29	83.50	6.80	8.94
	12:00 PM	42.15	16.59	78.49	5.94	8.43
	1:00 PM	49.19	17.82	72.82	6.31	9.35
	2:00 PM	56.86	18.46	72.75	8.35	11.58
	3:00 PM	57.30	18.47	68.66	8.77	12.21
	4:00 PM	46.86	17.33	58.91	8.39	11.21
	5:00 PM	39.32	16.60	66.59	7.58	12.07
	6:00 PM	42.09	16.86	66.96	6.71	9.09
	7:00 PM	47.72	16.95	63.00	7.30	10.31

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	8:00 PM	40.73	16.02	72.37	8.01	13.09
	9:00 PM	41.45	14.89	89.50	7.00	12.21
	10:00 PM	33.99	12.89	100.00	5.53	10.27
	11:00 PM	36.57	12.93	100.00	5.91	8.39
8/27/17	12:00 AM	35.53	12.57	100.00	5.65	7.06
	1:00 AM	28.77	12.18	100.00	5.22	7.15
	2:00 AM	31.49	11.60	100.00	3.67	5.61
	3:00 AM	32.96	12.11	100.00	4.92	7.15
	4:00 AM	32.10	12.09	100.00	5.34	8.09
	5:00 AM	32.97	11.73	100.00	5.88	7.98
	6:00 AM	34.76	11.69	100.00	4.68	6.66
	7:00 AM	45.87	12.30	100.00	5.21	6.94
	8:00 AM	44.18	12.02	100.00	7.77	10.53
	9:00 AM	44.50	11.14	100.00	8.40	10.60
	10:00 AM	48.00	10.48	100.00	8.06	10.66
	11:00 AM	56.36	9.68	100.00	9.23	11.54
	12:00 PM	53.52	8.97	100.00	8.69	11.25
	1:00 PM	52.47	8.32	100.00	9.49	12.43
	2:00 PM	53.40	8.04	100.00	10.65	14.13
	3:00 PM	53.82	7.76	100.00	10.00	13.09
	4:00 PM	53.65	7.60	89.90	8.99	12.76
	5:00 PM	51.43	7.81	87.20	8.72	12.17
	6:00 PM	51.89	7.64	85.20	9.20	11.96
	7:00 PM	51.05	7.18	83.20	9.51	12.37
	8:00 PM	48.35	6.77	84.30	8.45	12.13
	9:00 PM	47.06	6.23	83.90	7.89	10.84
	10:00 PM	47.55	5.74	85.60	7.76	10.29
	11:00 PM	47.26	5.27	85.30	7.93	10.35
8/28/17	12:00 AM	44.36	5.05	85.10	7.80	11.07
	1:00 AM	41.69	4.91	93.10	6.51	9.53
	2:00 AM	42.46	4.06	94.40	6.27	9.47
	3:00 AM	44.39	3.48	93.60	6.28	8.55
	4:00 AM	40.82	3.16	96.80	6.09	9.00
	5:00 AM	41.06	2.83	100.00	6.09	8.39
	6:00 AM	42.96	2.83	100.00	6.58	9.49
	7:00 AM	45.83	2.78	98.70	6.20	8.64
	8:00 AM	45.19	2.93	94.20	7.26	10.05
	9:00 AM	44.36	2.82	96.30	6.78	9.11
	10:00 AM	44.56	2.89	89.90	6.56	9.21

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	11:00 AM	46.01	3.11	87.00	6.77	9.70
	12:00 PM	46.21	3.61	80.00	7.28	10.27
	1:00 PM	60.94	4.12	77.67	7.17	10.39
	2:00 PM	54.11	4.85	74.18	7.34	10.92
	3:00 PM	47.66	5.29	65.35	7.65	10.58
	4:00 PM	55.19	6.15	62.02	7.43	11.52
	5:00 PM	49.32	6.29	62.19	7.73	12.07
	6:00 PM	48.44	6.26	69.33	7.73	11.11
	7:00 PM	47.09	5.80	65.00	8.16	11.35
	8:00 PM	47.82	5.45	63.65	7.93	11.47
	9:00 PM	45.38	4.90	66.87	7.90	10.78
	10:00 PM	46.24	4.26	80.40	7.09	9.92
	11:00 PM	48.44	3.85	74.77	7.92	10.84
8/29/17	12:00 AM	45.96	3.48	76.67	8.06	11.56
	1:00 AM	45.74	2.77	86.80	7.27	11.64
	2:00 AM	47.84	2.31	80.70	7.29	10.21
	3:00 AM	49.70	2.28	79.59	6.91	9.88
	4:00 AM	47.64	2.17	70.86	8.09	11.23
	5:00 AM	45.45	2.04	81.40	7.12	9.88
	6:00 AM	46.32	2.04	81.10	7.11	10.19
	7:00 AM	46.23	2.01	76.95	6.99	10.33
	8:00 AM	53.91	2.31	80.10	7.60	10.43
	9:00 AM	55.08	2.50	73.05	7.77	11.21
	10:00 AM	53.42	2.65	84.90	7.33	9.70
	11:00 AM	54.40	2.94	79.63	7.33	10.27
	12:00 PM	54.21	3.70	73.95	7.79	10.70
	1:00 PM	54.43	4.22	74.93	7.71	11.62
	2:00 PM	46.04	4.80	68.19	7.94	11.11
	3:00 PM	46.07	5.36	67.58	7.71	11.00
	4:00 PM	46.73	5.95	65.34	8.13	11.31
	5:00 PM	55.79	6.47	61.98	8.31	11.45
	6:00 PM	46.10	6.58	68.55	8.18	11.33
	7:00 PM	43.67	6.47	68.69	7.87	10.82
	8:00 PM	38.53	6.46	66.08	7.23	9.90
	9:00 PM	29.35	5.98	68.05	6.74	9.66
	10:00 PM	27.59	4.96	70.97	4.61	6.37
	11:00 PM	27.28	4.56	75.08	3.76	4.94
8/30/17	12:00 AM	27.48	4.06	79.66	2.51	3.86

Date	Start Hour	L <sub>eq (1 h)</sub>	Air Temp. (°C)	Relative Humidity (%)	Avg. Wind Speed (m/s)	Max. Wind Speed (m/s)
	1:00 AM	23.39	3.86	81.40	1.64	2.59
	2:00 AM	24.03	4.36	78.58	2.01	2.63
	3:00 AM	25.78	4.27	80.10	2.55	3.47
	4:00 AM	23.58	4.36	87.20	2.59	3.59
	5:00 AM	24.04	3.97	100.00	2.57	3.84
	6:00 AM	36.98	3.40	94.20	1.84	2.92
	7:00 AM	34.64	3.83	92.80	1.63	2.29
	8:00 AM	41.90	4.64	88.20	1.33	2.27
	9:00 AM	39.32	5.50	90.90	1.42	2.29

### 4.1 DAYTIME, NIGHT-TIME, AND 24 H LEQ

 $L_{eq}$  values were calculated for daytime (7am-11pm), night-time (11pm-7am), 10pm-11pm, and 24 h time periods as in previous years, based on Health Canada recommendations (as described in the initial noise monitoring report - Golder, 2012). These  $L_{eq}$  values and the total hours of filtered data available for the calculations as a percent of the corresponding time period are shown in Table 8. Alberta ERCB guidance (ERCB 2007) indicates that 3 hours of valid data are required to contribute to daytime and night-time averages, so time periods with a lower percent coverage are excluded (19% daytime, 38% night-time). Time periods for which insufficient data was available are indicated with a dash ("-").

The daytime target sound level (55 dBA) was not exceeded during any monitoring event. One value at R1 slightly exceeded the night-time target sound level (45 dBA), with a recorded L<sub>eq,night</sub> value of 46.2 dBA. Further investigation of the data indicated that an exceedance of this target only occurred from 6-7 am, which is considered the last night-time hour, but is also the time of shift change-over on the minesite, resulting in increased activity. Historically, exceedances of the night-time target are common during this hour (see e.g. 2016 Noise Monitoring Report).

Table 8. Daytime, night-time, 10-11 pm, and 24-h  $L_{eq}$  values for monitoring locations R1 – R5, and percentage of the corresponding time period for which valid data was available (% coverage). Day- and Night-time periods with fewer than 3 hours of valid data are excluded (-), and those exceeding corresponding target sound levels are shaded grey.

Site	Dates (2017)	L <sub>eq, day</sub> 7am-11pm (dBA)	% coverage	L <sub>eq, night</sub> 11pm-7am (dBA)	% coverage	L <sub>eq, 1 h</sub> 10-11pm (dBA)	L <sub>eq, 24 h</sub> (dBA)	% coverage
R1	Jul. 21	47.1	75%	-	0%	39.4	47.1	50%
	Aug. 8 - 10	45.9	31%	46.2	100%	24.6	46.1	54%
	Sept. 3 - 5	-	13%	30.4	75%	35.3	32.0	33%
R2	Jul. 7 - 10	-	6%	39.7	63%	36.8	39.3	25%
	Jul. 26 - 27	-	13%	-	0%	-	56.2	8%
R3	Jul. 2 - 4	38.6	100%	36.2	100%	31.0	37.9	100%
	Aug 8 - 10	48.4	31%	43.5	100%	49.1	46.1	54%
	Aug. 20 - 22	37.9	100%	35.0	100%	33.0	37.1	100%
R4	Jul. 10 - 12	41.4	94%	42.4	100%	32.2	41.8	96%
	Aug. 1 - 2	38.1	56%	40.7	100%	38.1	39.5	71%
	Aug. 16 - 18	39.6	25%	-	0%	41.9	39.6	17%
R5	Jul. 13 - 14	38.6	19%	41.7	63%	-	40.8	33%
	Aug. 4 - 6	44.1	81%	34.8	63%	32.8	42.9	75%
	Aug. 26 - 30	-	6%	25.6	75%	-	34.0	29%

### 4.2 HISTORICAL COMPARISON

 $L_{\text{eq}}$  measurements for all valid time periods from 2009 - 2017 are shown in Figure 16. Daytime values during one monitoring event (August 8 - 10) at R3 were somewhat elevated compared to previous years, and examination of the sound files indicated that helicopter flyovers were audible in association with noise peaks. In general,  $L_{\text{eq}}$  values observed in 2017 were within the range of those observed previously site-wide, and onsite sound levels don't appear to be increasing. Daytime values at R3 will be examined in 2018 to determine if there is a trend towards increasing noise levels at that site.




Figure 16.  $L_{eq}$  values calculated from filtered data for various time periods at locations R1 – R5 on the Meadowbank site in surveys from 2009 - 2017. Dashed lines indicate target sound levels (day-time and night-time only).

### SECTION 5 • CONCLUSION

The objective of the noise monitoring program at Meadowbank is to measure noise levels at five previously determined monitoring locations over at least two 24 h periods. Agnico Eagle plans to conduct a minimum of two monitoring rounds of two to four days per station, since high winds in the area tend to substantially reduce the quantity of available valid data. In 2017, monitoring was conducted for over 30 days, with 2 -3 events per station (greatest amount of monitoring to date). Following removal of datapoints obtained under sub-optimal weather conditions, 10 – 91 hours of data were available for each station, with at least one valid measurement for each Health Canada monitoring period (daytime, night-time, 10-11 pm, 24 h).

Target sound levels (55 dBA daytime, 45 dBA night-time) were met in all cases, with the exception of the one night-time value (R1). However, this exceedance only occurred for the last hour of the night-time period (6-7 am) which coincides with shift change-over on the minesite and thus increased activity levels. Recorded sound levels were generally within the range of those observed historically site-wide, and though daytime levels were somewhat elevated for one monitoring period at R3, no trends towards increasing noise levels are apparent.

Overall, since targets were exceeded on only one occasion during peak helicopter season, and by a maximum of 1.6 dB, significant impacts are not anticipated. Elevated wind speeds and snow cover tend to preclude monitoring during the rest of the year, but measurements recorded in July and August are expected to represent the highest noise levels occurring onsite, since helicopter and general traffic activity is greatest during this period. Based on the noise data collected in 2017, it is anticipated that target sound levels are only exceeded occasionally during the busiest summer months of July and August, and are not likely to be exceeded during the rest of the year (including during the spring and fall caribou migration).

Further, regular wildlife monitoring (see 2017 Wildlife Summary Report) indicates no exceedances of thresholds related to noise on the minesite (i.e. sensory disturbance) for wildlife. Therefore, it is unlikely that the observed occasional exceedances of target sound levels are significantly affecting wildlife beyond impact predictions.

#### SECTION 6 • ACTIONS

No specific actions for adaptive monitoring or management were identified for 2017 in the 2016 Noise Monitoring Report.

The following actions are identified for 2018:

 Daytime L<sub>eq</sub> values at R3 will be examined to determine if there is a trend towards increased noise levels at that site.

### SECTION 7 • REFERENCES

AEM, 2013. Noise Monitoring and Abatement Plan, Meadowbank Gold Project. Version 2. Prepared by Agnico Eagle Mines Ltd. January, 2014.

AEM, 2009. Noise Management and Abatement Plan. Meadowbank Gold Project. Version 1. Prepared by Agnico Eagle Mines Ltd. September, 2009.

Cumberland, 2006. Terrestrial Ecosystem Management Plan. Meadowbank Gold Project. Cumberland Resources Ltd. December, 2006.

Cumberland, 2005. Access and Air Traffic Management Plan. Meadowbank Gold Project. Cumberland Resources Ltd. October, 2005.

ERCB, 2007. Noise Control Directive 038. Alberta Energy Resources Conservation Board. Calgary, Alberta.

Golder Associates (Golder), 2012. 2011 Noise Monitoring, Meadowbank Division, Nunavut. Prepared for Agnico-Eagle Mines Ltd. February, 2012.

### **APPENDIX A**

## **Site Photos**



Figure -Apx 1: Monitoring location R1 (July 21, 2017).



Figure -Apx 2: Monitoring location R2 (July 26, 2017).




Figure -Apx 3: Monitoring location R3 (August 20, 2017).



Figure -Apx 4: Monitoring location R4 (August 16, 2017).




Figure -Apx 5: Monitoring location R5 (July 13, 2017).

## **APPENDIX B**

# Field Logs

	MONITORI	NG STARTS	
Operator:	Fanny L. , PAT AHS	(ZN	
Location:	122 /		
Noise Meter Start Time:			
Date:	2017-07-26		
Calibration complete ?:	У	F	
Sensitivity	51,05		
Derviation	0.00		
Time of Calibration:	8:00 AM		
Battery Power Check:	Good -	Poor	
	Good	1001	
Photographs of Setup (Y/N)	1		
Photographs of Surrounding (Y/N)	+ V 1		
Check available disk memory (Y/N)			
Cloud cover:	cloudy	partly cloudy	sunny
Height of cloud (feet):	0-10,000	10,000-25,000	25,000 +
Air Temperature (C):	10.2		
Wind Speed (km/hr):	65		
Wind Direction:	01)	N N *	
North wind (wind blows from North)	Λ - 2.5	NW NE	
	Huy-3,5	SW SE	
Parametria Praggura (I-P-)	W a		
Barometric Pressure (kPa):	15.4		
Relative Humidity (%)	7500	1.2.1.	
Precipitation:	none)	drizzle	rain
		DESCRIPTION	
GPS Location	Latitude	Longitude	Altitude
	14W 063	6795 7214435	
Type of Ground Surface:	Tundra	and the second s	
Acoustic Environment:			
Traffic	Helicopter,	Nic Craft	
Human activities	/	0	
Animal	Birds INSect	5	
Other noise sources	/		1
	MONITOR	RING ENDS	
Operator:	177 /MBA		
Record Data File Name:	1.1111111111111111111111111111111111111		
Total Monitoring Period	2017-07-29	8:57	
	23/1-01-21	0.5/	
Noise Meter End Time:		4	
Date:			
Calibration complete ?:	- 1-1		
Sensitivity	51.11		
Derviation			
Time of Calibration:	0,02	10:43	
Check file size (GB)			
Battery Power Check:		Po	
Cloud cover:	cloudy	partly cloudy	sunny
Height of cloud (feet):	0-10,000	10,000-25,000	25,000 +
Air Temperature (C):			
Wind Speed (km/hr):		1	
Wind Direction:	C 2 2		
North wind (wind blows from North)	8.3°C	NW NE	
Note: Wild (wild blows from Note)	may, 14.7 Avg. 8.8	W SE	
	NV9 8.0		
Parametria Brasques (I-Pa)			
Barometric Pressure (kPa): Relative Humidity (%)	549		*
Precipitation:	none)	drizzle	rain
	none)	UIIZZIE	ralli
Depature Time:			







	MONITORI	NG STARTS	
Operator:	7 7/0	1 1 22	
Location:	Iom / Kot	DINI N - K3	
Noise Meter Start Time:		- 111	
Date:	2017-01-0.	2 /7/05	Vertical variables of the second of the seco
Calibration complete ?: Ves			
Sensitivity	50.76		
	0.04		
Derviation Time of Calibration:	14:01		
	Good -	Poor	
Battery Power Check:	Good	1001	
Photographs of Setup (V/N)			
Photographs of Surrounding(Y/N)			
Check available disk memory (Y/N)		T	
Cloud cover:	cloudy	partly cloudy	sunny
Height of cloud (feet):	0-10,000	10,000-25,000	25,000 +
Air Temperature (C):	28.5°€		
Wind Speed (km/hr):			
Wind Direction:	1 11 0	N	
North wind (wind blows from North)	1.4 409	NW NE	
,		$\wedge$	
	23 May	w E	
	3.7 May		
		SW SE	
		3	
Description Drog (I-Da):			
Barometric Pressure (kPa):	30.6		
Relative Humidity (%)		drizzle	rain
Precipitation:	none		Tani
	ALL STATE OF THE S	DESCRIPTION	T
GPS Location	Latitude	Longitude	Altitude
Type of Ground Surface:			
Type of Ground Surface.			
Acoustic Environment:			
Acoustic Environment: Traffic			
Acoustic Environment: Traffic Human activities			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities Animal	MONITOR	ING FNDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources	MONITOR	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator:		ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name:	MONITOR Tom T	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period			
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time:			
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date:		ING ENDS 4 8 3 7	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time:			
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date:	70m T 2017-07-0 50.98		
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?:			
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity	70m T 2017-07-0 50.98		
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation	70m T 2017-07-0 50.98	4 8:37	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)	70m T 2017-07-0 50.98		
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:	70m T 2017-07-0 50.98 0.04 8:46	4 8:37	sunny
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover:	70m T 2017-07-0 50.98 0.04 8:46	4 8:37 Po@	sunny 25,000 +
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet):	70m 7 2017 - 07 - 0 50.98 0.04 8:46 cloudy 0-10,000	Po Po partly cloudy	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period  Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C):	70m T 2017-07-0 50.98 0.04 8:46	Po Po partly cloudy	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr):	70m 7 2017-07-0 50.98 0.04 8:46 cloudy 0-10,000	Po Po partly cloudy	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:	70m 7 2017-07-0 50.98 0.04 8:46 cloudy 0-10,000	Po@ partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr):	70m 7 2017-07-0 50.98 0.04 8:46 cloudy 0-10,000	Po Po partly cloudy	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:	70m 7 2017-07-0 50.98 0.04 8:46 cloudy 0-10,000	Po@partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:	70m 7 2017 - 07 - 0 50.98 0.04 8:46 cloudy 0-10,000	Po@ partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:	70m 7 2017 - 07 -0 50.98 0.04 8:46 cloudy 0-10,000 20.8	Po Partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:	70m 7 2017 - 07 -0 50.98 0.04 8:46 cloudy 0-10,000 20.8	Po@partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)	70m 7 2017 - 07 -0 50.98 0.04 8:46 cloudy 0-10,000 20.8	Po Partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:	70m T 2017-07-0 50.98 0.04 8:46 cloudy 0-10,000 20.8 2.0 AV6 4.9 Max	Po Partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)	70m 7 2017 - 07 -0 50.98 0.04 8:46 cloudy 0-10,000 20.8	Poets partly cloudy 10,000-25,000	25,000 +
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)  Barometric Pressure (kPa):	70m T 2017-07-0 50.98 0.04 8:46 cloudy 0-10,000 20.8 2.0 AV6 4.9 Max	Po Partly cloudy 10,000-25,000	

	MONITO	RING STARTS	
Operator:	M.T/I.C.		
Location:	R3 /		
Noise Meter Start Time:			
Date:	August 20th, 2017		
Calibration complete ?:	)		
Sensitivity	51 20 my/00	****	
Derviation	-0 04 dB		
Time of Calibration:	1:17 pm		
Battery Power Check:	isors@agnicoeagle.com>; Meado	ld S Poor	
Photographs of Setup (Y/N)	, Meddowski i ici	roor 😅	
Photographs of Surrounding (Y/N)			
Check available disk memory (Y/N)			
Cloud cover:			
Height of cloud (feet):	-	partly cloudy	sunny
Air Temperature (C):	Ma	10,000-25,000	25,000 +
Wind Speed (km/hr):	16		
Wind Direction:	A		
North wind (wind blows from North)	Averge 6.2 wind max wind 10.3	NW NE SE	
Parametria Pressure (I-P-)		S	
Barometric Pressure (kPa):	20111		
Relative Humidity (%)	39.17.		
Precipitation:	none	drizzle	rain
CDC I		TE DESCRIPTION -	
GPS Location	Latitude	Longitude	Altitude
	11 1400 WH	7214 420	
Type of Ground Surface:			
Acoustic Environment:			1
Traffic			
Human activities	. 1		
Animal	Chribays		Λ.
Other noise sources			
	.,		
	MONITO	RING ENDS	
Operator:	PA 8 EF		
Record Data File Name:	123		
Total Monitoring Period	A STATE OF THE STA		
Noise Meter End Time:	5140 000		
Date:	22 AUG , ZOI7		
Calibration complete ?:	VES		
Sensitivity	51.05		
Derviation	-0.02		
Time of Calibration:	7:30 AM		
Check file size (GB)	7.35 PC		
Battery Power Check:	(High)	p (=0)	
Cloud cover:		Po	
Height of cloud (feet):	cloudy	partly cloudy	sunny
Air Temperature (C):	0-10,000	10,000-25,000	25,000 +
Wind Speed (km/hr):	5.1 MAX , 2.1		
Wind Direction:	311 MAX , 211		
North wind (wind blows from North)		NW NE E	
Parametria Pressure (LB-)	1.	3	
Barometric Pressure (kPa):	THE STATE OF THE S		
Relative Humidity (%)	31.8		
Precipitation:	none	drizzle	rain
Depature Time:	5:50,m		

A CONTRACTOR OF THE CONTRACTOR	, MONITORIN	NG STARTS	
Operator:	I STORY I I	AND	
Location:	1,11,6	3	
Noise Meter Start Time:	<del>                                     </del>	0.	
Date:	7017,08.08	9:07	
	0.,,0000	, ,	
Calibration complete ?:	21 /2		
Sensitivity	5/153		
Derviation	0.09		
Time of Calibration:	0.7		
Battery Power Check:	Good )	Poor	
Photographs of Setup (Y/N)		*	
Photographs of Surrounding (Y/N)			
Check available disk memory (Y/N)			
Cloud cover:	cloudy	partly cloudy	sunny
Height of cloud (feet):	0-10,000	10,000-25,000	25,000 +
Air Temperature (C): 6.23			
Wind Speed (km/hr):			
Wind Direction:			
North wind (wind blows from North)	May. 15,5 Aug. 9,6	NW NE	
tvorus wind (wind blows from tvorus)		**************************************	
	1 1		
	NU9. 9.6	w( ************************************	
		$\vee$ $\vee$	
		SW	
		3	
Barometric Pressure (kPa):			
Relative Humidity (%)	75.1		
Precipitation:	none	drizzle	rain
	GENERAL SITE	DESCRIPTION	
GPS Location	Latitude	Longitude	Altitude
Type of Ground Surface:			
Type of Ground Surface:			
Acoustic Environment:			
Acoustic Environment: Traffic			
Acoustic Environment: Traffic Human activities			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities Animal	MONITOR	ING ENDS	
Acoustic Environment: Traffic Human activities Animal		ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator:	778 - 40 1 1 -	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name:	PA, MBA, VMO	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period	FA, MBA, VMO	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time:	TA MBA, VMO ENTR 9:50 AM	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date:	FA, MBA, VMO	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?:	TA MBA, VMO ENTR 9:50 AM	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity	TA MBA, VMO ENTR 9:50 AM	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation	TA MBA, VMO ENTR 9:50 AM	ING ENDS	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:	TA MBA, VMO ENTR 9:50 AM	ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB)	9:50 AM 2017-08-10		
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:	TA MBA, VMO ENTR 9:50 AM	ING ENDS	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)	9:50 AM 2017-08-10		sunny
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check:	9:30 AM 2017-08-10	Po	sunny 25,000 +
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet):	9:30 AM 2017-08-10	Po@@@partly cloudy	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C):	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):	9:30 AM 2017-08-10	Po@partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:  North wind (wind blows from North)  Barometric Pressure (kPa):	9:30 AM 2017-08-10	Po partly cloudy 10,000-25,000	

	MONITORIN	G STARTS	
Operator:	1 //92		
Location:	V 1	24	
Noise Meter Start Time:		15:15	
Date:	08-01-		
Calibration complete ?:			
Sensitivity	51,02		
Derviation	-0.03		
Time of Calibration:	08-01-	2017 - 19:15	· · · · · · · · · · · · · · · · · · ·
Battery Power Check:	(Good)	Poor	
Photographs of Setup (Y/N)		N/	
Photographs of Surrounding (Y/N)		N/	
Check available disk memory (Y/N)	5		
Cloud cover:	cloudy	partly cloudy	sunny
Height of cloud (feet):	0-10,000	10,000-25,000	25,000 +
Air Temperature (C):	15	5.00	
Wind Speed (km/hr):			
Wind Direction:	MAASA 100 7 wash	N N	
North wind (wind blows from North)	Aprile & 101 Federal	NE	
Processing (Process Scientificance) on the designation of the end of the processing of the end of	4111.71	7	
	AVG ZIG	w(E	
		SW	
		5	
Barometric Pressure (kPa):		U CO STORY	
Relative Humidity (%)	64	13:1	
Precipitation:	none	drizzle	rain
	GENERAL SITE	DESCRIPTION	
GPS Location	Latitude	Longitude	Altitude
	14W0639785	7218523	143
Type of Ground Surface:			
			44
Acoustic Environment:			
Acoustic Environment: Traffic			
Acoustic Environment: Traffic Human activities			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities Animal			
Acoustic Environment: Traffic Human activities Animal		ING ENDS	
Acoustic Environment: Traffic Human activities Animal Other noise sources	MONITORI		
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator:			
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name:	MONITORI	or men	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period	MONITORI	2 days (43:45)	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time:	MONITORI	2 days (43:45)	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date:	MONITORI	2 days (43:45)	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?:	MONITORI VIII	2 days (43:45) 03 - 207 10:00	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity	MONITORI VIII	0R/MPH 2 days (43:45) 03-207 10:00	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation	MONITORI VII	7 days (43:45) 23 - 247 10:00 50.45 -0.01	
Acoustic Environment: Traffic Human activities Animal Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration:	MONITORI VIII	7 days (43:45) 23 - 247 10:00 50.45 -0.01	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)	MONITORI VIII	7 days (43:45) 03 - 247 10:00	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:	MONITORI  OR  (['']	7 days (43:45) 03 - 247 10:00	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover:	MONITORI  O8-1  (1/1	7 dans (43:45) 03 -247 10:00	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet):	MONITORI  OR  (1)  Cloudy  0-10,000	7 days (43:45) 03 - 247 10:00	
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period  Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C):	MONITORI  O8-1  (1/1	7 dans (43:45) 03 -247 10:00	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet):	MONITORI  OR  (1)  Cloudy  0-10,000	7 days (43:45) 03 - 247 (0) 56,45 -0,01 75 Po@party cloudy 10,000-25,000	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period  Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C):	MONITORI  OR  Cloudy 0-10,000	7 days (43:45) 03 - 247 10:40 56, 45 -0,01 75	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator:  Record Data File Name:  Total Monitoring Period  Noise Meter End Time:  Date:  Calibration complete ?:  Sensitivity  Derviation  Time of Calibration:  Check file size (GB)  Battery Power Check:  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):	MONITORI  OR  Cloudy 0-10,000	7 days (43:45) 03 - 247 (0) 56,45 -0,01 75 Po@party cloudy 10,000-25,000	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	MONITORI  OR  Cloudy 0-10,000	7 days (43,45) 13 -247 (10) 50, 45 -0,01 25 Poetal party cloudy 10,000-25,000	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	MONITORI  OR  Cloudy 0-10,000	7 days (43:45) 03 - 247 10:40 56, 45 -0,01 75	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	MONITORI  OR  (1)  Cloudy  0-10,000	7 days (43,45) 13 -247 (10) 50, 45 -0,01 25 Poetal party cloudy 10,000-25,000	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	MONITORI  OR  Cloudy 0-10,000	7 days (43,45) 13 -247 (10) 50, 45 -0,01 25 Poetal party cloudy 10,000-25,000	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:	MONITORI  OR  Cloudy 0-10,000	2 dats (43:45) 23 -247 (0:00)  SO, 45 -0,01  partly cloudy 10,000-25,000	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period  Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)	MONITORI VM O8-1 cloudy 0-10,000	7 daus (43:45) 03 -247 10:40  SO 45 -0.01 75  Poctor partly cloudy 10,000-25,000	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period  Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)  Barometric Pressure (kPa):	MONITORI VM O8-1 cloudy 0-10,000	7 daus (43:45) 03 -247 10:40  SO 45 -0.01 75  Poctor partly cloudy 10,000-25,000	Sunny
Acoustic Environment:  Traffic  Human activities  Animal  Other noise sources  Operator: Record Data File Name: Total Monitoring Period  Noise Meter End Time: Date: Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)	MONITORI  OR  Cloudy 0-10,000	7 daus (43:45) 03 -247 10:40  SO 45 -0.01 75  Poctor partly cloudy 10,000-25,000	Sunny

	MC	NITORING STARTS	
Operator:	VMOR / IC	and State Strates	
Location:	RA /NAUIT		
Noise Meter Start Time:	1 11021		
Date:	2017/08/16		
Calibration complete ?:	201-1700/16	The state of the s	
Sensitivity	51 010		
Derviation	51.32		
	-0.03 db		
Time of Calibration:	10h35	4	
Battery Power Check:	isors@agnicoeagle.com>; Meado	kk Field S Poor	
Photographs of Setup (Y/N)		1001	
Photographs of Surrounding (Y/N)			Control of the Contro
Check available disk memory (Y/N)			
Cloud cover:			
Height of cloud (feet):		partly cloudy	sunny
Air Temperature (C):	1.6.79	(10,000-25,000)	25,000 +
	10.9		25,000
Wind Speed (km/hr):	1.6 KM		
Wind Direction:	0.0 44		
North wind (wind blows from North)	2.2 max		
		NW	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1.3 avg		14W 0689441 7218750
	1.3 009	W E	701011
	And the second s		7218730
		51W \ X <sub>5</sub>	
		3W SE	
Barometric Pressure (kPa):	10.0	3	
Relative Humidity (%)	70.0		
Precipitation:	78.0		
recipitation.	(none)	drizzle	rain
	GENERA	AL SITE DESCRIPTION	Tam
GPS Location	Latitude	Longitude	
		Longitude	Altitude
Type of Ground Surface:			
Acoustic Environment:			
Traffic	118/111/ 2010	4°34	
	HEAVY TRUCKS	*	2
Human activities			
Animal	caribou/birde		
Other noise sources	Rain Wind		
	1 001 01		
perator:		NITORING ENDS	
	VMORIIC		
ecord Data File Name:			
otal Monitoring Period			
oise Meter End Time:	2017/08/18	8:51	
ate:	20111-07-10	0.2	
alibration complete ?:			
Sensitivity	51.4		
Derviation	0.02		
Time of Calibration:	10116		
heck file size (GB)			
attery Power Check:	- Company		
oud cover:		Po Po	
eight of cloud (feet):	cloudy	partly cloudy	sunny
eight of cloud (feet):	0-10,000	10,000-25,000	25,000 +
r Temperature (C):	8.6	2,000	25,000 +
ind Speed (km/hr):	4.3		
ind Direction:			
orth wind (wind blows from North)	7.3 max	N	
, , , , , , , , , , , , , , , , , , , ,	6200	NW	14W 0639
	5.3 avg		1700 0001
		W	
	-		
	1	SW SF	
		2F	
rometric Pressure (kPa):	9.9	3	
lative Humidity (%)			
	71.6		
cipitation:	none	drizzle	and the
pature Time:		WIELE.	rain

\*

No.

risi		45200	Depature Time:
	əfrizəle	none	Precipitation:
		6.22	Relative Humidity (%)
		8/101	Barometric Pressure (kPa):
	- S MS MS	HAN E'S MY	
	NM	484 13 atM	(droV mort swold bniw) bniw droV
	N .	70.7 7 0	Wind Direction:
	0.1/(-1		Wind Speed (km/hr):
(52,000	000,25-000,01	000,01-0	Air Temperature (C):
couns)	baujà cjongà	cjondy	Cloud cover: Height of cloud (feet):
	<b>9</b>	PODE TO THE PODE T	Battery Power Check:
		9849	Time of Calibration: Check file size (GB)
		90.0	Derviation Tipps of Colibration
		1.8.15	Sensitivity
		ne I2	Calibration complete ?:
			Date:
			Noise Meter End Time:
0	2017-07-12 4:0	4	Total Monitoring Period
	1	Project OO	Record Data File Name:
	1W /70		Оретатог:
	! END?	MONITORING	
	7		Human activities Amimal Other noise sources
	(will T)	and had truck	
		1)114	Acoustic Environment:
	1	tuated	Type of Ground Surface:
7.51	0288124	5+45290	3 31 33 12
Altitude	Longitude	Latitude	GPS Location
	SCRIPTION	GENEKYT SILE DE	
nis1 ^	əlszinb	none	:noinstiqisənq
		5/18	Relative Humidity (%)
	2 AS		Barometric Pressure (kPa):
	3 M	4'8 900	(UHON HIGH SMOIG PHIM) PHIM UPON
		4'8 91W	inonsering in which bring throw more swold bring bring throw in which bring the control of the c
	3 MMN	46 XVW	Wind Direction:
	3 M	46 XVW	Wind Speed (km/hr): Wind Direction:
÷ 000,22	M N N N N N N N N N N N N N N N N N N N	46 XVW	Air Temperature (C): Wind Speed (km/hr): Wind Direction:
+ 000'57	3 MMN	46 XVW	Wind Speed (km/hr): Wind Direction:
	3 NWW NWW NWW NWW NWW NWW NWW NWW NWW NW	000,01-0	Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:
	3 NWW NWW NWW NWW NWW NWW NWW NWW NWW NW	000,01-0	Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction:
	3 NWW NWW NWW NWW NWW NWW NWW NWW NWW NW	000,01-0	Check available disk memory (Y/N) Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr):
	3 NWW NWW NWW NWW NWW NWW NWW NWW NWW NW	000,01-0	Battery Power Check:  Photographs of Setup (Y/N)  Photographs of Surrounding (Y/N)  Check available disk memory (Y/N)  Height of cloud (feet):  Air Temperature (C):  Air Temperature (C):
	Poor Poor Poor Poor Poor Poor Poor Poor	(bood) (bood) (bood)	Time of Calibration:  Battery Power Check:  Photographs of Setup (Y/N)  Photographs of Surrounding (Y/N)  Check available disk memory (Y/N)  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:
	Poor Poor Poor Poor Poor Poor Poor Poor	PooD (bood)	Derviation  Time of Calibration:  Battery Power Check:  Photographs of Setup (Y/N)  Photographs of Surrounding (Y/N)  Check available disk memory (Y/N)  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:
	Poor Poor Poor Poor Poor Poor Poor Poor	(bood) (bood) (bood)	Sensitivity Derviation Time of Calibration:  Battery Power Check: Photographs of Setup (Y/N) Photographs of Setup (Y/N) Photographs of Surrounding (Y/N) Photographs of Surrounding (Y/N) Photographs of Surrounding (Y/N) Photographs of Setup (Y/N) Photographs of Setup (Y/N) Photographs of Setup (Y/N) Photographs of Setup (Y/N) Wind Speed (km/hr): Wind Speed (km/hr): Wind Direction:
	Poor Poor Poor Poor Poor Poor Poor Poor	10'05 10'07 10'07	Calibration complete ?:  Sensitivity  Derviation:  Time of Calibration:  Battery Power Check:  Photographs of Setup (Y/N)  Photographs of Setup (Y/N)  Photographs of Setup (Y/N)  Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Speed (km/hr):  Wind Direction:
	Poor Poor Poor Poor Poor Poor Poor Poor	10'05 10'05 10'15 10-t0-ture	Date:  Calibration complete?: Sensitivity Derviation Time of Calibration: Battery Power Check: Photographs of Surrounding (Y/N) Wind Speed (km/hr): Wind Direction: Wind Direction:
	1009 Value of the party of the	10'0- 10'0- 10'15	Noise Meter Start Time:  Date:  Calibration complete ?:  Sensitivity  Dervisition  Time of Calibration:  Battery Power Check:  Photographs of Surrounding (Y/N)  Wind Speed (Em/hr):  Wind Speed (Em/hr):
	1009  Tood  Value of the desired of	10'0- 10'0- 10'15 000-10 10'15 01-+0-+102 5411 S&48290 M	Location:  Date: Date: Calibration complete ?: Calibration complete ?: Devises of Setup (Y/N) Photographs of Setup (Y/N) Photogra
	1009  1009  1009  1009  1009  1009	10'0- 10'0- 10'15  10'15  10'15  10'15	Noise Meter Start Time: Date: Calibration complete ?: Sensitivity Devisation Time of Calibration: Battery Power Check: Photographs of Setup (Y/N) Whind Speed (km/hr):

.

	MONITORING	STARTS	
	FAMMY LAPOY		MERN
Operator:	RS EXPLO	/	
ocation:	4:51		
Noise Meter Start Time:	2017/08/25		
Date:	100110010		
Calibration complete ?:	(F) 111 1		
Sensitivity	51.44		
Derviation	0.04		
Time of Calibration:	8:55 AM	Poor	
Battery Power Check:	isors@agnicoeagle.com>; Meado	Poor	
Photographs of Setup (Y/N)	/		
Photographs of Surrounding (Y/N)	.Y		
Check available disk memory (Y/N)	<b>Y</b>		
Cloud cover:	. 4	partly cloudy	sunny
Height of cloud (feet):		10,000-25,000	25,000 +
Air Temperature (C):	II.		
	MAX 15, NG 5.7		
Wind Speed (km/hr):	40.11	N	
Wind Direction: North wind (wind blows from North)		NE SW SE	
	110		
Barometric Pressure (kPa):	0117		
Relative Humidity (%)	Salar Salar Co	1.:1.	rain
Precipitation:	none	drizzle	Au.
	GENERAL SITE I		Altitude
GPS Location	Latitude	Longitude	Attitude
Type of Ground Surface:			
Acoustic Environment:			
Traffic			
Human activities			
Animal			
Other noise sources			With the second
Other noise sources		9	
	MONITORI	NG ENDS	
		NG ENDS	
Operator:	MT and TT		
Record Data File Name:			
Total Monitoring Period 124%	(\$		
Noise Meter End Time:	14405		
Date:	2017-08-30		
Calibration complete ?:	Ty .		
Sensitivity	51.23		
Derviation	-0.03		
Time of Calibration:	7017-09-03	16619	
Check file size (GB)	- Clarks	Po	
Battery Power Check:	cloudy	partly cloudy	sunny
Cloud cover:		10,000-25,000	25,000 +
Height of cloud (feet):	0-10,000	10,000-20,000	
Air Temperature (C):	16.1	/ 0	
Wind Speed (km/hr):	max 11.2 Avg.	6.8	
Wind Direction:	)	N N	
North wind (wind blows from North)		NW NE E	
Barometric Pressure (kPa):			,
Barometric Pressure (KPa):	49.2		/
Relative Humidity (%)	none	drizzle	rain /
Precipitation:	Tione )		
Depature Time:	1		

		5810	Depature Time:
nist	əlzzirb	auou (E139)	Precipitation:
		× 11	Relative Humidity (%)
	_	05	Barometric Pressure (kPa):
	35 MS	(XAM P.E.) (but 1.2)	
	NM NE	(XTIN L'SI)	(drov mort swold briw) briw drov
	N	( NOW BOYCOM	Wind Direction:
		H° E1.	Wind Speed (km/hr):
		h 21	Air Temperature (C):
000°C7	10,000,25,000	000,01-0	Height of cloud (feet):
+ 000°57	barily cloudy	броор	Cloud cover:
Addits			зацегу Ромет Сheck:
	<b>∂</b> oq	T B	
		15/ 59/01	Check file size (GB)
		(6:22 AM	Time of Calibration:
		50.0	Derviation
		75. 2	Sensitivity
			Salibration complete ?:
		51-20-4102	)ate:
		WO 5716	Voise Meter End Time:
	51 - £0	2-4107 - 61-40-4105	Fotal Monitoring Period
		57	Secord Data File Name:
		PATIZICIC DHE RN	Эрегатог:
	OC ENDS	MONITORIA	
	· · · · · · · · · · · · · · · · · · ·	/puim	Animal Other noise sources
, A	107 ROHIUPSOM / PAIL	BIRDS JOHOUNG SQ	
		EXPLORATION CAME	Human activities
	San	OID TRUCKS / PICK	Traffic
			CHANGE THE AUGUST
<b>&gt;&gt;</b> 1	\$6.\$ F17.€	8848830 WAI	Type of Ground Surface:
obuitifA	Longitude	Latitude	ype of Ground Surface:
	DESCRIPTION Longitude	CENERAL SITE I	3PS Location
	Longitude	Latitude	recipitation: PPS Location Ppe of Ground Surface:
shuitlA	DESCRIPTION Longitude	OENERAL SITE I	Relative Humidity (%) Precipitation: BPS Location  Type of Ground Surface:
əbuiilA	DESCRIPTION Longitude	OENERAL SITE I	elative Humidity (%) reciplitation: iPS Location
shuitlA	DESCRIPTION  Longitude	OENERAL SITE I	Vind Direction: Jord wind (wind blows from North)  Jacometric Pressure (kPa): Relative Humidity (%) Precipitation: Precipitation:
shuitlA	DESCRIBTION  drizzle  www.nw.nw.ne	10.2 max 3.0 avo Ar, Fd	Vind Speed (km/hv): Vind Direction: Jorth wind (wind blows from North) Sarometric Pressure (kPa): Celative Humidity (%) Precipitation: Type of Ground Surface:
nie1 obuiidA	PESCRIPTION  drizzle  sww are see the	10.2 max 3.0 avg. (F. F.2 (none) (none)	ir Temperature (C): Vind Speed (km/hr): Jorth wind (wind blows from North)  Sarometric Pressure (kPa): Precipitation: Precipitation: Precipitation:
+ 000,25 mier	DESCRIPTION  drizzle  www.ne  www.ne  drizzle  co.000-25,000	3.0 0vo 3.0 0vo 3.0 0vo 4.73 GENERAL SITEL	icight of cloud (feet): ir Temperature (C): vind Speed (km/hr): orth wind (wind blows from North) istrometric Pressure (kPa): clative Humidity (%) recipitation: iPS Location
nie1 obuiidA	PESCRIPTION  drizzle  sww are see the	10.2 max 3.0 avg. (F. F.2 (none) (none)	loud cover:  ir Temperature (C):  ir Temperature (C):  vind Direction:  orth wind (wind blows from North)  istometric Pressure (kPa):  clative Humidity (%)  irecipitation:  ip Location  ype of Ground Surface:
+ 000,25 mier	DESCRIPTION  drizzle  www.ne  www.ne  drizzle  co.000-25,000	3.0 0vo 3.0 0vo 3.0 0vo 4.73 GENERAL SITEL	heck available disk memory (Y/N) Joud cover: icight of cloud (feet): ir Temperature (C): vind Direction: Jorth wind (wind blows from North) sarometric Pressure (kPa): recipitation:  Trecipitation:  Ype of Ground Surface:
+ 000,25 mier	DESCRIPTION  drizzle  www.ne  www.ne  drizzle  co.000-25,000	3.0 0vo 3.0 0vo 3.0 0vo 4.73 GENERAL SITEL	hotographs of Surrounding (Y/N) Theck available disk memory (Y/N) Tour cover: i. Temperature (C): Vind Speed (km/h): Jorth wind (wind blows from North) Jorth wind (wind blows from North)  Sarometric Pressure (kPa): Tecipitation: Trecipitation:  Trecipitation:  Trecipitation:
+ 000,25 mier	DESCRIPTION  drizzle  TO,000-25,000	3.0 0v9.  10.2 max. 3.0 0v9.  (F. F.2	hotographs of Setup (Y/N) hotographs of Surrounding (Y/N) Theck available disk memory (Y/N) 'in Temperature (C): ir Temperature (C): Vind Speed (km/h): Jorth wind (wind blows from North) Jorth wind (wind blows from North)  Sarometric Pressure (kPa): Trecipitation:  Trecipitation:  Trecipitation:
+ 000,25 mier	Poor Longitude  Tongitude  Tongitude	Cloudy  Cloudy	attery Power Check: hotographs of Setup (V/N) hotographs of Setup (V/N) hetek available disk memory (V/N) hid Speed (km/hr): ir Temperature (C): hid Speed (km/hr): orth wind (wind blows from North) harmeric Pressure (kPa): felative Humidity (%) harmeric Pressure (kPa): recipitation:
+ 000,25 mier	Poor drizzle drizzle drizzle Longitude	13.10  Cloudy  Cloudy  Coudy	Time of Calibration: attery Power Check: hotographs of Setup (Y/N) hotographs of Setup (Y/N) hotographs of Setup (Y/N) hotographs of Surrounding (Y/N) hot cover: cight of cloud (feet): ir Temperature (C): hind Speed (km/hr): orth wind (wind blows from North) hotographs (wind blows from North) hotographs (wind blows from North) hotographs (wind blows from Sorth) hotographs (wind blows from Sorth) hotographs (wind blows from Sorth) hype of Ground Surface:
+ 000,25 mier	Poor drizzle drizzle drizzle Longitude	13.0 000)  2.0 000)  3.0 000)  4.76  (Independent of the property of the prope	Derviation:  Time of Calibration:  altery Power Check:  hotographs of Setup (V/N)  hotographs of Surrounding (Y/N)  hotographs of Surrounding (Y/N)  hot Savailable disk memory (Y/N)  hot Sover:  eight of cloud (feet):  ir Temperature (C):  ir Temperature (C):  onth wind (wind blows from North)  sarometric Pressure (kPa):  anometric Pressure (kPa):  recipitation:  pype of Ground Surface:
+ 000,25 mier	Poor drizzle drizzle drizzle Longitude	13.10  Cloudy  Cloudy  Coudy	Sensitivity Derviation: Time of Calibration: attery Power Cheek: hotographs of Setup (V/N) hotographs of Setup (V/N) hotographs of Setup (V/N) ir Temperature (C): ir Temperature (C): orth wind Speed (km/hr): orth wind (wind blows from North) serometric Pressure (kPa): elative Humidity (%)  recipitation:  recipitation:
+ 000,25 mier	DESCRIPTION  drizzle  To,000-25,000  WWW  Partly cloudy  To,000-25,000	66000 COOL COOL COOL COOL COOL COOL COOL C	alibration complete ?:  Sensitivity  Derviation:  Time of Calibration:  attery Power Check:  hotographs of Setup (Y/N)  ond cover:  ir Temperature (C):  cight of cloud (feet):  ord briection:  orth wind (wind blows from North)  sarometric Pressure (kPa):  carometric Pressure (kPa):  carometric Pressure (kPa):  sarometric Pressure (kPa):  sarometric Pressure (kPa):
+ 000,25 mier	DESCRIPTION  drizzle  To,000-25,000  WWW  Partly cloudy  To,000-25,000	66000 Cood - Coo	ale:  Sensitivity  Derviation  Derviation:  Time of Calibration:  Time of Calibration:  Theographs of Seurp (V/N)  Theographs of Seurounding (V/N)  Theographs of Seu
+ 000,25 mier	DESCRIPTION  drizzle  To,000-25,000  WWW  Partly cloudy  To,000-25,000	10.2 max   3.0 avg   51.000	oise Meter Start Time: alte: Sensitivity Bibration complete ?: Sensitivity Derviation: Time of Calibration: Incographs of Seure (VM) Incographs Incog
+ 000,25 mier	DESCRIPTION  drizzle  Am  Am  Am  Am  Am  Am  Am  Am  Am  A	6600d  600d  600d  600d  600d  700  700	ocation:  Jye of Ground Surface:  Sensitivity  Sensitivity  Dervision  Time of Calibration:  Jord Secup (Y/N)  Jord Speed (Km/h):  Lind Speed (Km/h):  Jord Secup (Y/N)  Jord
+ 000,25 mier	Poor Conginude  Poor Poor County  Poor Poor County  Poor	10.2 max   3.0 avg   51.000	Dervistion:  Time of Calibration:  attery Power Check:  hotographs of Setup (Y/N)  Theck available disk memory (Y/N)  in Temperature (C):  in Temperature (C):  in Temperature (C):  ord Speed (km/hr):  Jord Speed (km/hr):  Jord Drection:  Jord Mind Drection:  Jord Mind Drection:  Jord Mind Drection:  Jord Mind Drection:  Jord Drection:

	nisa		əlzzirb	uouc	04901	sature Time:
				Juou		cipitation:
				/tht		ative Humidity (%)
						rometric Pressure (kPa):
٦.	10 W	1	2MS	-DVA 5. 2	*	
	104%	nt		V. 1. 1. 1		
			<sup>1</sup>	XAN 8F		
	291		NM		(quo <sub>N</sub> u	noti swold bniw) bniw dre
	_ / *		N			ind Direction:
		_				ind Speed (km/hr):
	. 000527				2.91	r Temperature (C):
	+ 000,22		10,000-25,000	000,01-0	0 //	ight of cloud (feet):
	Kuuns		baujh cjongh	cloudy		oud cover:
			Ole General Control	, PSD		
			· ·	and formation		ittery Power Check:
				92 461		neck file size (GB)
				CO:00-	tion.	Time of Calibra
				90118		Derviation
				70 13		Sensitivity
				3.10 110		alibration complete ?:
				E C- EV- FINE		ate:
				101.30		oise Meter End Time:
				761		boirs Period
				K	A.	ecord Data File Name:
				1.14		perator:
			SON	MONITORING E		
			1			
			(		1	
					1	
	17		1	à ·	^ "	OTHOS OCION TOTO
				P	. /	Other noise sourc
		W.	3		3	IsminA
		4	V.		//	Human activities
						offferT
				30 70101		Acoustic Environment:
	051		-70917+	0)000		Type of Ground Surface:
	Altitude 021		28917±	968989		Type of Ground Surface:
,		ni l	Longitude	Latitude		
		11	CRIPTION Longitude	Latitude CENERAL SITE DES		
	9butitlA	н	Longitude	CENERAL SITE DES		Precipitation: 3PS Location
	9butitlA	H*	CRIPTION Longitude	CENERAL SITE DES		Selative Humidity (%) Precipitation: 3PS Location
	9butitlA	11.	CRIPTION Longitude	CENERAL SITE DES		Relative Humidity (%) Precipitation: BPS Location
	9butitlA	75	CRIPTION Longitude	SS & GENERAL SITE DES		Barometric Pressure (kPa) Relative Humidity (%) Precipitation: GPS Location Type of Ground Surface:
	9butitlA	11	CKIPTION drizzle	SS, SC none GENERAL SITE DES		Relative Humidity (%) Precipitation: BPS Location
	9butitlA	14	CKIPTION drizzle	SS & GENERAL SITE DES		3 arometric Pressure (kPa) celative Humidity (%) Precipitation: 3PS Location
	9butitlA	75	CRIPTION  drizzle  drizzle	Augusta Max-7,7  Sas Bainde  Ceneral site Des		North wind (wind blows fr Barometric Pressure (kPa) Relative Humidity (%) Precipitation: 3PS Location
	9butitlA	75	CRIPTION  drizzle  drizzle	Aun Max-7,7  Aug Lailude  CENERAL SITE DES  Lailude  Lailude  Lailude  Lailude		Wind Direction:  North wind (wind blows fraction:  Pressure (kPa)  Relative Humidity (%)  Precipitation:
	9butitlA		CRIPTION  drizzle  drizzle	Aun Max-7,7  Aug Lailude  CENERAL SITE DES  Lailude  Lailude  Lailude  Lailude		Wind Speed (km/hr): Wind Direction: North wind (wind blows ft Barometric Pressure (kPa) Relative Humidity (%) Precipitation: SPS Location
	nier aburitlA	11	CRIPTION  drizzle  drizzle  www.ne	1,5 7,7 7 7,7 7,7 7,7 7,7 7,7 7,7 7,7 7,7		Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows f Barometric Pressure (kPa) Relative Humidity (%) Precipitation: Precipitation:
+	9butitlA	14	CRIPTION  drizzle  drizzle  Sw  10,000-25,000	0-10,000    1		Height of cloud (feet):  Air Temperature (C): Wind Speed (km/hr):  Morth wind (wind blows find blow
+	000,25	74	CRIPTION  drizzle  drizzle  www.ne	Cloudy O-10,000  SS, SC  August Augus	(проИ тот	Cloud cover:  Air Temperature (C): Wind Speed (km/hr): Wind Direction: Worth wind (wind blows fr Barometric Pressure (kPa) Precipitation: Pressure (kPa) Precipitation:
+	000,25	76	CRIPTION  drizzle  drizzle  Sw  10,000-25,000	Cloudy O-10,000  SS, SC  August Augus	(проИ тот	Cloud cover:  Height of cloud (feet):  Air Temperature (C):  Wind Direction:  Morth wind (wind blows fi  Barometric Pressure (kPa)  Precipitation:  Pressure (kPa)  Precipitation:
+	000,25		CRIPTION  drizzle  drizzle  Sw  10,000-25,000	0-10,000    1	(И/У) қтог	Check available disk men Cloud cover: Height of cloud (feet): Wind Direction: Worth wind (wind blows f Barometric Pressure (kPa) Precipitation: Pressure (kPa) Precipitation:
+	000,25		CRIPTION  Longitude  Mw  Mixzle  Mixzle  Mixzle  To,000-25,000	Cloudy O-10,000  SS, SC  August Augus	(У/V) тогу (У/V) топ Мотh)	Photographs of Surroundi Check available disk men Cloud cover: Air Temperature (C); Wind Speed (km/hr); Morth wind Unrection: Jarometric Pressure (kPa) Jarometric Pressure (kPa) Precipitation: Presipitation:
+	000,25		CRIPTION  drizzle  drizzle  Sw  10,000-25,000	cloudy o-10,000  Sign Sign Sign Sign Sign Sign Sign Sign	(У/V) тогу (У/V) топ Мотh)	Photographs of Setup (V/ Photographs of Surroundi Check available disk men Cloud cover: Wind Direction: Wind Direction: Wind Direction: Jordh wind (wind blows f Barometric Pressure (kPa) Precipitation: Pressure (APA)
+	000,25		CRIPTION  Longitude  Mw  Mixzle  Mixzle  Mixzle  To,000-25,000	CENERAL SITE DES	(N/Y) gn (N/Y) gn (M/Y) gn (M/Y) gn	Battery Power Check:  Photographs of Setup (V) Photographs of Battery Photographs of Setup (V) Photographs of Setup (V) Air Temperature (C): Wind Speed (km/hr): Wind Direction: Wind Direction: Worth wind (wind blows f) Barometric Pressure (kPa) Precipitation:
+	000,25		CRIPTION  Longitude  Mw  Mixzle  Mixzle  Mixzle  To,000-25,000	General Sire Designation of the Control of the Cont	(N/Y) gn (N/Y) gn (M/Y) gn (M/Y) gn	Time of Cali Battery Power Check: Check available of Setup (V/ Photographs of Surroundi Check available disk men Cloud cover: Air Temperature (C): Wind Speed (km/hr): Wind Speed (km/hr): Wind Direction: Janometric Pressure (kPa) Janometric Pressure (RPa) Precipitation: Janometric Pressure (RPa) Precipitation: Janometric Pressure (RPa) Precipitation:
+	000,25		CRIPTION  Longitude  Mw  Mixzle  Mixzle  Mixzle  To,000-25,000	General Sire Des	(N/Y) gn (N/Y) gn (M/Y) gn (M/Y) gn	Derviation Time of Cali Battery Power Check: Photographs of Setup (V) Photographs of Setup (W) Photographs of Setup (W) Photographs of Setup (W) Photographs of Surround: Cloud cover: Cloud cover: Mind Speed (km/hr): Wind Speed (km/hr): Janumetric Pressure (kPa)
+	000,25		CRIPTION  Longitude  Mw  Mixzle  Mixzle  Mixzle  To,000-25,000	SS S S S S S S S S S S S S S S S S S S	(N/Y) gn (N/Y) gn (M/Y) gn (M/Y) gn	Sensitivity  Devisition  Time of Cell  Time of Cell  Time of Cell  Battery Power Check:  Photographs of Setup (VP)  Photographs of Setup (VP)  Mind Speed (km/hr):  Wind Speed (km/hr):  Wind Speed (km/hr):  Jordh wind (wind blows fi  Jord
+	000,25		CRIPTION  Longitude  Mw  Mixzle  Mixzle  Mixzle  To,000-25,000	General Sire Des	(N/Y) gn (N/Y) gn (M/Y) gn (M/Y) gn	Calibration complete?:  Sensitivity  Derviation  Time of Calibration  Time of Calibration  Time of Calibration  Photographs of Setup (V)  Sensitive Humidity (%)  Sensitive Humidity (%)  Procession
+.	000,25		CRIPTION  Longitude  Mw  Mixzle  Mixzle  Mixzle  To,000-25,000	Geod West Cool Cool Cool Cool Cool Cool Cool Coo	(N/Y) gn (N/Y) gn (M/Y) gn (M/Y) gn	Date:  Calibration complete ?;  Scalibration complete ?;  Statistic of Calibration of Calibratic of Calibration
+	000,25		CRIPTION  Longitude  Mw  Mixzle  Mixzle  Mixzle  To,000-25,000	General Sire Des	(N/Y) gn (N/Y) gn (M/Y) gn (M/Y) gn	Sensitivity  Dervisition  Time of Cali  Time of Cali  Time of Cali  Battery Power Check:  Photographs of Setup (V)  Photographs of Setup (V)  Photographs of Setup (V)  Photographs of Setup (C):  Cloud cover:  Cloud cover:  Mind Speed (km/hr):  Wind Speed (km/hr):  Myind Direction:  Worth wind (wind blows fi  Morth wind (wind blows fi  Precipitation:
+	000,25		CRIPTION  WW  WW  Tongitude  Tongitude	Geod West Cool Cool Cool Cool Cool Cool Cool Coo	(N/Y) gn (N/Y) gn (M/Y) gn (M/Y) gn	Date:  Calibration complete ?:  Sensitivity  Dervisation  Time of Cali  Battery Power Cheek: Photographs of Surroundi  Photographs of Surroundi  Photographs of Surroundi  Photographs of Surroundi  Mind Direction:  Wind Speed (km/hr):  Air Temperature (C):  Wind Speed (km/hr):  Air Temperature (C):  Aorth wind blows f  Recipitation:  Jorth wind blows f  Recipitation:  Jorth wind (wind blows f  Recipitation:  Jorth Wind Speed (km/hr):  Jorth Wind Speed (km/hr):  Jorth Wind Direction:  Jorth Wind Direction:  Jorth Wind Direction:  Jorth Wind Speed (km/hr):

	MONITORING	STARTS	
	PAT & MARTIN		
Operator:	71		
ocation:	16/50		
Noise Meter Start Time:	2017-09-03		
Date:	y		
Calibration complete ?:	51.23		
Sensitivity	0.03		
Derviation Time of Calibration:	16414		
	Good	Poor	
Battery Power Check:	V		
Photographs of Setup (Y/N)	4		
Photographs of Surrounding (Y/N) Check available disk memory (Y/N)	· V		
	/	partly cloudy	sunny
Cloud cover:		10,000-25,000	25,000 +
Height of cloud (feet):	15.3		and the second s
Air Temperature (C):	1313	~ /	\\
Wind Speed (km/hr):	- Ika	(N)	
Wind Direction: North wind (wind blows from North)	MAX 13.2 No. 8.8	SW SE	
Description Description (kDa):	1		
Barometric Pressure (kPa):	50,9	Т	
Relative Humidity (%)	none	drizzle	rain
Precipitation:	GENERAL SITE I	DESCRIPTION	
and I	Latitude	Longitude	Altitude
GPS Location	Zumwe		
- 15 f			
Type of Ground Surface:			
Acoustic Environment:			
Traffic			
Human activities			
Animal			
Other noise sources			
κ.			
	MONITORI	NG ENDS	
Operator:	MT		
Record Data File Name:	116		
Total Monitoring Period	48 hr		
Noise Meter End Time:	16h2+ 1m12-pg-05		
Date:	1017-04-07		
Calibration complete ?:	FIRE		
Sensitivity	51.7>		
Derviation	0.11		
Time of Calibration:	16 59		
Check file size (GB)		Po	
Battery Power Check:	- ACM		sunny
Cloud cover:	cloudy	partly cloudy (10,000-25,000	25,000 +
Height of cloud (feet):	0-10,000	10,000-25,000	20,000
Air Temperature (C): 9, 2			
Wind Speed (km/hr):		,	
Wind Direction:	MAX II 2 I	NIM N	
North wind (wind blows from North)	Pin Mic mph	NW	
	MAX 11.2 mph AVG 8.4 mph	SW SE	
Barometric Pressure (kPa):	/		
Relative Humidity (%)	/-	drizzle	rain
Precipitation:	none		*** Trees. In
Depature Time:			

	MONITOR	RING STARTS	
Operator:		?/	
Location:	1. /	R2	
Noise Meter Start Time:		11 22	
Date:	2017-07-07	18:33	
Calibration complete ?:	5109		
Sensitivity	5/10/	17.05	
Derviation	002	11.00	
Time of Calibration:		Poor	
Battery Power Check:	Good	Poor	
Photographs of Setup (Y/N)			
Photographs of Surrounding (Y/N)			
Check available disk memory (Y/N)			
Cloud cover:	cloudy	partly cloudy	sunny
Height of cloud (feet):	0-10,000	10,000-25,000	25,000 +
Air Temperature (C):	0 0		
	44		
Wind Speed (km/hr):	125		
Wind Direction:		N	
North wind (wind blows from North)	MAY. 12.1 Aug. 7.2	SW SE	
Barometric Pressure (kPa):	201		
	1 57.6		
Relative Humidity (%)	none	drizzle	rain
Precipitation:		TE DESCRIPTION	
		Longitude	Altitude
GPS Location	Latitude	Longitude	Aintude
Type of Ground Surface:			
Acoustic Environment:			
Traffic			
Human activities			
Animal			
Other noise sources			
Other horse sources			
		DRIVIC ENIDS	
	MONITO	DRING ENDS	
Operator:	MA	VITOR	
Record Data File Name:		RZ.	
Total Monitoring Period			
Noise Meter End Time:	A		
	1011 - 101	10 · 01·05	
Date:	601707	10 9:05	
	101707	10 9:05	
Calibration complete ?:	1017-07	10 9:05	
Calibration complete ?: Sensitivity	1017-07	10 9:05	
Calibration complete ?:  Sensitivity  Derviation	1017-07	10 9:05	
Calibration complete ?: Sensitivity Derviation Time of Calibration:	1017-07	10 9:05	
Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB)	1017 07	10 9:05	
Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check:	10\7 0 7	Po@	Sunny
Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover:	cloudy	partly cloudy	SUDDY
Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet):		partly cloudy 10,000-25,000	(sunny) (25,000°+
Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C):	cloudy	partly cloudy 0 10,000-25,000	
Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet):	cloudy	partly cloudy 10,000-25,000	
Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C):	cloudy	partly cloudy 0 10,000-25,000	
Calibration complete ?: Sensitivity Derviation Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr):	cloudy	partly cloudy 10,000-25,000	
Calibration complete ?:  Sensitivity  Derviation  Time of Calibration: Check file size (GB)  Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)	cloudy	partly cloudy 10,000-25,000	
Calibration complete ?:  Sensitivity  Derviation  Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)  Barometric Pressure (kPa):	cloudy 0-10,000	partly cloudy 10,000-25,000	
Calibration complete ?:  Sensitivity  Derviation  Time of Calibration: Check file size (GB)  Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)  Barometric Pressure (kPa): Relative Humidity (%)	cloudy 0-10,000	partly cloudy 10,000-25,000	
Calibration complete ?:  Sensitivity  Derviation  Time of Calibration: Check file size (GB) Battery Power Check: Cloud cover: Height of cloud (feet): Air Temperature (C): Wind Speed (km/hr): Wind Direction: North wind (wind blows from North)  Barometric Pressure (kPa):	cloudy 0-10,000	partly cloudy 10,000-25,000	25,000 +

## **APPENDIX C**

L<sub>eq</sub> Values by Day

Appx C - Table 1. Daytime, night-time, 10-11 pm and 24 h  $L_{eq}$  values for each monitoring day and total hours used to calculate each  $L_{eq}$ . Time periods with fewer than 3 hours of valid data are excluded (-), and those exceeding corresponding target sound levels are shaded grey. NA indicates the time period was not assessed. Dates for which all data were excluded from analyses due to sub-optimal weather conditions are not shown.

Site	Start Date (2017)	L <sub>eq, day</sub> 7am-11pm (dBA)	Total Hrs	L <sub>eq, night</sub> 11pm-7am (dBA)	Total Hrs	L <sub>eq, 1 h</sub> 10-11pm (dBA)	L <sub>eq, 24 h</sub> (dBA)	Total Hrs
R1	Jul. 21	47.1	12	-	0	39.4	47.1	12
	Aug. 8	29.2	3	-	1	24.6	29.2	4
	Aug. 9	-	2	46.8	7	-	47.7	9
	Sept. 4	-	2	-	1	35.3	33.4	3
	Sept. 5	-	0	30.9	5	-	30.9	5
R2	Jul. 7	38.4	1	39.5	1	36.8	38.4	2
	Jul. 8	-	0	-	2	-	36.8	2
		-	0	-	0	-	-	0
	Jul. 10	-	0	40.1	4	-	40.1	4
	Jul. 26	-	2	-	0	-	56.2	2
R3	Jul. 2	29.2	8	-	1	31.4	29.2	9
	Jul. 3	38.3	15	34.8	8	30.6	37.4	23
	Jul. 4	-	2	37.6	7	-	37.8	9
	Aug. 8	44.2	3	-	1	49.1	44.2	4
	Aug. 9	-	2	43.7	7	-	46.7	9
	Aug. 21	40.1	16	-	2	33.0	39.6	18
	Aug. 22	34.3	11	35.4	7	-	34.7	18
R4	Jul. 10	40.7	9	-	1	32.2	40.7	10
	Jul. 11	38.9	5	39.8	7	-	39.5	12
	Jul. 12	-	2	44.7	7	-	44.9	9
	Aug. 1	38.0	7	-	1	38.1	38.0	8
	Aug. 2	-	2	40.1	7	-	40.5	9
	Aug. 17	39.6	4	-	0	41.9	39.6	4
R5	Jul. 13	37.6	3	-	1	-	37.6	4
	Jul. 14	-	0	42.6	4	-	42.6	4
	Aug. 4	-	2	-	1	32.8	35.0	3
	Aug. 5	44.4	12	33.9	4	-	43.3	16
	Aug. 29	-	0	-	1	-	27.3	1
	Aug. 30	-	1	25.2	5		34.6	6