



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fwd: Plan Review 2AM-MEA1525

1 message

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>
To: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Thu, Nov 12, 2015 at 1:17 PM

FYI



Karén Kharatyan, Ph. D- ԵՂՁ ԵՏՈՂՁ

Technical Advisor- Conseiller Technique

ᐱᓕᑦᑐᑦ ᐸᑦᐳᑦᐴᑦ - Piluaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓂᓪ ᐃᐭᓕᓂᓪ ᑲᓂᐭᓪᓴᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ဂဏန်းအရ ၁၁၉

▷^c▷^a▷^a, $\mathbf{m} \triangleright^c \mathbf{X013\ 1\ 10}$

Titigacaqvia 119

Udning, NU, X013 110

Tel / Téléphone / ལྷོ་ཁྱེད་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ལྷོ་ཁྱེད་ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᐱᓕᓴᑦᓇᓂᓄᑦ / Akiittug : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Christine Wilson** <Christine.Wilson@aandc-aadnc.gc.ca>

Date: Thu, Nov 12, 2015 at 9:27 AM

Subject: Plan Review 2AM-MEA1525

To: karen.kharatyan@nwb-oen.ca

Hi Good Morning!

In prep for my inspection report I reviewed a number of documents submitted to the NWB recently and notice minors errors. I mention these merely to mention them not for an inspection point of view.

-the freshet action plan cover page reads Oct 2015 while the footer reads September 2015.

-page 35 of the Water Management Plan appears to be error in the 3. 8 table and description.

christine

Christine Wilson

Water Resource Officer | Agent des ressources hydriques

Aboriginal Affairs and Northern Development Canada | Affaires autochtones et Développement du Nord Canada

Kivalliq Regional Office | Bureau régional du Kivalliq

Ikingutiqiit Center Suite 1 | Centre de Ikingutiqiit 1 Suite , PO Box 129 | CP 129

Rankin Inlet, NU X0C 0G0

Phone | Tél. : [867-645-2830](tel:867-645-2830)

Fax | Téléc. : [867-645-2592](tel:867-645-2592)

Christine.Wilson@aandc-aadnc.gc.ca