

AGNICO-EAGLE MEADOWBANK

555 Burrard Street, Suite 375 Box 209, Two Bentall Centre Vancouver, British Columbia V7X 1M8 Tel. 604.608.2557 Fax. 604.608.2559

agnico-eagle.com

November 28, 2008

Via email and Xpresspost

Mr. Richard Dwyer Licensing Administrator Nunavut Water Board PO Box 119 Gjoa Haven, NU X0B 1J0 Phone: (867) 360-6338

Dear Mr. Dwyer,

Re: October 2008 Monitoring Program Summary Report

As required by Water license 2AM-MEA0815 Part I Item 25, please find enclosed the October 2008 Monitoring Program Summary Report.

Should you have any questions regarding this submission, please contact me directly at 819-759-3700 ext. 814 or via email at stéphane.robert@agnico-eagle.com.

Regards,

Stéphane Robert,

Environment Superintendent

Encl (1)



Meadowbank Gold Project

Monitoring Program Summary Report

Type A Water License 2AM-MEA0815

October 2008

Type A Water License 2AM-MEA0815

TABLE OF CONTENTS

SECTION 1 •	BACKGROUND1
SECTION 2 •	WATER MANAGEMENT AND WATER QUALITY MONITORING2
	RESULTS
SECTION 4 •	SPILL MANAGEMENT SUMMARY4
	LIST OF TABLES
Table 4.1: Summa	ry of October 2008 AEM Internal Spill Reports4
	LIST OF FIGURES
Figure 1: Meadow	bank Mine Site Surface Water Monitoring Stations
	LIST OF APPENDICES
Appendix A: Surfa	ce Water Monitoring Results

Appendix B: Laboratory Certificate of Analysis

Type A Water License 2AM-MEA0815

SECTION 1 • BACKGROUND

This report documents the water management, monitoring activity and analytical monitoring along the AWPAR and mine site as required under Part I, Item 25 of Type A Water License 2AM-MEA0815. It should be noted that the Meadowbank Project is just entering the construction phase and is not scheduled to commence operations until early 2010. Consequently many of the license specified reporting locations or requirements are associated with facilities that are not yet constructed and thus reporting cannot be fully initiated until these facilities are constructed and commissioned. During this phase of construction no water has been pumped, discharged or transferred, rather all site contact run-off are contained and directed to the Stormwater Management Pond (Tear Drop Attenuation Pond). The monitoring points covered by this monthly report will expand as the facilities are constructed over the next 18 months.

Additionally, for the NWB to review, Section 4 summarizes the AEM internal spill reporting for October.

Type A Water License 2AM-MEA0815

SECTION 2 • WATER MANAGEMENT AND WATER QUALITY MONITORING

No monitoring was conducted at the mine site in October because of ice conditions. No water was discharged around the mine site, rather all the water (ie Sewage Treatment Plant, construction pumping) was directed to the storm water management pond.

One monitoring event was completed along the AWPAR on October 6, 2008 (at crossings, contact pools and in the quarries as recommended in AWPAR Annual Report 2007), for TSS, pH, Dissolved Oxygen (% and/or mg/L) and conductivity.

Type A Water License 2AM-MEA0815

SECTION 3 • RESULTS

3.1 AWPAR

The AWPAR crossings and contact pools quarries were monitored on October 6, 2008; 5 samples were taken along the AWPAR in contact pools (identified by kilometre), representative upstream and downstream bridge crossings (i.e. river 5 identified as R05) and quarries (i.e. Q12) for analysis of general parameters, total metals, TSS, ammonium and nitrates, and oil and grease.

The field-monitoring results are presented in Appendix A: Table 1. The laboratory certificate of analysis is attached in Appendix B for all of the monitoring results.

Type A Water License 2AM-MEA0815


SECTION 4 • SPILL MANAGEMENT SUMMARY

During the construction phase, as part of the global Environmental Management System, AEM is developing a system of tracking spills on-site. The following table summarizes the AEM Internal spill reports for October.

Table 4.1: <u>Summary of October 2008 AEM Internal Spill Reports</u>

AEM Internal #	Date of Spill	Date of Spill Report	Hazardous Material (Fuel, Oil, etc.)	Quantity	Location	Clean-up action taken	Reported to GN Spill HotLine
10-2008-01	Oct 1/08	Oct 3/08	Oil	~ 40 L	Behind white coverall	Contaminant contained with absorbant pads, rest excavated into 10 wheeler and sent to Q22, excavated area filled with rock	
10-2008-02	Oct 4/08	Oct 6/08	Hydraulic oil	~ 1 L	Portage Road North	Placed absorbant pad under leak and cleaned up contaminated soil	
10-2008-03	Oct 10/08	Oct 10/08	Hydraulic Oil	~ 1-3 Gal	Agnico Crusher	Not satisfied with the repair, brought to the Toromont pad. Picked up oil on the ground and into the bobcat bucket.	
10-2008-03	Oct 11/08	Oct 12/08	Hydraulic Oil	~1 Gal	Starter Pit	Put contaminated soil into 45 gallon drum	
10-2008-04	Oct 13/08	Oct 13/08	Hydraulic Oil	200 L	4th Ave Baker Lake	Picked up contaminated soil with a bulldozer and a loader	Yes (Oct 14/08)
10-2008-05	Oct 14/08	Oct 14/08	Diesel	2 Gal	Camp	Soil recovered and placed in drum	
10-2008-06	Oct 16/08	Oct 16/08	Hydraulic oil	5 Gal	East Dike	Recovered soil and absorbent pads	
10-2008-07	Oct 16/08	Oct 16/08	Hydraulic oil	~ 5 - 10 L	East Dike	Soil collected along dike	
10-2008-08	Oct 24/08	Oct 24/08	Transmission Oil	10 L	East Dike	Contaminated soil cleaned up	
10-2008-09	Oct 24/08	Oct 24/08	Hydraulic oil	20 L	Quarry 1	Spill was cleaned up	

Figure 1: Meadowbank Mine Site Surface Water Monitoring Stations



Type A Water License 2AM-MEA0815

APPENDIX A: SURFACE WATER MONITORING RESULTS	

Table 1: AWPAR Water Quality Monitoring Data: October 2008

Sample ID	Km 8.4	KM 19.3	KM 27.3	KM 69.9	KM 76.1
Date	10/6/08	10/6/08	10/6/08	10/6/08	10/6/08
Time	10:30	10:55	11:15	12:00	12:45
Temperature (°C)	1.00	0.91	2.91	5.55	2.73
рН	7.58	7.46	7.29	7.08	7.29
DO (%)	72.1	71.3	67.0	34.0	55.4
DO (mg/L)					
Specific Conductivity	25	10	61	141	210
Turbidity	18.13	9.00	25.00	28.10	12.71

Type A Water License 2AM-MEA0815

ADDENDLY D. I ADODATODY CEDITIONE OF ANALYSIS	
APPENDIX B: LABORATORY CERTIFICATE OF ANALYSIS	



Your Project #: AWPAR

Attention: Ryan VanEngen
Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA XOC 0A0

Report Date: 2008/10/27

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A846977 Received: 2008/10/14, 16:30

Sample Matrix: SURFACE WATER

Samples Received: 5

		Date	Date		
Analyses	Quantity	Extracted	Analyzed	Laboratory Method	Analytical Method
Anions	5	2008/10/20	2008/10/21	STL SOP-00014/6	Ion Chromatography
Conductivity	5	2008/10/20	2008/10/21	STL SOP-00038/6; STL	Conductivity
				SOP-00012/2	
Disposal Charges	5	N/A	2008/10/15		
Fluoride	5	2008/10/20	2008/10/21	STL SOP-00011/1, STL	Ion Spec. Electrode
				SOP-00004/3	
Hardness	5	2008/10/20	2008/10/20	STL SOP-00006/7	ICP
Total Suspended Solids	5	2008/10/16	2008/10/16	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	5	2008/10/20	2008/10/21	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	5	2008/10/17	2008/10/17	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	5	2008/10/18	2008/10/21	STL SOP-00151/12	Gravimetric
pH	5	2008/10/16	2008/10/16	STL SOP-00016/6; STL	pH meter
•				SOP-00038/6,	

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LORENA DI BENEDETTO, B.Sc., Chemist, Project Manager Email: LORENA.DIBENEDETTO@maxxamanalytics.com Phone# (514) 448-9001 Ext:262

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Page 1 of 10

2008/10/27 10:58



Agnico-Eagle Mines Ltd. Client Project #: AWPAR

Sampler Initials: SMC

METALS (SURFACE WATER)

Maxxam ID		F95025	F95026	F95027	F95028		
Sampling Date		2008/10/06	2008/10/06	2008/10/06	2008/10/06		
	Units	KM 8.4	KM 19.3	KM 27.3	KM 69.9	RDL	QC Batch
METALS							
Calcium (Ca)	mg/L	2	<1	4	15	1	561197
Magnesium (Mg)	mg/L	1	<1	3	5	1	561197
Total Hardness (CaCO3)	mg/L	10	<1	20	57	1	561197
METALS ICP-MS							
Aluminum (Al)	ug/L	280	160	600	290	1.0	561198
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	561198
Silver (Ag)	ug/L	1.4	0.72	0.35	0.31	0.10	561198
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	4.7	1.0	561198
Barium (Ba)	ug/L	6.1	2.7	22	36	2.0	561198
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	561198
Chromium (Cr)	ug/L	1.4	2.8	1.9	0.76	0.50	561198
Cobalt (Co)	ug/L	<0.50	<0.50	0.50	9.4	0.50	561198
Copper (Cu)	ug/L	3.1	1.1	3.9	6.5	0.50	561198
Manganese (Mn)	ug/L	16	3.2	21	2000	0.40	561198
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	1.6	0.50	561198
Nickel (Ni)	ug/L	4.1	2.7	<1.0	7.7	1.0	561198
Sodium (Na)	ug/L	750	550	2300	2600	30	561198
Zinc (Zn)	ug/L	4.5	<1.0	5.0	2.8	1.0	561198
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	561198
Lead (Pb)	ug/L	0.44	<0.10	0.55	0.54	0.10	561198
Thallium (TI)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	561198

RDL = Reportable Detection Limit QC Batch = Quality Control Batch



Agnico-Eagle Mines Ltd. Client Project #: AWPAR

Sampler Initials: SMC

METALS (SURFACE WATER)

Maxxam ID		F95029		
Sampling Date		2008/10/06		
	Units	KM 76.1	RDL	QC Batch

METALS				
Calcium (Ca)	mg/L	23	1	561197
Magnesium (Mg)	mg/L	5	1	561197
Total Hardness (CaCO3)	mg/L	80	1	561197
METALS ICP-MS				
Aluminum (Al)	ug/L	300	1.0	561198
Antimony (Sb)	ug/L	<1.0	1.0	561198
Silver (Ag)	ug/L	0.17	0.10	561198
Arsenic (As)	ug/L	7.0	1.0	561198
Barium (Ba)	ug/L	26	2.0	561198
Cadmium (Cd)	ug/L	<0.20	0.20	561198
Chromium (Cr)	ug/L	2.1	0.50	561198
Cobalt (Co)	ug/L	8.4	0.50	561198
Copper (Cu)	ug/L	5.4	0.50	561198
Manganese (Mn)	ug/L	1500	0.40	561198
Molybdenum (Mo)	ug/L	<0.50	0.50	561198
Nickel (Ni)	ug/L	7.2	1.0	561198
Sodium (Na)	ug/L	8700	30	561198
Zinc (Zn)	ug/L	3.2	1.0	561198
Selenium (Se)	ug/L	<1.0	1.0	561198
Lead (Pb)	ug/L	0.58	0.10	561198
Thallium (TI)	ug/L	<2.0	2.0	561198
		•		

RDL = Reportable Detection Limit QC Batch = Quality Control Batch



Agnico-Eagle Mines Ltd. Client Project #: AWPAR

Sampler Initials: SMC

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F95025	F95025	F95026	F95027		
Sampling Date		2008/10/06	2008/10/06	2008/10/06	2008/10/06		
	Units	KM 8.4	KM	KM 19.3	KM 27.3	RDL	QC Batch
			8.4 Lab-Dup				
				•			
CONVENTIONALS							
Conductivity	mS/cm	0.026	0.026	0.010	0.065	0.001	561039
Fluoride (F)	mg/L	<0.1	N/A	<0.1	<0.1	0.1	561116
Nitrogen ammonia (N-NH3)	mg/L	0.04	N/A	<0.02	0.06	0.02	560540
рН	рН	7.1	N/A	6.3	6.0	N/A	560311
Nitrate (N) and Nitrite(N)	mg/L	0.06	N/A	0.06	2.8	0.02	561114
Sulfates (SO4)	mg/L	2.9	N/A	0.7	6.6	0.1	561114
Total suspended solids (TSS)	mg/L	<2	N/A	<2	<2	2	560260

N/A = Not Applicable

RDL = Reportable Detection Limit QC Batch = Quality Control Batch

Maxxam ID		F95028	F95029	F95029		
Sampling Date		2008/10/06	2008/10/06	2008/10/06		
	Units	KM 69.9	KM 76.1	KM 76.1	RDL	QC Batch
				Lab-Dup		
		1	1	1	1	
CONVENTIONALS						
Conductivity	mS/cm	0.15	0.24	N/A	0.001	561039
Fluoride (F)	mg/L	<0.1	<0.1	N/A	0.1	561116
Nitrogen ammonia (N-NH3)	mg/L	0.22	0.16	N/A	0.02	560540
рН	рН	6.8	7.0	7.0	N/A	560311
Nitrate (N) and Nitrite(N)	mg/L	0.05	0.15	N/A	0.02	561114
Sulfates (SO4)	mg/L	2.1	4.9	N/A	0.1	561114
Total suspended solids (TSS)	mg/L	23	27	27	2	560260
Total suspended solids (TSS)	mg/L	23	27	27	2	56026

N/A = Not Applicable

RDL = Reportable Detection Limit QC Batch = Quality Control Batch



Agnico-Eagle Mines Ltd. Client Project #: AWPAR

Sampler Initials: SMC

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F95025	F95026	F95027	F95028	F95029				
Sampling Date		2008/10/06	2008/10/06	2008/10/06	2008/10/06	2008/10/06				
	Units	KM 8.4	KM 19.3	KM 27.3	KM 69.9	KM 76.1	RDL	QC Batch		
OIL & GREASE										
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	560946		
RDL = Reportable Detection Limit										
QC Batch = Quality Con	trol Bate	ch								



Agnico-Eagle Mines Ltd. Client Project #: AWPAR

Sampler Initials: SMC

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

pH: Holding time already past.: F95025, F95026, F95027, F95028, F95029

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

HEAVY HYDROCARBONS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.



Agnico-Eagle Mines Ltd. Attention: Ryan VanEngen Client Project #: AWPAR

P.O. #: Project name:

Quality Assurance Report Maxxam Job Number: A846977

QA/QC			Date			
Batch			Analyzed			
Num Init	QC Type	Parameter	yyyy/mm/dd	Value	Recovery	Units
560260 HM1	SPIKE	Total suspended solids (TSS)	2008/10/16		94	%
	SPIKE DUP	Total suspended solids (TSS)	2008/10/16		94	%
	METHOD BLANK	Total suspended solids (TSS)	2008/10/16	<2		mg/L
560311 IR2	Calibration Check	pH	2008/10/16		101	%
	QC STANDARD	pH	2008/10/16		100	%
	SPIKE	pH	2008/10/16		100	%
560540 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/10/17		83	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/10/17		100	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/10/17	0.03, R	DL=0.02	mg/L
560946 HD	SPIKE	Mineral Oil and Grease	2008/10/21		60	%
	METHOD BLANK	Mineral Oil and Grease	2008/10/21	<3		mg/L
561039 AK3	QC STANDARD	Conductivity	2008/10/21		102	%
	SPIKE	Conductivity	2008/10/21		101	%
	METHOD BLANK	Conductivity	2008/10/21	< 0.001		mS/cm
561114 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/10/21		98	%
		Sulfates (SO4)	2008/10/21		97	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/10/21	< 0.02		mg/L
		Sulfates (SO4)	2008/10/21	<0.1		mg/L
561116 AK3	QC STANDARD	Fluoride (F)	2008/10/21		99	%
	SPIKE	Fluoride (F)	2008/10/21		95	%
	METHOD BLANK	` ,	2008/10/21	<0.1		mg/L
561197 MCL	SPIKE	Calcium (Ca)	2008/10/20		100	%
		Magnesium (Mg)	2008/10/20		96	%
	METHOD BLANK	Calcium (Ca)	2008/10/20	<1		mg/L
		Magnesium (Mg)	2008/10/20	<1		mg/L
		Total Hardness (CaCO3)	2008/10/20	<1		mg/L
561198 MCL	SPIKE	Aluminum (Al)	2008/10/20		94	%
		Antimony (Sb)	2008/10/20		110	%
		Silver (Ag)	2008/10/20		81	%
		Arsenic (As)	2008/10/20		114	%
		Barium (Ba)	2008/10/20		104	%
		Cadmium (Cd)	2008/10/20		108	%
		Chromium (Cr)	2008/10/20		99	%
		Cobalt (Co)	2008/10/20		105	%
		Copper (Cu)	2008/10/20		98	%
		Manganese (Mn)	2008/10/20		101	%
561116 AK3 561197 MCL 561198 MCL		Molybdenum (Mo)	2008/10/20		109	%
		Nickel (Ni)	2008/10/20		118	%
		Sodium (Na)	2008/10/20		99	%
		Zinc (Zn)	2008/10/20		111	%
		Selenium (Se)	2008/10/20		108	%
		Lead (Pb)	2008/10/20		107	%
	METHOD DI ANII	Thallium (TI)	2008/10/20	.4.0	111	% a/l
	METHOD BLANK	Aluminum (Al)	2008/10/20	<1.0		ug/L
		Antimony (Sb)	2008/10/20	<1.0	DI 0.40	ug/L
		Silver (Ag)	2008/10/20		DL=0.10	ug/L
		Arsenic (As)	2008/10/20	<1.0		ug/L
		Barium (Ba)	2008/10/20	<2.0		ug/L
		Cadmium (Cd)	2008/10/20	< 0.20		ug/L
		Chromium (Cr)	2008/10/20	< 0.50		ug/L
		Cobalt (Co)	2008/10/20	< 0.50		ug/L
		Copper (Cu)	2008/10/20	< 0.50		ug/L
		Manganese (Mn)	2008/10/20	<0.40		ug/L
		Molybdenum (Mo)	2008/10/20	<0.50		ug/L
		Nickel (Ni)	2008/10/20	<1.0		ug/L



Agnico-Eagle Mines Ltd. Attention: Ryan VanEngen Client Project #: AWPAR

P.O. #: Project name:

Quality Assurance Report (Continued)

Maxxam Job Number: A846977

QA/QC			Date			
Batch			Analyzed			
Num Init	QC Type	Parameter	yyyy/mm/dd	Value	Recovery	Units
561198 MCL	METHOD BLANK	Sodium (Na)	2008/10/20	<30		ug/L
		Zinc (Zn)	2008/10/20	2.1, R	DL=1.0	ug/L
		Selenium (Se)	2008/10/20	<1.0		ug/L
		Lead (Pb)	2008/10/20	0.35, R	DL=0.10	ug/L
		Thallium (TI)	2008/10/20	<2.0		ug/L

RDL = Reportable Detection Limit QC Standard = Quality Control Standard SPIKE = Fortified sample



Validation Signature Page

Maxxam Job #: A846977

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

MARIE-CLAUDE LAUZHER, B.Sc., Chemist, Analyst 2

MADINA HAMROUNI, B.Sc., Chemist,

Santerre Santer

MÉLANIE SANTERRE, B.Sc, Supervisor

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

Page 9 of 10

			/%			
M	a	X	X	3	r	n
		1	An	alytic	que	Inc

Maxxam Analytique Inc

VI	ax	Хa			r		8	89 N	iont	ée c	de Lies	se , H4T 1P5						СН	AI	V O	FC	ะบร	STO	DO	Y							Page	1		2
	./	Analyti	qu	ı e	1n	C						naxxam.ca										A١	IAL'	YSIS	s R	EQI	UIR	ED							
	Agnico-Eagle Meadowbank Proj				Te Far	867 c:		3-41			728	8		18						1	Zn)				16 elewater***							Conductivity, Hardness			
Address	Meadowbank Car Baker Lake Nuna X0X 0A0							AWF					S) 6	C10-C50 F	metric)	tric)		4)		(GC-MS)	Cu. Ni. Pb. 7				16 el			0-P04				ictivity, F			
Sample	Sannon McFadye	n			Pro	jec	t Ma	anaç	jer	Rya	an Va	nengen	GC-MS)	10-	avir	met		VOC(624)	1	9	Ö	Selénium				- 1						ondt			
						latr	iv	_			lvain l mplin		ğ		D)	rav		00		16					ele.	z	ш	×	SO4						
N°	Sample identification	N° labo MAXXAM	Potable w.	Waste w.	٧.	>	Soils	Sediments	Others*	# containers	To filter (yes/no)	Date	BTEX (P&T	Hydrocarbons	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB		PAH	Phenol (color.)	Metals (Cd.		Mercury	Lead	Metals ICP -13 elesoil	NH4 TKN	District.	NO2+NO3	CI_F	TSS	Cyanide	General: pH,			
1	Km 8.4					х				5		06/10/2008	X	X											х		Х	Х		Х		X			
2	Km 19.3					х				5		06/10/2008	1000	Х	X										Х		Х	Х		Х	3	X			
3	Km 27.3					x				5		06/10/2008	X	Х	X										Х		Х	Х		Х		X			
4	Km 69.9					х				5		06/10/2008	X	Х	X										Х		Х	Х		Х		X			
5	Km 76.1					х				5		06/10/2008	X	Х	X										Х		Х	Х		Х	- 3	X			
6																																			
7					1										1	N	11	U																	
8														0	0	1	5	W														_			-
9																0	1.		å													4	н		+
10												11 %																							
11															L		L													Ш					
Metals	Legend:	** Metals *** Metals	s 16	ele	eme	nts(A	AI,	As, E Sb, 7	3a, Ag,	Cd, As,	Co, C , Ba, C	Cr, Cu, Sn, N Cd, Cr, Co, O	Cu,	Mn	, M	0,1	li, P	n) b, Se s rec	e, N	Na, Z	n) cor	ntan	nina	tior	ı le	/el:		-		_	_	_	-		
	und time: orking days	Site:				oanl	Si	te	-	-	-		100	-	globial	-	-	ace \	anach)	ter (I	Fede	eral)												
5 wo	rking days ours	PO #:										-	Special instructions: Please note that:														7								
72 hours PO #: 48 hours 24 hours Others:								Z																											
LEGEND: C = Canis	ters	Delivered	by	sa	mp	er:	Sha	nno	n									Date 06/1	\$1200	-	ime		_	_				101	ived						-
* W = Wast		Delivered	by	me	ess	eng	er:										+	ate		1	ime	_		(o ==	+				ved			50050E	255		-
	ou Cartridges	Delivered	by	:													Da	ate		10	ime)	6	1	10	TI	Re	cei	ved	by	Ma	xxar	n:	1	1