



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-MEA1526 Interim Closure Reclamation Plan

Parsons, Ian (AADNC/AANDC) <ian.parsons@canada.ca>
To: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Fri, Nov 2, 2018 at 6:49 AM

Hi NWB,

Since CIRNAC had no initial comments and was satisfied that the ICRP contained all necessary information at this stage, we are writing this email to confirm that our comments were addressed.

Regards,

Ian Parsons

Manager, Water Resources

CIRNAC, Nunavut Regional Office

From: Richard Dwyer [mailto:richard.dwyer@nwb-oen.ca]
Sent: Monday, October 22, 2018 1:42 PM
To: Parsons, Ian (AADNC/AANDC); Pinto, Melissa (EC); georgina.williston@dfo-mpo.gc.ca; Luis Manzo; mserra@kivalliqinuit.ca
Cc: karen.kharatyan@nwb-oen.ca; licensing@nwb-oen.ca
Subject: Re: [EXTERNAL] 2AM-MEA1526 Interim Closure Reclamation Plan

Good morning,

The Nunavut Water Board requests reply by November 5, 2018 to AEM response to intervenor comments on 2AM-MEA1526 2018 Updated Interim Closure Reclamation Plan, whether or not intervenor comments were addressed.

Regards,

Richard

Richard Dwyer- $\mathcal{L}^{\mathcal{C}}\mathcal{J}^{\mathcal{G}} \supset \triangleleft \Delta \mathcal{K}^{\mathcal{G}}$

Manager of Licensing - Responsable des Permis ᐃᑭᓕᓴᓂᓄᓐ ᐅᐃᓴᓕᓴᓂᓄᓐ Maniyayuyq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᓪ ᐃᓕᓕᓴᓪ ᑲᓂᓕᓴᓪ- NUNAVUTIMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

பஞ்ச சூக அலு
புஷு, ஸுஷு, மலுஷு X013 110

Titigaqvia 119
Uqhuqtuq, NU, X013 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.




Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Mon, Oct 22, 2018 at 11:11 AM Marie-Pier Marcil <marie-pier.marcil@agnicoeagle.com> wrote:

Hello Richard,

Please find attach the Agnico Eagle Meadowbank's response to regulators comments regarding the ICRP 2018 update.

Regards,



Marie-Pier Marcil Senior Compliance Technician
marie-pier.marcil@agnicoeagle.com Direct 819.759.3555 x 5836
 Agnico Eagle Mines Limited - Meadowbank Division, Suite 540 - Baker Lake, Nunavut,
 Canada X0C 0A0
agnicoeagle.com  facebook.com/agnicoeagle  twitter.com/agnicoeagle
 linkedin.com/company/312686  youtube.com/agnicoeaglevideos

De : Richard Dwyer <richard.dwyer@nwb-oen.ca>

Envoyé : 12 octobre 2018 19:55

A : Marie-Pier Marcil <marie-pier.marcil@agnicoeagle.com>
Cc : licensing <licensing@nwb-oen.ca>; Meadowbank Environment Supervisors <meadowbank.environmentsupervisors@agnicoeagle.com>
Objet : Re: [EXTERNAL] 2AM-MEA1526 Interim Closure Reclamation Plan

Good evening,

The Nunavut Water Board looks forward to receiving response to comments regarding the Interim Closure and Reclamation Plan update to comments by October 22, 2018.

Regards,

Richard

Richard Dwyer- $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$

Manager of Licensing - Responsable des Permis ᐃᑭᓕᓴᓂᓄᓗ ᓕᐃᓴᓕᓂᓄᓗ Maniyaauyuq
Laisluginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᓪ ᐃᓕᓕᓴᓪ ᑲᓕᓴᓴᓪ - NUNAVUTIMAJIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በጥናቱ ልዩ
ጥያቄዎች, ዓላማዎች X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Fri, Oct 12, 2018 at 8:07 AM Marie-Pier Marcil <marie-pier.marcil@agnicoeagle.com> wrote:

Good morning Richard,

Agnico Eagle requests an extension until October 22, 2018 to respond to comments regarding the Interim Closure and Reclamation Plan update.

Should you have any questions, please do not hesitate to contact us.

Regards,

Error! Filename not specified.

Marie-Pier Marcil Error! Filename not specified. Senior Compliance Technician
marie-pier.marcil@agnicoeagle.com **Error! Filename not specified.** Direct 819.759.3555
x 5836**Error! Filename not specified.**
Agnico Eagle Mines Limited - Meadowbank Division, Suite 540 - Baker Lake, Nunavut,
Canada X0C 0A0
agnicoeagle.com **Error! Filename not specified. Error! Filename not specified. Error! Filename not specified. Error! Filename not specified.**

De : Richard Dwyer <richard.dwyer@nwb-oen.ca>

Envoyé : 3 octobre 2018 13:58

À : Manon Turmel <manon.turmel@agnicoeagle.com>; Marie-Pier Marcil <marie-pier.marcil@agnicoeagle.com>

Cc : licensing <licensing@nwb-oen.ca>

Objet : [EXTERNAL] 2AM-MEA1526 Interim Closure Reclamation Plan

Good morning,

The Nunavut Water Board requests AEM respond by October 15, 2018 to comments received on Interim Closure and Reclamation Plan update. As stated by Interveners and acknowledged by NWB this ICRP does not include Agnico Eagle's recent request for In-pit Deposition of Tailings. The NWB would like to advise Agnico Eagle that if the request is approved by NWB, Agnico Eagle will be required to update the ICRP and potentially other relevant management plans to reflect the changes associated with deposition of tailings.

Regards,

Richard

Error! Filename not specified.