



ᓄᓇᑭᑦ ᐃᒐᑦᓴᑦ ᑲᑎᒐᑦᑦᑦ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

ᐃᒐᑦᓴᑦ ᑎᑎᑲᑲᑎᑦᑦ: 2AM-MEL1631
ᐋᑦᑭᑦᑲᑎᑦᑦ ᑲᑎᑦᑲᑦ

LΔ 29, 2024

ᑲᐃᑦ ᑲᐃᑦᑦ
ᑲᑎᑲᑲᑎ – ᐃᑦᓴᑦᑲᑎᑦ ᐋᒐᑦ ᐋᑲᑲᑦᑲᑎᑦ ᐃᑲᑲᑦ
ᐋᒐᑦ ᐃᑲᑦ ᑲᑎᑲᑲᑎᑦ ᐃᑲᑲᑦ
Suite 540,
ᑲᑎᑲᑲᑎᑦ, ᓄᓇᑭᑦ, ᑲᐃᑲ X0C 0A0

ᑲᐃᑦ ᑲᐃᑦᑦ
ᐃᑦᓴᑦᑲᑎᑦ ᐃᑦᓴᑦᑲᑎᑦ
ᐋᒐᑦ ᐃᑲᑦ ᑲᑎᑲᑲᑎᑦ ᐃᑲᑲᑦ
11600 rue Louis-Bisson,
ᑲᑎᑲᑲᑎ, ᐋᑲᑲ, ᑲᐃᑲ J7N 1G9

ᑲᑎᑲᑲᑎᑦ: jamie.quesnel@agnicoeagle.com ᑲᑎᑲᑲᑎᑦ: manon.turmel@agnicoeagle.com

ᐃᑲᑲᑦ: ᑲᑎᑲᑲᑎᑦ ᑲᑎᑲᑲᑎᑦ - ᐃᑦᓴᑦᑲᑎᑦ ᑲᑎᑲᑲᑎᑦ ᑲᑎᑲᑲᑎᑦ “A”
ᐃᑲᑲᑦ ᑲᑎᑲᑲᑎᑦ: 2AM-MEL1631; ᑲᑎᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐋᑦᑲᑎᑦ
ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᐋᒐᑦ ᐃᑲᑦ ᑲᑎᑲᑲᑎᑦ ᐃᑲᑲᑦ

ᐃᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ:

ᑲᑎᑲᑎᑦ ᐋᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᐋᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ
(TM) ᑲᑎᑲᑎᑦ ᐋᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ
ᑲᑎᑲᑎᑦ ᐋᒐᑦ ᐃᑲᑦ ᑲᑎᑲᑲᑎᑦ ᐃᑲᑲᑦ (ᐋᒐᑦ ᐃᑲᑦ ᑲᑎᑲᑎᑦ) ᑲᑎᑲᑎᑦ
ᑲᑎᑲᑎᑦ ᐃᑲᑲᑎᑦ.

ᑲᑎᑲᑎᑦ ᐋᑲᑲᑎᑦ, ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᐋᑲᑲᑎᑦ, ᑲᑎᑲᑎᑦ ᐃᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ
ᐋᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ
ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ
ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ
ᑲᑎᑲᑎᑦ ᐋᑲᑲᑎᑦ, ᐋᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ
ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ, ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ
ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ.

ᐋᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ, ᐋᑲᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ ᑲᑎᑲᑎᑦ
ᐋᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ
ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ ᐃᑲᑲᑎᑦ.

<http://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MEL1631%20Agnico/2%20ADMIN/3%20SUBMISSIONS/2024%20Amendment>

[illegible][illegible][illegible]

በበኛኞች፣

ጢሮጋ ጋዊል (Richard Dwyer)
ፎልክሎር ምህንድ

[illegible]



ᓄᓇᑭᑦ ᐃᒪᑦᓂᓪᑦ ᑲᑎᒪᓪᓴᑦ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

ᑭᓴᑦᑲᑦᑲᑦ ᑲᑎᒪᓪᓴᑦ

ᐱᑦᓴᑦᓴᑦᓴᑦ ᑲᑎᒪᓪᓴᑦ

ᑭᓴᑦᑲᑦᑲᑦ ᐃᒪᑦᓂᓪᑦ ᑲᑎᒪᓪᓴᑦ ᐃᓴᑲᑦᑲᑦ: 2AM-MEL1631
(ᑲᑦᑲᑦᑲᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ)

ᐱᑦᓴᑦᓴᑦᓴᑦ ᑲᑎᒪᓪᓴᑦ

ᑲᑦᑲᑦᑲᑦ: ᑲᑦ 5, 2024

ᐃᑲᑦᑲᑦ: 9:00 ᑲᑦᑲᑦᑲᑦ – 5:00 ᑲᑦᑲᑦᑲᑦ (ᑲᑦᑲᑦᑲᑦᑲᑦᑲᑦ)

ᐃᑲᑦᑲᑦᑲᑦ ᑲᑦ ᐃᑦᑲᑦᑲᑦᑲᑦᑲᑦᑲᑦ:

+1 778 907 2071	+1 438 809 7799	+1 647 558 0588
+1 647 374 4685	+1 587 328 1099	+1 613 209 3054
		+1 204 272 7920

<https://pido-ca.zoom.us/j/85018332276>

ᑲᑎᒪᓪᓴᑦ ᐃᑲᑦᑲᑦᑲᑦ: 850 1833 2276

ᐃᑦᑲᑦᑲᑦ: ᐱᑦᓴᑦᓴᑦᓴᑦ (ᑲᑦᑲᑦᑲᑦ ᑲᑎᒪᓪᓴᑦ) ᑲᑦᑲᑦᑲᑦᑲᑦ

1. ᑲᑦᑲᑦᑲᑦᑲᑦ ᐃᑦᑲᑦᑲᑦᑲᑦ
 - a. ᑲᑦᑲᑦᑲᑦᑲᑦ ᑲᑎᒪᓪᓴᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ ᑲᑎᒪᓪᓴᑦ
 - b. ᑲᑦᑲᑦᑲᑦᑲᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ
2. ᐃᒪᑦᓂᓪᑦ ᐃᑦᓴᑦᓴᑦᓴᑦ ᑲᑎᒪᓪᓴᑦ / ᑲᑦᑲᑦᑲᑦ ᑲᑎᒪᓪᓴᑦ (15 ᑲᑦᑲᑦᑲᑦ)
 - a. ᐃᑦᓴᑦᓴᑦᓴᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ ᑲᑎᒪᓪᓴᑦ
 - b. ᑲᑦᑲᑦᑲᑦᑲᑦ ᑲᑎᒪᓪᓴᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ ᐃᑦᓴᑦᓴᑦᓴᑦ ᑲᑦᑲᑦᑲᑦᑲᑦ
3. ᐱᑦᓴᑦᓴᑦᓴᑦ ᑲᑦᑲᑦᑲᑦᑲᑦ ᑲᑦᑲᑦᑲᑦᑲᑦ
 - a. ᑲᑦᑲᑦᑲᑦᑲᑦ ᑲᑦᑲᑦᑲᑦᑲᑦ (ᐃᑦᓴᑦᓴᑦ ᐃᑦᓴᑦᓴᑦ) (ᑲᑦᑲᑦᑲᑦ 45 ᑲᑦᑲᑦᑲᑦ, ᐃᑦᓴᑦᓴᑦᓴᑦ ᐱᑦᓴᑦᓴᑦ ᐃᑦᓴᑦᓴᑦᓴᑦ ᐃᑦᓴᑦᓴᑦᓴᑦ)
 - i. ᐃᑦᓴᑦᓴᑦᓴᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ, ᐃᑦᓴᑦ ᑲᑎᒪᓪᓴᑦ ᑲᑦᓴᑦᓴᑦᓴᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ ᐃᒪᑦᓂᓪᑦ ᐱᑦᓴᑦᓴᑦ ᑲᑦᑲᑦᑲᑦᑲᑦ ᑲᑦᓴᑦᓴᑦᓴᑦ
 - b. ᑲᑦᓴᑦᓴᑦᓴᑦ ᑲᑦᓴᑦᓴᑦᓴᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ (ᑲᑦᑲᑦᑲᑦ 30 ᑲᑦᑲᑦᑲᑦ, ᐃᑦᓴᑦᓴᑦᓴᑦ ᐱᑦᓴᑦᓴᑦ ᐃᑦᓴᑦᓴᑦᓴᑦ ᐃᑦᓴᑦᓴᑦᓴᑦ)
 - c. ᐃᑦᓴᑦᓴᑦᓴᑦ ᐱᑦᓴᑦᓴᑦᓴᑦ ᐱᑦᓴᑦᓴᑦ



ᓄᓇᓂᓪ ᐃᓚᓕᓂᓪᓴᓪ ᑲᓂᓚᓪᓴᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

d. ᓇᓂᓇᐃᓪᓴᓪ ᐱᓪᑲᑕᐅᓪᓴᓪ ᐃᑕᓚᓂᓪᓴᓪ ᐃᓂᐃᓪᓴᓪᓴᓪ ᐅᓴᓪᓴᓪ
ᐱᓪᓴᓪᓴᓪ ᐱᓪᓴᓪᓴᓪ, ᐅᓂᐅᓪᓴᓪ ᓂᓂᓪᓴᓪ ᐱᓪᑲᑕᐅᓪᓴᓪ (ᐃᓪᓴᓪᓴᓪ,
ᐃᓂᓴᓪᓴᓪ ᓂᓂᓪᓴᓪ, ᑕᑕᓂᓪᓴᓪ)

4. ᐅᓪᐃᓪᓴᓪ ᐱᓪᓴᓪᓴᓪ ᑲᓂᓚᓪᓴᓪ

ᓄᓪᓴᓪᓴᓪ – 15 ᓴᓂᓪᓴᓪ

ᓄᓇᓂᓪ ᑲᓂᓴᓪᓴᓪ

ᐅᓂᓴᓪᓴᓪ ᐃᓪᓴᓪᓴᓪ ᐃᓚᓪᓴᓪ ᐃᓪᓴᓪᓴᓪ: 2AM-MEL1631
(ᓴᓴᑕᐃᓪ ᐱᓴᓴᓪᓴᓪ)

ᐅᓪᓴᓪ: ᓴᓂ 5, 2024

ᐃᑲᓴᓪᓴᓪ: 7:00 ᐅᓪᓴᓪᓴᓪ (ᓴᓴᓴᓪᓴᓪᓴᓪ)

ᓇᓴᓪᓴᓪ: ᐱᓪᓴᓪᓴᓪ (ᑲᓴᓂᓂ ᓂᓴᓪ) ᑲᓪᓴᓪᓴᓪ

ᐃᓴᓂᓴᓪᓴᓪ ᐅᓇ ᓇᓴᓂᓂᓴᓪᓴᓪᓴᓪ:

+1 778 907 2071

+1 438 809 7799

+1 647 558 0588

+1 647 374 4685

+1 587 328 1099

+1 613 209 3054

+1 204 272 7920

<https://pido-ca.zoom.us/j/85018332276>

ᑲᓂᓚᓪᓴᓪ ᓇᓂᓇᐃᓪᓴᓪ: 850 1833 2276

1. ᑕᓚᓂᓪᓴᓪ ᑕᓂᓂᓪ ᐃᓚᓕᓂᓪᓴᓪ ᐱᓪᓴᓪᓴᓪ ᐃᓚᓕᓂᓪᓴᓪ (15 ᓴᓂᓪᓴᓪ)
2. ᓴᓴᓂᓂᓪᓴᓪ ᐅᓂᓴᓪᓴᓪ ᐃᓚᓕᓂᓪᓴᓪ (15 ᓴᓂᓪᓴᓪ)
3. ᓴᓴᓂᓂᓪᓴᓪ ᐅᓂᓴᓪᓴᓪ ᐅᓂᓴᓪᓴᓪ (30 ᓴᓂᓪᓴᓪ)
4. ᓴᓴᓂᓂᓪᓴᓪ/ᐅᓂᓴᓪᓴᓪ ᐱᓪᓴᓪᓴᓪ ᐱᓪᑲᑕᐅᓪᓴᓪ (15 ᓴᓂᓪᓴᓪ ᐃᑕᓂ ᐱᓪᑲᑕᐅᓪᓴᓪ)
5. ᐃᓴᓂᓪᓴᓪ ᐃᓴᓂ ᐅᓂᓴᓪᓴᓪ ᓄᓇᓂᓪᓴᓪ

ᓄᓪᓴᓪᓴᓪ – 15 ᓴᓂᓪᓴᓪ





3. $\triangleright^b d \triangleleft^{c_b} \sigma^a \cup b \cap L \sigma^{c_b}$