

2AM-MEL1631 updated Water Managment Plan

Richard Dwyer <richard.dwyer@nwb-oen.ca>
To: Sara Savoie <sara.savoie@agnicoeagle.com>
Bcc: Distro Meliadine <distro-2am-mel@nwb-oen.ca>

Tue, Nov 12, 2019 at 10:12 AM

Good morning,

The Nunavut Water Board acknowledges receipt of 2AM-MEL1631 updated Water Management Plan and conceptual engineering drawings for Saline Pond 4 (SP4), they've been saved to the public registry and uploaded to the ftp site at the link below:

ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MEL1631% 20Agnico/3%20TECH/B%20GENERAL/B12%20MGMT%20PLANS/Water%20MGMT%20Plan/

Interested parties are invited to submit comments by December 3, 2019.

Regards,

Richard



NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT OQP ALCAP BOLP - NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

 Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / /ペナレĆ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / / b - d c / Fax-kut: (867) 360-6369 Toll Free / Sans / Δρ56 PCD56 / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email