NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Meliadine Mine Interim Closure and Reclamation Plan - Update 2020 water licence 2AM-MEL1631

Richard Dwyer <richard.dwyer@nwb-oen.ca> Mon, Aug 23, 2021 at 1:10 PM
To: Anne-Laurence Paquet <anne-laurence.paquet@agnicoeagle.com>
Bcc: Distro Meliadine <distro-2am-mel@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board acknowledges receipt August 20, 2021 of Meliadine Interim Closure and Reclamation Plan - Update 2020, it is attached and can be found at the link below:

ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MEL1631%20Agnico/3%20TECH/B%20GENERAL/B13%20MGMT%20PLANS/

The Meliadine Interim Closure and Reclamation Plan - Update 2020 is distributed for information, if any parties wish to submit comments on the update please do so by **September 20, 2021**.

Regards,

Richard

Richard Dwyer- ᓇᑦᓱᕐᑦ ᑐᐊᐃᔪᕐ
Manager of Licensing - Responsable des Permis ᐊᐅᓚᑦᑎᔨ ᓚᐃᓴᓕᓇᓂᖅᒧᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᓇᔨᑦ ᑲᑎᒪᔨᖏᑦ- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᑎᑎᕋᖅᑕ ᕕᖓ
ᐅᖅᓱᖅᑐᖅ, ᓄᓇᕗᑦ X0B 1J0

Titigaqaqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᒃᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

2 attachments

210820 2AM-MEL1631 2021 WLA Required Documents-IMLE.pdf
100K

210820 2AM-MEL1631 ICRP Update 2020-IMLE.pdf
9150K