



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Meliadine Mine CP6 Ramp Redesign for water licence 2AM-MEL1631

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Thu, Aug 25, 2022 at 2:58 PM

To: Anne-Laurence Paquet <anne-laurence.paquet@agnicoeagle.com>

Bcc: Distro Meliadine <distro-2am-mel@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board acknowledges receipt August 25, 2022 of issued for construction Meliadine Mine CP6 Ramp Redesign for water licence 2AM-MEL1631, it is attached.

Interested parties are invited to submit comments by **September 26, 2022**.

Regards,

Richard



Richard Dwyer - ㄹㄱㄱㄱ ㄷㄹㄹㄱ - he\him\his

Manager of Licensing- Responsable des permis

ᐃᐅᑦᑎᐱ ᑕᐃᓴᑦᐱᓂᓄᐤᑦ Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᑦ ᐃᒪᓕᓗᑦ ᑲᑎᒪᑦᖅ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
၂၀၁၇-၁၈ ၁၂၀

Titigaqavua 119
Uqimqimq, NU, X0B 1J0

Tel / Téléphone / ལྷན་འབྲེལ་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ལྷན་འབྲེལ་ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᑦᐸᓂᓄᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



220825 2AM-MEL1631 MEM-CP6 Ramp Redesign-IFU-IMLE.pdf
756K