



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Meliadine Mine Design Report Collection Pond 9 for 2AM-MEL1631

Richard Dwyer <richard.dwyer@nwb-oen.ca>
To: Jade Robitaille <jade.robitaille@agnicoeagle.com>
Bcc: Distro Meliadine <distro-2am-mel@nwb-oen.ca>

Wed, Aug 20, 2025 at 9:39 AM

Good morning,

Please find attached for water licence 2AM-MEL1631 Meliadine Mine Design Report Collection Pond 9.

Regards,

Richards



Richard Dwyer - ㄹㄷㅕㅕ ㄷㄹㄹㅕ - he\him\his

Manager of Licensing- Responsable des permis

<D>C'N? <Δ<Γ&σ^SJ< Maniyauyuq Laisaliginiqnun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᐅᑦ ᐃᒪᓕᓂᑦ ᑲᑎᒪᔭᖅ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
၂၀၁၆ ခုနှစ် ၁၁၉

Titigaqvia 119
Uqumqumq, NU, X013 110

Tel / Téléphone / ᐃᑦᔭᕈᓴᓂ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐃᑦᔭᕈᓴᓂ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓯᓂᓐᓂᓐᓂᓐ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]



250820 2AM-MEL1631 Collection Pond 9 - Design Report OASE.pdf
185K