



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

(no subject)

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, Jul 17, 2017 at 11:10 AM

To: Manon Turmel <manon.turmel@agnicoeagle.com>, Jamie Quesnel <jamie.quesnel@agnicoeagle.com>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro Meliadine <distro-2am-mel@nwb-oen.ca>

Good morning,

The Nunavut Water Board acknowledges receipt July 10, 2017 of the construction summary report for the Sewage Treatment Plant, as required under Part D Item 3 of 2AM-MEL1631 water licence; this report is distributed for information only and is on the Nunavut Water Board ftp site at the link below.

[ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MEL1631%20Agnico/3%20TECH/5%20CONSTRUCTION%20\(D\)/Construction%20Summary%20Report%20D3/](ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MEL1631%20Agnico/3%20TECH/5%20CONSTRUCTION%20(D)/Construction%20Summary%20Report%20D3/)

Regards,

Richard

Richard Dwyer- $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$

Licence Administrator- Administratrice des permis

ፈልጋቸው ለጋራ ጥራት - Laisaliigi Aulatti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐱᓚᓕᓂᓪ ᓂᑎᓚᓂᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ဂဏန်းအရပ် ၁၁၉

▷¹▷²▷³▷⁴▷⁵▷⁶▷⁷▷⁸▷⁹▷¹⁰▷¹¹▷¹²▷¹³▷¹⁴▷¹⁵▷¹⁶▷¹⁷▷¹⁸▷¹⁹▷²⁰▷²¹▷²²▷²³▷²⁴▷²⁵▷²⁶▷²⁷▷²⁸▷²⁹▷³⁰▷³¹▷³²▷³³▷³⁴▷³⁵▷³⁶▷³⁷▷³⁸▷³⁹▷⁴⁰▷⁴¹▷⁴²▷⁴³▷⁴⁴▷⁴⁵▷⁴⁶▷⁴⁷▷⁴⁸▷⁴⁹▷⁵⁰▷⁵¹▷⁵²▷⁵³▷⁵⁴▷⁵⁵▷⁵⁶▷⁵⁷▷⁵⁸▷⁵⁹▷⁶⁰▷⁶¹▷⁶²▷⁶³▷⁶⁴▷⁶⁵▷⁶⁶▷⁶⁷▷⁶⁸▷⁶⁹▷⁷⁰▷⁷¹▷⁷²▷⁷³▷⁷⁴▷⁷⁵▷⁷⁶▷⁷⁷▷⁷⁸▷⁷⁹▷⁸⁰▷⁸¹▷⁸²▷⁸³▷⁸⁴▷⁸⁵▷⁸⁶▷⁸⁷▷⁸⁸▷⁸⁹▷⁹⁰▷⁹¹▷⁹²▷⁹³▷⁹⁴▷⁹⁵▷⁹⁶▷⁹⁷▷⁹⁸▷⁹⁹▷¹⁰⁰▷¹⁰¹▷¹⁰²▷¹⁰³▷¹⁰⁴▷¹⁰⁵▷¹⁰⁶▷¹⁰⁷▷¹⁰⁸▷¹⁰⁹▷¹¹⁰▷¹¹¹▷¹¹²▷¹¹³▷¹¹⁴▷¹¹⁵▷¹¹⁶▷¹¹⁷▷¹¹⁸▷¹¹⁹▷¹²⁰▷¹²¹▷¹²²▷¹²³▷¹²⁴▷¹²⁵▷¹²⁶▷¹²⁷▷¹²⁸▷¹²⁹▷¹³⁰▷¹³¹▷¹³²▷¹³³▷¹³⁴▷¹³⁵▷¹³⁶▷¹³⁷▷¹³⁸▷¹³⁹▷¹⁴⁰▷¹⁴¹▷¹⁴²▷¹⁴³▷¹⁴⁴▷¹⁴⁵▷¹⁴⁶▷¹⁴⁷▷¹⁴⁸▷¹⁴⁹▷¹⁵⁰▷¹⁵¹▷¹⁵²▷¹⁵³▷¹⁵⁴▷¹⁵⁵▷¹⁵⁶▷¹⁵⁷▷¹⁵⁸▷¹⁵⁹▷¹⁶⁰▷¹⁶¹▷¹⁶²▷¹⁶³▷¹⁶⁴▷¹⁶⁵▷¹⁶⁶▷¹⁶⁷▷¹⁶⁸▷¹⁶⁹▷¹⁷⁰▷¹⁷¹▷¹⁷²▷¹⁷³▷¹⁷⁴▷¹⁷⁵▷¹⁷⁶▷¹⁷⁷▷¹⁷⁸▷¹⁷⁹▷¹⁸⁰▷¹⁸¹▷¹⁸²▷¹⁸³▷¹⁸⁴▷¹⁸⁵▷¹⁸⁶▷¹⁸⁷▷¹⁸⁸▷¹⁸⁹▷¹⁹⁰▷¹⁹¹▷¹⁹²▷¹⁹³▷¹⁹⁴▷¹⁹⁵▷¹⁹⁶▷¹⁹⁷▷¹⁹⁸▷¹⁹⁹▷²⁰⁰▷²⁰¹▷²⁰²▷²⁰³▷²⁰⁴▷²⁰⁵▷²⁰⁶▷²⁰⁷▷²⁰⁸▷²⁰⁹▷²¹⁰▷²¹¹▷²¹²▷²¹³▷²¹⁴▷²¹⁵▷²¹⁶▷²¹⁷▷²¹⁸▷²¹⁹▷²²⁰▷²²¹▷²²²▷²²³▷²²⁴▷²²⁵▷²²⁶▷²²⁷▷²²⁸▷²²⁹▷²³⁰▷²³¹▷²³²▷²³³▷²³⁴▷²³⁵▷²³⁶▷²³⁷▷²³⁸▷²³⁹▷²⁴⁰▷²⁴¹▷²⁴²▷²⁴³▷²⁴⁴▷²⁴⁵▷²⁴⁶▷²⁴⁷▷²⁴⁸▷²⁴⁹▷²⁵⁰▷²⁵¹▷²⁵²▷²⁵³▷²⁵⁴▷²⁵⁵▷²⁵⁶▷²⁵⁷▷²⁵⁸▷²⁵⁹▷²⁶⁰▷²⁶¹▷²⁶²▷²⁶³▷²⁶⁴▷²⁶⁵▷²⁶⁶▷²⁶⁷▷²⁶⁸▷²⁶⁹▷²⁷⁰▷²⁷¹▷²⁷²▷²⁷³▷²⁷⁴▷²⁷⁵▷²⁷⁶▷²⁷⁷▷²⁷⁸▷²⁷⁹▷²⁸⁰▷²⁸¹▷²⁸²▷²⁸³▷²⁸⁴▷²⁸⁵▷²⁸⁶▷²⁸⁷▷²⁸⁸▷²⁸⁹▷²⁹⁰▷²⁹¹▷²⁹²▷²⁹³▷²⁹⁴▷²⁹⁵▷²⁹⁶▷²⁹⁷▷²⁹⁸▷²⁹⁹▷³⁰⁰▷³⁰¹▷³⁰²▷³⁰³▷³⁰⁴▷³⁰⁵▷³⁰⁶▷³⁰⁷▷³⁰⁸▷³⁰⁹▷³¹⁰▷³¹¹▷³¹²▷³¹³▷³¹⁴▷³¹⁵▷³¹⁶▷³¹⁷▷³¹⁸▷³¹⁹▷³²⁰▷³²¹▷³²²▷³²³▷³²⁴▷³²⁵▷³²⁶▷³²⁷▷³²⁸▷³²⁹▷³³⁰▷³³¹▷³³²▷³³³▷³³⁴▷³³⁵▷³³⁶▷³³⁷▷³³⁸▷³³⁹▷³⁴⁰▷³⁴¹▷³⁴²▷³⁴³▷³⁴⁴▷³⁴⁵▷³⁴⁶▷³⁴⁷▷³⁴⁸▷³⁴⁹▷³⁵⁰▷³⁵¹▷³⁵²▷³⁵³▷³⁵⁴▷³⁵⁵▷³⁵⁶▷³⁵⁷▷³⁵⁸▷³⁵⁹▷³⁶⁰▷³⁶¹▷³⁶²▷³⁶³▷³⁶⁴▷³⁶⁵▷³⁶⁶▷³⁶⁷▷³⁶⁸▷³⁶⁹▷³⁷⁰▷³⁷¹▷³⁷²▷³⁷³▷³⁷⁴▷³⁷⁵▷³⁷⁶▷³⁷⁷▷³⁷⁸▷³⁷⁹▷³⁸⁰▷³⁸¹▷³⁸²▷³⁸³▷³⁸⁴▷³⁸⁵▷³⁸⁶▷³⁸⁷▷³⁸⁸▷³⁸⁹▷³⁹⁰▷³⁹¹▷³⁹²▷³⁹³▷³⁹⁴▷³⁹⁵▷³⁹⁶▷³⁹⁷▷³⁹⁸▷³⁹⁹▷⁴⁰⁰▷⁴⁰¹▷⁴⁰²▷⁴⁰³▷⁴⁰⁴▷⁴⁰⁵▷⁴⁰⁶▷⁴⁰⁷▷⁴⁰⁸▷⁴⁰⁹▷⁴¹⁰▷⁴¹¹▷⁴¹²▷⁴¹³▷⁴¹⁴▷⁴¹⁵▷⁴¹⁶▷⁴¹⁷▷⁴¹⁸▷⁴¹⁹▷⁴²⁰▷<

Titigacaqvia 119

Ughnqtnq, NU, X013 110

Tel / Téléphone / ስልክ / Hivayauta: (867) 360-6338 Fax / Télécopieur / ስልክ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᑭᕈᓂᑦ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email