



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-MEL1631 Final Effluent Design

Manon Turmel <manon.turmel@agnicoeagle.com>
To: Richard Dwyer <richard.dwyer@nwb-oen.ca>
Cc: Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Tue, Aug 1, 2017 at 12:01 PM

Hello Richard,

To ensure we provide an adequate answer to ECCC, submission of our responses will not be completed today. I am aiming to submit our responses by Friday August 4th.

Sorry for any inconvenient this may cause.

Best regards,

Manon

From: Richard Dwyer [mailto:richard.dwyer@nwb-oen.ca]
Sent: Friday, July 28, 2017 1:28 PM
To: Manon Turmel
Cc: Karén Kharatyan
Subject: Re: 2AM-MEL1631 Final Effluent Design

Good morning Manon,

Extension is granted.

Regards,

Richard



Richard Dwyer- ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ

Licence Administrator- Administratrice des permis
ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ- Laisligiyi Aulattiivi

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᐱᐱᐱᐱᐱᐱ 119
ᐱᐱᐱᐱᐱᐱ, ᐱᐱᐱᐱ X0B 1J0

Titigagaqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Fri, Jul 28, 2017 at 10:53 AM, Manon Turmel <manon.turmel@agnicoeagle.com> wrote:

Hello Richard,

I would like to request a deadline extension for the submission of our responses to the Final Effluent Design recommendations. I am finalizing our responses and will aim to submit by Tuesday August 1st.

Thank you,

Manon

From: Richard Dwyer [mailto:richard.dwyer@nwb-oen.ca]

Sent: Friday, July 21, 2017 3:14 PM

To: Manon Turmel

Cc: Karén Kharatyan

Subject: 2AM-MEL1631 Final Effluent Design

Good afternoon Manon,

Attached is comment from ECCCC on 2AM-MEL1631 Landfarm and Final Effluent Design, the Nunavut Water Board requests a response from Agnico Eagle to these comments by July 28, 2017.

Regards,

ፈልጋቸውን ማሟላት ይቻላል፡-

፪፫፡፱፡፲፩- Laisaligiya Aulattiya

www.nwb-oen.ca

Uqumutinaq, NU, X013 1J0

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email