




2AM-MEL1631 SETP Upgrade AEM Response to Comments

To: "Zhong, David (AADNC/AANDC)" <david.zhong@canada.ca>, godwin.okonkwo@canada.ca, "Mike, Margaret (AADNC/AANDC)" <margaret.mike@canada.ca>, "EE Nord RPN NU / EA North PNR NU (EC)" <ec.eenordrpnnu-eanorthpnrnu.ec@canada.ca>
Cc: Sergey Kuflevskiy <sergey.kuflevskiy@nwb-oen.ca>

Richard



Manager of Licensing - Responsable des Permis ᐃᐅᑦᑎᐱᓪ ᑕᐃᓴᑦᒃᑭᑦᑲᑦ Maniyaauyuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገናኙል ልዩ
የቤተ ክርስቲያን ዘመን X013 110

Titigagaqvia 119
Uqhuqtunq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



2 attachments

 **200831 2AM-MEL1631 AEM answer to SETP Upgrade Follow-up Comments-IMLE.pdf**
55K

 **200831 2AM-MEL1631 6526-680-132-REP-001_R2-IMLE.pdf**
4007K