



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Fwd: Fw: Explo STP Discharge to CP1

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>
To: Licensing Department <licensing@nwb-oen.ca>

Wed, Feb 14, 2018 at 10:22 AM

Richard, just save this under Waste Disposal.



Karén Kharatyan, Ph. D- ԵՂՁ ԵՏՈՅՁ

Technical Advisor- Conseiller Technique

ᐱᑦᓴᓄᓇ ᓂᕈᓚᓂᓄᓂᒃ ᐃᔭᓂᕈ- Piluaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑦ ᐃᐭᓕᓂᐥᐥᐥ ᑲᓂᐭᐥᐥ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

በጥናቱ ላይ 119

▷(13)ᵃ, ᵇᵃ X013 130

Titigacaqvia 119

Ughurkhanov, NU, X013 130

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq : 1-855-521-3745

WARNING: This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(e) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Wilson3, Christine (AADNC/AANDC)** <christine.wilson3@canada.ca>

Date: Wed, Feb 14, 2018 at 10:14 AM

Subject: Fw: Explo STP Discharge to CP1

To: Karen Kharatyan <karen.kharatyan@nwb-oen.ca>, "Didham, Curtis (EC)" <curtis.didham@canada.ca>

Sent from my BlackBerry 10 smartphone on the Bell network.

From: Jessica Huza <jessica.huza@agnicoeagle.com>

Sent: Wednesday, February 14, 2018 10:53 AM

To: Wilson3, Christine (AADNC/AANDC); Jeff Tulugak

Cc: Jamie Quesnel; Nancy Duquet Harvey; Meliadine Environment; Stephane Houde; Guillaume Gemme; Lonny Syvret; Réjean Falardeau; Richard Montreuil; Jeffrey Pratt; Alex Chernoloz; Martin Plante

Subject: Explo STP Discharge to CP1

Hi Christine and Jeff,

As discussed on the phone, in order to protect Meliadine Lake, it has been decided to treat the effluent at the exploration camp and discharge to the retention tanks (part of the explo STP). Daily, E&I will transfer the treated effluent from the explo STP retention tanks to CP1.

Monitoring of the treated effluent from the explo STP will continue as usual (weekly sampling and daily fecal coli plate counts).

We believe this option provides Agnico the best protection to the environment.

Regards,

Jessica

Jessica Huza, P. Eng, M.Sc.
General Supervisor Environment

jessica.huza@agnicoeagle.com

T: [819.759.3555](tel:819.759.3555) ext 3928

M: [819.856.5097](tel:819.856.5097)

Agnico Eagle Mines Limited
Meliadine
Rankin Inlet, Nunavut, Canada
X0C 0G0

agnicoeagle.com



AGNICO EAGLE

