



August 20th, 2021

Sergey Kuflevskiy
Technical Advisor
Nunavut Water Board
P.O. Box 119, Gjoa Haven
Nunavut, X0B 1J0

NWB Amended Water Licence No: 2AM-MEL1631 – Required Documentation from Agnico Eagle

Dear Mr. Kuflevskiy,

Please find enclosed the following documents, also shared with you via OneDrive, as required per the Amended Water Licence 2AM-MEL1631 and NWB Reasons for Decision document dated May 13, 2021:

- Updated Water Management Plan, as per Part B, Item 13;
- Updated Groundwater Management Plan (Appendix of the Water Management Plan), as per Part B, Item 13;
- Updated Mine Waste Management Plan, as per Part B, Item 13;
- Interim Closure and Reclamation Plan, as per Part B, Item 13;
- Updated Water Quality Management and Optimization Plan, as per Part F, Item 9;
- Updated Monitoring Plan for the Phase 1 AWAR between Rankin Inlet and the Meliadine Site, as per Part I, Item 3; and
- Itivia Bulk Storage Facility Environmental Performance Monitoring Plan, as per Part I, Item 11.

Should you have any questions or require further information, please do not hesitate to contact us.

With my best regards,

A handwritten signature in blue ink that reads "Anne-Laurence Paquet". The signature is written in a cursive, flowing style.

Anne-Laurence Paquet
anne-laurence.paquet@agnicoeagle.com
819-759-3555
RMMS & Compliance Technician