

**191121 2AM-MEL1631 Follow up report - Reportable Spill 19-457 - Meliadine - 2019-11-07**

1 message

Kayla Carter <kayla.carter@nwb-oen.ca>

Thu, Nov 21, 2019 at 5:02 PM

To: sean.arruda@agnicoeagle.com

Bcc: Distro Kivalliq <distro-kivalliq@nwb-oen.ca>

Good Afternoon Sean,

The Nunavut Water Board Acknowledges receipt for Follow up Report # 19-457 November 7, 2019 Sewage Spill for Licence No. 2AM-MEL1631. The Report has been saved and uploaded on to the NWB's Online Registry Site at the following link:

<ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MEL1631%20Agnico/3%20TECH/H%20EMERGENCY%20RESPONSE%20AND%20CONTINGENCY%20PLAN/>

Regards,

Kayla Carter

**Kayla Carter- ᑲᐃᑕ ᑲᑦᐅᑦ**Licensing Administrator Assistant - Administratrice des permis ᐱᑦᐱᐅᑎᑦᐱᑦᐅᑦ ᐃᑲᑦᑲᑎ-
Laisaliniriqumun Ikavutit**NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT**
ᑲᐱᑦᐅᑦ ᐃᑕᑦᐱᑦ ᑲᑎᑕᑦᑲᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGIP.O. Box 119
Gjoa Haven, NU X0B 1J0C.P. 119
Gjoa Haven, NU X0B 1J0ᑎᑎᑦᑲᑦᐱᑦᐱᑦ
ᐅᑦᐱᑦᐅᑦ, ᑲᐱᑦᐅᑦ X0B 1J0Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᑦᑕᑦᑲᑦᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᑦᑲᑦᐅᑦ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐃᑎᑦᑲᑦᐱᑦᐅᑦ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

**191121 2AM-MEL1631 Sewage Spill Follow Up Report_19-457_FINAL-ILAE.pdf**

552K