

Follow Up Report: # 2022176

May 10th, 2022 – MEL-SR1 Surface Water Runoff



The following information refers to a potential incident reported by Agnico Eagle Mines Ltd. as due diligence on May 10, 2022, and is being provided in accordance with:

- the Nunavut Water Board License 2AM-MEL1631 Water License, Part H, item 8c
- the Government of Nunavut's, Environmental Protection Act subsection 5.1(a)
- the Fisheries Act subsection 38(5).

Description of Incident:

While conducting a routine inspection on May 10th, 2022, surface runoff water was observed at sampling station MEL-SR1 located on the south side of the Itivia site. Field measurements for turbidity were taken and indicated that there was potential to exceed Total Suspended Solids (TSS) limits listed under Part D Item 18 of the 2AM-MEL1631 Amended Licence. Thus, the event was reported immediately as due diligence. Samples were collected at MEL-SR1 and analyzed for TSS concentration and other water quality parameters. Laboratory results were received on May 25th and a concentration of 14 mg/L TSS was reported (appendix A). This is below the allowable TSS criteria listed under Part D Item 18 of the 2AM-MEL1631 Amended Licence. Thus, the reported event is not an exceedance under Part D Item 18 of the 2AM-MEL1631 Amended Licence.

The sampling location is referred to as MEL-SR1 (62 47'59.85"N, 92 5'35.63"W) and is shown in Figure 1. Melvin Bay is approximately 50 m south of MEL-SR1.



Figure 1: Sample locations MEL-SR1 and MEL-SR1 US

Spill prevention

Sampling station MEL-SR1 is located downstream of the exit of a culvert on the south side of the Itivia site. The discharge is a combination of runoff from Rankin Inlet (MEL-SR1 US) and the Itivia site. The water from both Itivia and Rankin Inlet contributing to flow at MEL-SR1 passes through a series of check dams for sediment control. Sediment control logs are also deployed in this area.

MEL-SR1 is regularly monitored with increased monitoring during heavy rain events. During the rain event on May 10th an additional sample was collected upstream at MEL-SR1 US (a non-regulated sampling point) to assess TSS sources to the MEL-SR1 sampling point. Analytical results are summarized in table 1.

Table 1: Analytical Results

Location	Parameter	Value
MEL-SR1	TSS	14 mg/L
MEL-SR1 US*	TSS	330 mg/L

*Non-regulated sampling point

Sediment control devices (straw logs) are replaced as needed and seen in figure 2. Certificate of analysis for the May 10, 2022 sampling event is attached in appendix A.



Figure 2: Sediment control at discharge



Randy Schwandt | Environment Coordinator

randy.schwandt@agnicoeagle.com | Direct 819.759.3555 x4603996 |

Agnico Eagle Mines Limited - Meliadine Mine, Suite 879 - Rankin Inlet, Nunavut,
Canada X0C 0G0

agnicoeagle.com     

Sent from Meliadine

Appendix A – Certificates of Analysis



Your P.O. #: OL-1129375
 Site Location: MELIADINE
 Your C.O.C. #: n/a

Attention: Reporting

Agnico-Eagle
 Meliadine
 Meliadine Mine
 Rankin Inlet, NU
 CANADA X0C 0G0

Report Date: 2022/05/25
 Report #: R7138165
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C2D2671

Received: 2022/05/16, 10:00

Sample Matrix: Water
 # Samples Received: 6

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Alkalinity (1)	6	N/A	2022/05/18	CAM SOP-00448	SM 23 2320 B m
Chloride by Automated Colourimetry (1)	6	N/A	2022/05/18	CAM SOP-00463	SM 23 4500-Cl E m
Fluoride (1)	6	2022/05/17	2022/05/18	CAM SOP-00449	SM 23 4500-F C m
Mercury (low level) (1)	6	2022/05/19	2022/05/20	CAM SOP-00453	EPA 7470 m
Cyanide, Strong Acid Dissociable (SAD) (2)	6	N/A	2022/05/19	CAL SOP-00270	SM 23 4500-CN m
Hardness Total (calculated as CaCO ₃) (3, 4)	6	N/A	2022/05/24	BBY WI-00033	Auto Calc
Hardness (calculated as CaCO ₃) (3)	6	N/A	2022/05/20	BBY WI-00033	Auto Calc
Na, K, Ca, Mg, S by CRC ICPMS (diss.) (3)	6	N/A	2022/05/20	BBY7SOP-00002	EPA 6020B R2 m
Elements by CRC ICPMS (dissolved) (3)	6	N/A	2022/05/19	BBY7SOP-00002	EPA 6020B R2 m
Na, K, Ca, Mg, S by CRC ICPMS (total) (3)	6	2022/05/17	2022/05/24	BBY7SOP-00002	EPA 6020B R2 m
Elements by CRC ICPMS (total) (3)	6	2022/05/20	2022/05/21	BBY7SOP-00003/ BBY7SOEPA 6020B R2 m -00002	
Silica (Reactive) (2)	6	N/A	2022/05/19	AB SOP-00011	EPA370.1 R1978 m
Total Ammonia-N (1)	6	N/A	2022/05/19	CAM SOP-00441	USGS I-2522-90 m
Nitrate & Nitrite as Nitrogen in Water (1, 5)	6	N/A	2022/05/18	CAM SOP-00440	SM 23 4500-NO3I/NO2B
Total Oil and Grease (1)	6	2022/05/23	2022/05/23	CAM SOP-00326	EPA1664B m,SM5520B m
pH (1)	6	2022/05/17	2022/05/18	CAM SOP-00413	SM 4500H+ B m
Orthophosphate (1)	6	N/A	2022/05/18	CAM SOP-00461	EPA 365.1 m
Sulphate by Automated Colourimetry (1)	6	N/A	2022/05/18	CAM SOP-00464	EPA 375.4 m
Calculated Total Dissolved Solids (1)	6	N/A	2022/05/25		Auto Calc
Total Dissolved Solids (1)	6	2022/05/18	2022/05/19	CAM SOP-00428	SM 23 2540C m
Total Phosphorus (Colourimetric) (1)	6	2022/05/19	2022/05/20	CAM SOP-00407	SM 23 4500 P B H m
Low Level Total Suspended Solids (1)	4	2022/05/18	2022/05/19	CAM SOP-00428	SM 23 2540D m
Low Level Total Suspended Solids (1)	2	2022/05/20	2022/05/20	CAM SOP-00428	SM 23 2540D m
Turbidity (1)	6	N/A	2022/05/17	CAM SOP-00417	SM 23 2130 B m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in



Your P.O. #: OL-1129375
Site Location: MELIADINE
Your C.O.C. #: n/a

Attention: Reporting

Agnico-Eagle
Meliadine
Meliadine Mine
Rankin Inlet, NU
CANADA X0C 0G0

Report Date: 2022/05/25
Report #: R7138165
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C2D2671

Received: 2022/05/16, 10:00

writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) This test was performed by Bureau Veritas Mississauga, 6740 Campobello Rd , Mississauga, ON, L5N 2L8

(2) This test was performed by Bureau Veritas Calgary (19th), 4000 19th Street NE , Calgary, AB, T2E 6P8

(3) This test was performed by Bureau Veritas Burnaby, 4606 Canada Way , Burnaby, BC, V5G 1K5

(4) "Total Hardness" was calculated from Total Ca and Mg concentrations and may be biased high (Hardness, or Dissolved Hardness, calculated from Dissolved Ca and Mg, should be used for compliance if available).

(5) Values for calculated parameters may not appear to add up due to rounding of raw data and significant figures.

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Katherine Szozda, Project Manager

Email: Katherine.Szozda@bureauveritas.com

Phone# (613)274-0573 Ext:7063633

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

DISS. ICPMS METALS FOR FEDERAL INT. GWQG (WATER)

Bureau Veritas ID		SQH827	SQH828	SQH829	SQH830	SQH831		
Sampling Date		2022/05/08 15:48	2022/05/10 16:45	2022/05/10 17:05	2022/05/10 16:51	2022/05/10 16:57		
COC Number		n/a	n/a	n/a	n/a	n/a		
	UNITS	MEL-SR16	MEL-SR07 US	MEL-SR11	MEL-SR01 US	MEL-SR07 DS	RDL	QC Batch

Calculated Parameters

Dissolved Hardness (CaCO ₃)	mg/L	127	75.3	31.7	51.6	75.6	0.50	8012346
---	------	-----	------	------	------	------	------	---------

Metals

Dissolved Aluminum (Al)	mg/L	0.0314	0.0340	0.0086	0.0388	0.0286	0.0030	8012348
Dissolved Antimony (Sb)	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	0.00050	8012348
Dissolved Arsenic (As)	mg/L	0.00913	0.00171	0.00154	0.00298	0.00168	0.00010	8012348
Dissolved Barium (Ba)	mg/L	0.0322	0.0279	0.0074	0.0104	0.0193	0.0010	8012348
Dissolved Beryllium (Be)	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	0.00010	8012348
Dissolved Bismuth (Bi)	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0010	8012348
Dissolved Boron (B)	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	0.050	8012348
Dissolved Cadmium (Cd)	mg/L	<0.000010	0.000016	<0.000010	<0.000010	0.000016	0.000010	8012348
Dissolved Chromium (Cr)	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0010	8012348
Dissolved Cobalt (Co)	mg/L	0.00050	0.00076	<0.00020	<0.00020	0.00080	0.00020	8012348
Dissolved Copper (Cu)	mg/L	0.00465	0.00920	0.00158	0.00386	0.00713	0.00020	8012348
Dissolved Iron (Fe)	mg/L	0.0930	0.0612	0.0143	0.0153	0.0587	0.0050	8012348
Dissolved Lead (Pb)	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	0.00020	8012348
Dissolved Lithium (Li)	mg/L	0.0146	0.0034	0.0025	0.0036	0.0047	0.0020	8012348
Dissolved Manganese (Mn)	mg/L	0.147	0.146	0.0086	0.0463	0.132	0.0010	8012348
Dissolved Molybdenum (Mo)	mg/L	0.0022	0.0016	<0.0010	<0.0010	0.0012	0.0010	8012348
Dissolved Nickel (Ni)	mg/L	0.0024	0.0031	<0.0010	0.0023	0.0031	0.0010	8012348
Dissolved Selenium (Se)	mg/L	0.00012	0.00012	<0.00010	0.00011	0.00011	0.00010	8012348
Dissolved Silicon (Si)	mg/L	0.74	0.50	0.17	0.45	0.49	0.10	8012348
Dissolved Silver (Ag)	mg/L	<0.000020	<0.000020	<0.000020	<0.000020	<0.000020	0.000020	8012348
Dissolved Strontium (Sr)	mg/L	0.372	0.129	0.0518	0.105	0.125	0.0010	8012348
Dissolved Thallium (Tl)	mg/L	0.000019	0.000013	<0.000010	<0.000010	0.000010	0.000010	8012348
Dissolved Tin (Sn)	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	8012348
Dissolved Titanium (Ti)	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	8012348
Dissolved Uranium (U)	mg/L	0.00040	0.00037	<0.00010	0.00041	0.00042	0.00010	8012348
Dissolved Vanadium (V)	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	8012348
Dissolved Zinc (Zn)	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	0.0078	0.0050	8012348
Dissolved Zirconium (Zr)	mg/L	0.00011	0.00018	<0.00010	<0.00010	<0.00010	0.00010	8012348
Dissolved Calcium (Ca)	mg/L	40.9	24.9	9.51	15.8	23.4	0.050	8012347

RDL = Reportable Detection Limit

QC Batch = Quality Control Batch



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

DISS. ICPMS METALS FOR FEDERAL INT. GWQG (WATER)

Bureau Veritas ID		SQH827	SQH828	SQH829	SQH830	SQH831		
Sampling Date		2022/05/08 15:48	2022/05/10 16:45	2022/05/10 17:05	2022/05/10 16:51	2022/05/10 16:57		
COC Number		n/a	n/a	n/a	n/a	n/a		
	UNITS	MEL-SR16	MEL-SR07 US	MEL-SR11	MEL-SR01 US	MEL-SR07 DS	RDL	QC Batch
Dissolved Magnesium (Mg)	mg/L	5.96	3.16	1.94	2.95	4.18	0.050	8012347
Dissolved Potassium (K)	mg/L	18.2	7.11	1.83	2.99	6.27	0.050	8012347
Dissolved Sodium (Na)	mg/L	17.3	14.3	8.28	14.6	15.8	0.050	8012347
Dissolved Sulphur (S)	mg/L	8.5	3.9	<3.0	4.1	5.8	3.0	8012347

RDL = Reportable Detection Limit

QC Batch = Quality Control Batch



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671
Report Date: 2022/05/25

Agnico-Eagle
Site Location: MELIADINE
Your P.O. #: OL-1129375
Sampler Initials: KS

DISS. ICPMS METALS FOR FEDERAL INT. GWQG (WATER)

Bureau Veritas ID		SQH832		
Sampling Date		2022/05/10 17:05		
COC Number		n/a		
	UNITS	MEL-SR01	RDL	QC Batch
Calculated Parameters				
Dissolved Hardness (CaCO ₃)	mg/L	73.9	0.50	8012346
Metals				
Dissolved Aluminum (Al)	mg/L	0.0333	0.0030	8012348
Dissolved Antimony (Sb)	mg/L	<0.00050	0.00050	8012348
Dissolved Arsenic (As)	mg/L	0.00191	0.00010	8012348
Dissolved Barium (Ba)	mg/L	0.0189	0.0010	8012348
Dissolved Beryllium (Be)	mg/L	<0.00010	0.00010	8012348
Dissolved Bismuth (Bi)	mg/L	<0.0010	0.0010	8012348
Dissolved Boron (B)	mg/L	<0.050	0.050	8012348
Dissolved Cadmium (Cd)	mg/L	0.000021	0.000010	8012348
Dissolved Chromium (Cr)	mg/L	<0.0010	0.0010	8012348
Dissolved Cobalt (Co)	mg/L	0.00069	0.00020	8012348
Dissolved Copper (Cu)	mg/L	0.00695	0.00020	8012348
Dissolved Iron (Fe)	mg/L	0.0428	0.0050	8012348
Dissolved Lead (Pb)	mg/L	<0.00020	0.00020	8012348
Dissolved Lithium (Li)	mg/L	0.0046	0.0020	8012348
Dissolved Manganese (Mn)	mg/L	0.107	0.0010	8012348
Dissolved Molybdenum (Mo)	mg/L	0.0013	0.0010	8012348
Dissolved Nickel (Ni)	mg/L	0.0028	0.0010	8012348
Dissolved Selenium (Se)	mg/L	0.00011	0.00010	8012348
Dissolved Silicon (Si)	mg/L	0.51	0.10	8012348
Dissolved Silver (Ag)	mg/L	<0.000020	0.000020	8012348
Dissolved Strontium (Sr)	mg/L	0.125	0.0010	8012348
Dissolved Thallium (Tl)	mg/L	<0.000010	0.000010	8012348
Dissolved Tin (Sn)	mg/L	<0.0050	0.0050	8012348
Dissolved Titanium (Ti)	mg/L	<0.0050	0.0050	8012348
Dissolved Uranium (U)	mg/L	0.00043	0.00010	8012348
Dissolved Vanadium (V)	mg/L	<0.0050	0.0050	8012348
Dissolved Zinc (Zn)	mg/L	0.0088	0.0050	8012348
Dissolved Zirconium (Zr)	mg/L	0.00015	0.00010	8012348
Dissolved Calcium (Ca)	mg/L	22.7	0.050	8012347
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671
Report Date: 2022/05/25

Agnico-Eagle
Site Location: MELIADINE
Your P.O. #: OL-1129375
Sampler Initials: KS

DISS. ICPMS METALS FOR FEDERAL INT. GWQG (WATER)

Bureau Veritas ID		SQH832		
Sampling Date		2022/05/10 17:05		
COC Number		n/a		
	UNITS	MEL-SR01	RDL	QC Batch
Dissolved Magnesium (Mg)	mg/L	4.14	0.050	8012347
Dissolved Potassium (K)	mg/L	7.05	0.050	8012347
Dissolved Sodium (Na)	mg/L	16.3	0.050	8012347
Dissolved Sulphur (S)	mg/L	5.4	3.0	8012347
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671
Report Date: 2022/05/25

Agnico-Eagle
Site Location: MELIADINE
Your P.O. #: OL-1129375
Sampler Initials: KS

TOTAL ICPMS METALS FOR CCME CEQG FOR SW (WATER)

Bureau Veritas ID		SQH827	SQH828	SQH829	SQH830	SQH831		
Sampling Date		2022/05/08 15:48	2022/05/10 16:45	2022/05/10 17:05	2022/05/10 16:51	2022/05/10 16:57		
COC Number		n/a	n/a	n/a	n/a	n/a		
	UNITS	MEL-SR16	MEL-SR07 US	MEL-SR11	MEL-SR01 US	MEL-SR07 DS	RDL	QC Batch
Metals								
Total Aluminum (Al)	mg/L	1.78	3.02	0.181	3.55	0.747	0.0030	8012352
Total Antimony (Sb)	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	0.00050	8012352
Total Arsenic (As)	mg/L	0.0322	0.00602	0.00238	0.0129	0.00290	0.00010	8012352
Total Barium (Ba)	mg/L	0.0533	0.0910	0.0100	0.0542	0.0276	0.0010	8012352
Total Beryllium (Be)	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	0.00010	8012352
Total Bismuth (Bi)	mg/L	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0010	8012352
Total Boron (B)	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050	0.050	8012352
Total Cadmium (Cd)	mg/L	0.000042	0.000079	0.000016	0.000068	0.000035	0.000010	8012352
Total Chromium (Cr)	mg/L	0.0047	0.0130	0.0013	0.0197	0.0037	0.0010	8012352
Total Cobalt (Co)	mg/L	0.00327	0.00621	0.00036	0.00650	0.00212	0.00020	8012352
Total Copper (Cu)	mg/L	0.0109	0.0320	0.00271	0.0266	0.0118	0.00050	8012352
Total Iron (Fe)	mg/L	4.30	5.77	0.341	7.51	1.23	0.010	8012352
Total Lead (Pb)	mg/L	0.00900	0.00450	0.00046	0.00719	0.00109	0.00020	8012352
Total Lithium (Li)	mg/L	0.0180	0.0088	0.0028	0.0093	0.0058	0.0020	8012352
Total Manganese (Mn)	mg/L	0.216	0.314	0.0154	0.159	0.150	0.0010	8012352
Total Molybdenum (Mo)	mg/L	0.0018	0.0012	<0.0010	<0.0010	0.0017	0.0010	8012352
Total Nickel (Ni)	mg/L	0.0077	0.0147	<0.0010	0.0209	0.0060	0.0010	8012352
Total Selenium (Se)	mg/L	0.00014	0.00018	<0.00010	0.00014	0.00011	0.00010	8012352
Total Silicon (Si)	mg/L	2.88	4.67	0.46	5.62	1.57	0.10	8012352
Total Silver (Ag)	mg/L	<0.000020	0.000127	<0.000020	0.000024	<0.000020	0.000020	8012352
Total Strontium (Sr)	mg/L	0.365	0.153	0.0525	0.131	0.124	0.0010	8012352
Total Thallium (Tl)	mg/L	0.000039	0.000084	<0.000010	0.000068	0.000017	0.000010	8012352
Total Tin (Sn)	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	8012352
Total Titanium (Ti)	mg/L	0.0483	0.146	0.0111	0.169	0.0375	0.0050	8012352
Total Uranium (U)	mg/L	0.00049	0.00065	<0.00010	0.00063	0.00046	0.00010	8012352
Total Vanadium (V)	mg/L	<0.0050	0.0100	<0.0050	0.0100	<0.0050	0.0050	8012352
Total Zinc (Zn)	mg/L	0.0133	0.0377	0.0081	0.0424	0.0206	0.0050	8012352
Total Zirconium (Zr)	mg/L	0.00118	0.00111	<0.00010	0.00090	0.00052	0.00010	8012352
Total Calcium (Ca)	mg/L	40.2	31.0	9.39	20.0	23.1	0.050	8012351
Total Magnesium (Mg)	mg/L	6.50	5.14	2.03	5.33	4.45	0.050	8012351
Total Potassium (K)	mg/L	17.5	8.54	1.94	4.22	6.29	0.050	8012351
RDL = Reportable Detection Limit								
QC Batch = Quality Control Batch								



TOTAL ICPMS METALS FOR CCME CEQG FOR SW (WATER)

Bureau Veritas ID		SQH827	SQH828	SQH829	SQH830	SQH831		
Sampling Date		2022/05/08 15:48	2022/05/10 16:45	2022/05/10 17:05	2022/05/10 16:51	2022/05/10 16:57		
COC Number		n/a	n/a	n/a	n/a	n/a		
	UNITS	MEL-SR16	MEL-SR07 US	MEL-SR11	MEL-SR01 US	MEL-SR07 DS	RDL	QC Batch
Total Sodium (Na)	mg/L	15.8	13.9	8.94	14.2	14.8	0.050	8012351
Total Sulphur (S)	mg/L	8.3	4.0	<3.0	4.7	5.7	3.0	8012351
Calculated Parameters								
Total Hardness (CaCO ₃)	mg/L	127	98.6	31.8	72.0	75.9	0.50	8012349
RDL = Reportable Detection Limit								
QC Batch = Quality Control Batch								



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

TOTAL ICPMS METALS FOR CCME CEQG FOR SW (WATER)

Bureau Veritas ID		SQH832		
Sampling Date		2022/05/10 17:05		
COC Number		n/a		
	UNITS	MEL-SR01	RDL	QC Batch
Metals				
Total Aluminum (Al)	mg/L	1.16	0.0030	8012352
Total Antimony (Sb)	mg/L	<0.00050	0.00050	8012352
Total Arsenic (As)	mg/L	0.00361	0.00010	8012352
Total Barium (Ba)	mg/L	0.0313	0.0010	8012352
Total Beryllium (Be)	mg/L	<0.00010	0.00010	8012352
Total Bismuth (Bi)	mg/L	<0.0010	0.0010	8012352
Total Boron (B)	mg/L	<0.050	0.050	8012352
Total Cadmium (Cd)	mg/L	0.000037	0.000010	8012352
Total Chromium (Cr)	mg/L	0.0065	0.0010	8012352
Total Cobalt (Co)	mg/L	0.00246	0.00020	8012352
Total Copper (Cu)	mg/L	0.0133	0.00050	8012352
Total Iron (Fe)	mg/L	1.81	0.010	8012352
Total Lead (Pb)	mg/L	0.00134	0.00020	8012352
Total Lithium (Li)	mg/L	0.0063	0.0020	8012352
Total Manganese (Mn)	mg/L	0.138	0.0010	8012352
Total Molybdenum (Mo)	mg/L	0.0013	0.0010	8012352
Total Nickel (Ni)	mg/L	0.0071	0.0010	8012352
Total Selenium (Se)	mg/L	0.00012	0.00010	8012352
Total Silicon (Si)	mg/L	2.28	0.10	8012352
Total Silver (Ag)	mg/L	<0.000020	0.000020	8012352
Total Strontium (Sr)	mg/L	0.133	0.0010	8012352
Total Thallium (Tl)	mg/L	0.000023	0.000010	8012352
Total Tin (Sn)	mg/L	<0.0050	0.0050	8012352
Total Titanium (Ti)	mg/L	0.0564	0.0050	8012352
Total Uranium (U)	mg/L	0.00050	0.00010	8012352
Total Vanadium (V)	mg/L	<0.0050	0.0050	8012352
Total Zinc (Zn)	mg/L	0.0246	0.0050	8012352
Total Zirconium (Zr)	mg/L	0.00047	0.00010	8012352
Total Calcium (Ca)	mg/L	23.4	0.050	8012351
Total Magnesium (Mg)	mg/L	4.87	0.050	8012351
Total Potassium (K)	mg/L	7.50	0.050	8012351
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

TOTAL ICPMS METALS FOR CCME CEQG FOR SW (WATER)

Bureau Veritas ID		SQH832		
Sampling Date		2022/05/10 17:05		
COC Number		n/a		
	UNITS	MEL-SR01	RDL	QC Batch
Total Sodium (Na)	mg/L	16.5	0.050	8012351
Total Sulphur (S)	mg/L	5.6	3.0	8012351
Calculated Parameters				
Total Hardness (CaCO ₃)	mg/L	78.5	0.50	8012349
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				

BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SQH827			SQH827			SQH828		
Sampling Date		2022/05/08 15:48			2022/05/08 15:48			2022/05/10 16:45		
COC Number		n/a			n/a			n/a		
	UNITS	MEL-SR16	RDL	QC Batch	MEL-SR16 Lab-Dup	RDL	QC Batch	MEL-SR07 US	RDL	QC Batch
Calculated Parameters										
Calculated TDS	mg/L	220	1.0	7999676				150	1.0	7999676
Inorganics										
Total Ammonia-N	mg/L	0.48	0.050	8003177				4.1	0.050	8003177
Strong Acid Dissoc. Cyanide (CN)	mg/L	0.00136	0.00050	8008656				0.00106	0.00050	8008656
Total Dissolved Solids	mg/L	235	10	8001971				140	10	8001971
Fluoride (F-)	mg/L	<0.10	0.10	8000814				<0.10	0.10	8000814
Orthophosphate (P)	mg/L	0.090	0.010	8001669				0.015	0.010	8001669
pH	pH	7.25		8000815				7.54		8000815
Total Phosphorus	mg/L	0.30	0.020	8004574				0.51	0.020	8004574
Reactive Silica (SiO ₂)	mg/L	1.6	0.050	8007938	1.6	0.050	8007938	1.1	0.050	8007938
Total Suspended Solids	mg/L	110	3	8002829				700	3	8002829
Dissolved Sulphate (SO ₄)	mg/L	28	1.0	8001678				12	1.0	8001678
Turbidity	NTU	35	0.1	8000030				110	0.1	8000030
Alkalinity (Total as CaCO ₃)	mg/L	69	1.0	8000798				90	1.0	8000798
Dissolved Chloride (Cl-)	mg/L	68	1.0	8001674				31	1.0	8001674
Nitrite (N)	mg/L	0.030	0.010	8000792				0.029	0.010	8000792
Nitrate (N)	mg/L	0.75	0.10	8000792				<0.10	0.10	8000792
Nitrate + Nitrite (N)	mg/L	0.78	0.10	8000792				0.10	0.10	8000792
Petroleum Hydrocarbons										
Total Oil & Grease	mg/L	2.6	0.50	8010029				1.6	0.50	8010029
RDL = Reportable Detection Limit										
QC Batch = Quality Control Batch										
Lab-Dup = Laboratory Initiated Duplicate										



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SQH828			SQH829			SQH829		
Sampling Date		2022/05/10 16:45			2022/05/10 17:05			2022/05/10 17:05		
COC Number		n/a			n/a			n/a		
	UNITS	MEL-SR07 US REPEAT	RDL	QC Batch	MEL-SR11	RDL	QC Batch	MEL-SR11 Lab-Dup	RDL	QC Batch

Calculated Parameters										
Calculated TDS	mg/L				59	1.0	7999676			
Inorganics										
Total Ammonia-N	mg/L				0.060	0.050	8003177	<0.050	0.050	8003177
Strong Acid Dissoc. Cyanide (CN)	mg/L				<0.00050	0.00050	8008656			
Total Dissolved Solids	mg/L				75	10	8002999			
Fluoride (F-)	mg/L				<0.10	0.10	8000814			
Orthophosphate (P)	mg/L				<0.010	0.010	8001669			
pH	pH				7.50		8000815			
Total Phosphorus	mg/L				0.044	0.020	8004574			
Reactive Silica (SiO2)	mg/L				0.33	0.050	8007938			
Total Suspended Solids	mg/L	540	3	8007282	3	1	8002829			
Dissolved Sulphate (SO4)	mg/L				1.7	1.0	8001678			
Turbidity	NTU				1.9	0.1	8000030	1.9	0.1	8000030
Alkalinity (Total as CaCO3)	mg/L				26	1.0	8000798			
Dissolved Chloride (Cl-)	mg/L				20	1.0	8001674			
Nitrite (N)	mg/L				<0.010	0.010	8000792			
Nitrate (N)	mg/L				0.16	0.10	8000792			
Nitrate + Nitrite (N)	mg/L				0.16	0.10	8000792			
Petroleum Hydrocarbons										
Total Oil & Grease	mg/L				2.5	0.50	8010029			
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate										



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671
Report Date: 2022/05/25

Agnico-Eagle
Site Location: MELIADINE
Your P.O. #: OL-1129375
Sampler Initials: KS

RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SQH830			SQH830			SQH831		
Sampling Date		2022/05/10 16:51			2022/05/10 16:51			2022/05/10 16:57		
COC Number		n/a			n/a			n/a		
	UNITS	MEL-SR01 US	RDL	QC Batch	MEL-SR01 US REPEAT	RDL	QC Batch	MEL-SR07 DS	RDL	QC Batch

Calculated Parameters										
Calculated TDS	mg/L	110	1.0	7999676				140	1.0	7999676
Inorganics										
Total Ammonia-N	mg/L	0.34	0.050	8003177				1.0	0.050	8003177
Strong Acid Dissoc. Cyanide (CN)	mg/L	0.00062	0.00050	8008656				0.00058	0.00050	8008656
Total Dissolved Solids	mg/L	120	10	8002999				145	10	8002999
Fluoride (F-)	mg/L	<0.10	0.10	8000814				<0.10	0.10	8000814
Orthophosphate (P)	mg/L	<0.010	0.010	8001669				<0.010	0.010	8001669
pH	pH	7.51		8000815				7.31		8000815
Total Phosphorus	mg/L	0.21	0.020	8004574				0.064	0.020	8004574
Reactive Silica (SiO ₂)	mg/L	1.3	0.050	8007938				1.1	0.050	8007938
Total Suspended Solids	mg/L	330	5	8002829	310	5	8007282	21	1	8002829
Dissolved Sulphate (SO ₄)	mg/L	13	1.0	8001678				17	1.0	8001678
Turbidity	NTU	170	0.1	8000030				28	0.1	8000030
Alkalinity (Total as CaCO ₃)	mg/L	50	1.0	8000798				61	1.0	8000798
Dissolved Chloride (Cl-)	mg/L	27	1.0	8001674				33	1.0	8001674
Nitrite (N)	mg/L	0.012	0.010	8000913				0.012	0.010	8000913
Nitrate (N)	mg/L	0.12	0.10	8000913				0.12	0.10	8000913
Nitrate + Nitrite (N)	mg/L	0.13	0.10	8000913				0.13	0.10	8000913
Petroleum Hydrocarbons										
Total Oil & Grease	mg/L	1.9	0.50	8010029				1.4	0.50	8010029
RDL = Reportable Detection Limit										
QC Batch = Quality Control Batch										



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		SQH832			SQH832		
Sampling Date		2022/05/10 17:05			2022/05/10 17:05		
COC Number		n/a			n/a		
	UNITS	MEL-SR01	RDL	QC Batch	MEL-SR01 Lab-Dup	RDL	QC Batch
Calculated Parameters							
Calculated TDS	mg/L	140	1.0	7999676			
Inorganics							
Total Ammonia-N	mg/L	0.86	0.050	8003177			
Strong Acid Dissoc. Cyanide (CN)	mg/L	0.00083	0.00050	8008656			
Total Dissolved Solids	mg/L	160	10	8002999	160	10	8002999
Fluoride (F-)	mg/L	<0.10	0.10	8000814			
Orthophosphate (P)	mg/L	<0.010	0.010	8001669			
pH	pH	7.33		8000815			
Total Phosphorus	mg/L	0.075	0.020	8004574			
Reactive Silica (SiO ₂)	mg/L	1.1	0.050	8007938			
Total Suspended Solids	mg/L	14	1	8002829			
Dissolved Sulphate (SO ₄)	mg/L	17	1.0	8001678			
Turbidity	NTU	29	0.1	8000030			
Alkalinity (Total as CaCO ₃)	mg/L	59	1.0	8000798			
Dissolved Chloride (Cl-)	mg/L	34	1.0	8001674			
Nitrite (N)	mg/L	0.016	0.010	8000792			
Nitrate (N)	mg/L	0.13	0.10	8000792			
Nitrate + Nitrite (N)	mg/L	0.14	0.10	8000792			
Petroleum Hydrocarbons							
Total Oil & Grease	mg/L	1.2	0.50	8010029			
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate							



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Bureau Veritas ID		SQH827	SQH828	SQH829	SQH829	SQH830	SQH831		
Sampling Date		2022/05/08 15:48	2022/05/10 16:45	2022/05/10 17:05	2022/05/10 17:05	2022/05/10 16:51	2022/05/10 16:57		
COC Number		n/a	n/a	n/a	n/a	n/a	n/a		
	UNITS	MEL-SR16	MEL-SR07 US	MEL-SR11	MEL-SR11 Lab-Dup	MEL-SR01 US	MEL-SR07 DS	RDL	QC Batch

Metals									
Mercury (Hg)	mg/L	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	8005473
RDL = Reportable Detection Limit									
QC Batch = Quality Control Batch									
Lab-Dup = Laboratory Initiated Duplicate									

Bureau Veritas ID		SQH832		
Sampling Date		2022/05/10 17:05		
COC Number		n/a		
	UNITS	MEL-SR01	RDL	QC Batch
Metals				
Mercury (Hg)	mg/L	<0.00001	0.00001	8005473
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				

BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

TEST SUMMARY

Bureau Veritas ID: SQH827
Sample ID: MEL-SR16
Matrix: Water

Collected: 2022/05/08
Shipped:
Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8000798	N/A	2022/05/18	Yogesh Patel
Chloride by Automated Colourimetry	KONE	8001674	N/A	2022/05/18	Alina Dobreanu
Fluoride	ISE	8000814	2022/05/17	2022/05/18	Yogesh Patel
Mercury (low level)	CV/AA	8005473	2022/05/19	2022/05/20	Jaswinder Kaur
Cyanide, Strong Acid Dissociable (SAD)	TECH/UVVS	8008656	N/A	2022/05/19	Taylor Mullings
Hardness Total (calculated as CaCO ₃)	CALC	8012349	N/A	2022/05/24	Automated Statchk
Hardness (calculated as CaCO ₃)	CALC	8012346	N/A	2022/05/20	Automated Statchk
Na, K, Ca, Mg, S by CRC ICPMS (diss.)	ICP	8012347	N/A	2022/05/20	Automated Statchk
Elements by CRC ICPMS (dissolved)	ICP/MS	8012348	N/A	2022/05/19	Andrew An
Na, K, Ca, Mg, S by CRC ICPMS (total)	ICP	8012351	2022/05/24	2022/05/24	Automated Statchk
Elements by CRC ICPMS (total)	ICP/MS	8012352	2022/05/20	2022/05/21	Sahar Omar Al-Abdalla-Inactive
Silica (Reactive)	KONE	8007938	N/A	2022/05/19	Fadia Mostafa
Total Ammonia-N	LACH/NH ₄	8003177	N/A	2022/05/19	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	8000792	N/A	2022/05/18	Samuel Law
Total Oil and Grease	BAL	8010029	2022/05/23	2022/05/23	Atinder Singh
pH	AT	8000815	2022/05/17	2022/05/18	Yogesh Patel
Orthophosphate	KONE	8001669	N/A	2022/05/18	Chandra Nandlal
Sulphate by Automated Colourimetry	KONE	8001678	N/A	2022/05/18	Chandra Nandlal
Calculated Total Dissolved Solids	CALC	7999676	N/A	2022/05/25	Automated Statchk
Total Dissolved Solids	BAL	8001971	2022/05/18	2022/05/19	Kristen Chan
Total Phosphorus (Colourimetric)	LACH/P	8004574	2022/05/19	2022/05/20	Shivani Shivani
Low Level Total Suspended Solids	BAL	8002829	2022/05/18	2022/05/19	Shaneil Hall
Turbidity	AT	8000030	N/A	2022/05/17	Roya Fathitil

Bureau Veritas ID: SQH827 Dup
Sample ID: MEL-SR16
Matrix: Water

Collected: 2022/05/08
Shipped:
Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Silica (Reactive)	KONE	8007938	N/A	2022/05/19	Fadia Mostafa

Bureau Veritas ID: SQH828
Sample ID: MEL-SR07 US
Matrix: Water

Collected: 2022/05/10
Shipped:
Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8000798	N/A	2022/05/18	Yogesh Patel
Chloride by Automated Colourimetry	KONE	8001674	N/A	2022/05/18	Alina Dobreanu
Fluoride	ISE	8000814	2022/05/17	2022/05/18	Yogesh Patel
Mercury (low level)	CV/AA	8005473	2022/05/19	2022/05/20	Jaswinder Kaur
Cyanide, Strong Acid Dissociable (SAD)	TECH/UVVS	8008656	N/A	2022/05/19	Taylor Mullings
Hardness Total (calculated as CaCO ₃)	CALC	8012349	N/A	2022/05/24	Automated Statchk
Hardness (calculated as CaCO ₃)	CALC	8012346	N/A	2022/05/20	Automated Statchk
Na, K, Ca, Mg, S by CRC ICPMS (diss.)	ICP	8012347	N/A	2022/05/20	Automated Statchk
Elements by CRC ICPMS (dissolved)	ICP/MS	8012348	N/A	2022/05/19	Andrew An

BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

TEST SUMMARY

Bureau Veritas ID: SQH828
Sample ID: MEL-SR07 US
Matrix: Water

Collected: 2022/05/10
Shipped:
Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Na, K, Ca, Mg, S by CRC ICPMS (total)	ICP	8012351	2022/05/24	2022/05/24	Automated Statchk
Elements by CRC ICPMS (total)	ICP/MS	8012352	2022/05/20	2022/05/21	Sahar Omar Al-Abdalla-Inactive
Silica (Reactive)	KONE	8007938	N/A	2022/05/19	Fadia Mostafa
Total Ammonia-N	LACH/NH4	8003177	N/A	2022/05/19	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	8000792	N/A	2022/05/18	Samuel Law
Total Oil and Grease	BAL	8010029	2022/05/23	2022/05/23	Atinder Singh
pH	AT	8000815	2022/05/17	2022/05/18	Yogesh Patel
Orthophosphate	KONE	8001669	N/A	2022/05/18	Chandra Nandlal
Sulphate by Automated Colourimetry	KONE	8001678	N/A	2022/05/18	Chandra Nandlal
Calculated Total Dissolved Solids	CALC	7999676	N/A	2022/05/25	Automated Statchk
Total Dissolved Solids	BAL	8001971	2022/05/18	2022/05/19	Kristen Chan
Total Phosphorus (Colourimetric)	LACH/P	8004574	2022/05/19	2022/05/20	Shivani Shivani
Low Level Total Suspended Solids	BAL	8007282	2022/05/20	2022/05/20	Shaneil Hall
Turbidity	AT	8000030	N/A	2022/05/17	Roya Fathitil

Bureau Veritas ID: SQH829
Sample ID: MEL-SR11
Matrix: Water

Collected: 2022/05/10
Shipped:
Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8000798	N/A	2022/05/18	Yogesh Patel
Chloride by Automated Colourimetry	KONE	8001674	N/A	2022/05/18	Alina Dobreanu
Fluoride	ISE	8000814	2022/05/17	2022/05/18	Yogesh Patel
Mercury (low level)	CV/AA	8005473	2022/05/19	2022/05/20	Jaswinder Kaur
Cyanide, Strong Acid Dissociable (SAD)	TECH/UVVS	8008656	N/A	2022/05/19	Taylor Mullings
Hardness Total (calculated as CaCO3)	CALC	8012349	N/A	2022/05/24	Automated Statchk
Hardness (calculated as CaCO3)	CALC	8012346	N/A	2022/05/20	Automated Statchk
Na, K, Ca, Mg, S by CRC ICPMS (diss.)	ICP	8012347	N/A	2022/05/20	Automated Statchk
Elements by CRC ICPMS (dissolved)	ICP/MS	8012348	N/A	2022/05/19	Andrew An
Na, K, Ca, Mg, S by CRC ICPMS (total)	ICP	8012351	2022/05/24	2022/05/24	Automated Statchk
Elements by CRC ICPMS (total)	ICP/MS	8012352	2022/05/20	2022/05/21	Sahar Omar Al-Abdalla-Inactive
Silica (Reactive)	KONE	8007938	N/A	2022/05/19	Fadia Mostafa
Total Ammonia-N	LACH/NH4	8003177	N/A	2022/05/19	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	8000792	N/A	2022/05/18	Samuel Law
Total Oil and Grease	BAL	8010029	2022/05/23	2022/05/23	Atinder Singh
pH	AT	8000815	2022/05/17	2022/05/18	Yogesh Patel
Orthophosphate	KONE	8001669	N/A	2022/05/18	Chandra Nandlal
Sulphate by Automated Colourimetry	KONE	8001678	N/A	2022/05/18	Chandra Nandlal
Calculated Total Dissolved Solids	CALC	7999676	N/A	2022/05/25	Automated Statchk
Total Dissolved Solids	BAL	8002999	2022/05/18	2022/05/19	Kristen Chan
Total Phosphorus (Colourimetric)	LACH/P	8004574	2022/05/19	2022/05/20	Shivani Shivani
Low Level Total Suspended Solids	BAL	8002829	2022/05/18	2022/05/19	Shaneil Hall
Turbidity	AT	8000030	N/A	2022/05/17	Roya Fathitil



**BUREAU
VERITAS**

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

TEST SUMMARY

Bureau Veritas ID: SQH829 Dup

Sample ID: MEL-SR11

Matrix: Water

Collected: 2022/05/10

Shipped:

Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Mercury (low level)	CV/AA	8005473	2022/05/19	2022/05/20	Jaswinder Kaur
Total Ammonia-N	LACH/NH4	8003177	N/A	2022/05/19	Raiq Kashif
Turbidity	AT	8000030	N/A	2022/05/17	Roya Fathitil

Bureau Veritas ID: SQH830

Sample ID: MEL-SR01 US

Matrix: Water

Collected: 2022/05/10

Shipped:

Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8000798	N/A	2022/05/18	Yogesh Patel
Chloride by Automated Colourimetry	KONE	8001674	N/A	2022/05/18	Alina Dobreanu
Fluoride	ISE	8000814	2022/05/17	2022/05/18	Yogesh Patel
Mercury (low level)	CV/AA	8005473	2022/05/19	2022/05/20	Jaswinder Kaur
Cyanide, Strong Acid Dissociable (SAD)	TECH/UVVS	8008656	N/A	2022/05/19	Taylor Mullings
Hardness Total (calculated as CaCO3)	CALC	8012349	N/A	2022/05/24	Automated Statchk
Hardness (calculated as CaCO3)	CALC	8012346	N/A	2022/05/20	Automated Statchk
Na, K, Ca, Mg, S by CRC ICPMS (diss.)	ICP	8012347	N/A	2022/05/20	Automated Statchk
Elements by CRC ICPMS (dissolved)	ICP/MS	8012348	N/A	2022/05/19	Andrew An
Na, K, Ca, Mg, S by CRC ICPMS (total)	ICP	8012351	2022/05/24	2022/05/24	Automated Statchk
Elements by CRC ICPMS (total)	ICP/MS	8012352	2022/05/20	2022/05/21	Sahar Omar Al-Abdalla-Inactive
Silica (Reactive)	KONE	8007938	N/A	2022/05/19	Fadia Mostafa
Total Ammonia-N	LACH/NH4	8003177	N/A	2022/05/19	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	8000913	N/A	2022/05/18	Samuel Law
Total Oil and Grease	BAL	8010029	2022/05/23	2022/05/23	Atinder Singh
pH	AT	8000815	2022/05/17	2022/05/18	Yogesh Patel
Orthophosphate	KONE	8001669	N/A	2022/05/18	Chandra Nandlal
Sulphate by Automated Colourimetry	KONE	8001678	N/A	2022/05/18	Chandra Nandlal
Calculated Total Dissolved Solids	CALC	7999676	N/A	2022/05/25	Automated Statchk
Total Dissolved Solids	BAL	8002999	2022/05/18	2022/05/19	Kristen Chan
Total Phosphorus (Colourimetric)	LACH/P	8004574	2022/05/19	2022/05/20	Shivani Shivani
Low Level Total Suspended Solids	BAL	8007282	2022/05/20	2022/05/20	Shaneil Hall
Turbidity	AT	8000030	N/A	2022/05/17	Roya Fathitil

Bureau Veritas ID: SQH831

Sample ID: MEL-SR07 DS

Matrix: Water

Collected: 2022/05/10

Shipped:

Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8000798	N/A	2022/05/18	Yogesh Patel
Chloride by Automated Colourimetry	KONE	8001674	N/A	2022/05/18	Alina Dobreanu
Fluoride	ISE	8000814	2022/05/17	2022/05/18	Yogesh Patel
Mercury (low level)	CV/AA	8005473	2022/05/19	2022/05/20	Jaswinder Kaur
Cyanide, Strong Acid Dissociable (SAD)	TECH/UVVS	8008656	N/A	2022/05/19	Taylor Mullings
Hardness Total (calculated as CaCO3)	CALC	8012349	N/A	2022/05/24	Automated Statchk
Hardness (calculated as CaCO3)	CALC	8012346	N/A	2022/05/20	Automated Statchk



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

TEST SUMMARY

Bureau Veritas ID: SQH831
Sample ID: MEL-SR07 DS
Matrix: Water

Collected: 2022/05/10
Shipped:
Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Na, K, Ca, Mg, S by CRC ICPMS (diss.)	ICP	8012347	N/A	2022/05/20	Automated Statchk
Elements by CRC ICPMS (dissolved)	ICP/MS	8012348	N/A	2022/05/19	Andrew An
Na, K, Ca, Mg, S by CRC ICPMS (total)	ICP	8012351	2022/05/24	2022/05/24	Automated Statchk
Elements by CRC ICPMS (total)	ICP/MS	8012352	2022/05/20	2022/05/21	Sahar Omar Al-Abdalla-Inactive
Silica (Reactive)	KONE	8007938	N/A	2022/05/19	Fadia Mostafa
Total Ammonia-N	LACH/NH4	8003177	N/A	2022/05/19	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	8000913	N/A	2022/05/18	Samuel Law
Total Oil and Grease	BAL	8010029	2022/05/23	2022/05/23	Atinder Singh
pH	AT	8000815	2022/05/17	2022/05/18	Yogesh Patel
Orthophosphate	KONE	8001669	N/A	2022/05/18	Chandra Nandlal
Sulphate by Automated Colourimetry	KONE	8001678	N/A	2022/05/18	Chandra Nandlal
Calculated Total Dissolved Solids	CALC	7999676	N/A	2022/05/25	Automated Statchk
Total Dissolved Solids	BAL	8002999	2022/05/18	2022/05/19	Kristen Chan
Total Phosphorus (Colourimetric)	LACH/P	8004574	2022/05/19	2022/05/20	Shivani Shivani
Low Level Total Suspended Solids	BAL	8002829	2022/05/18	2022/05/19	Shaneil Hall
Turbidity	AT	8000030	N/A	2022/05/17	Roya Fathitil

Bureau Veritas ID: SQH832
Sample ID: MEL-SR01
Matrix: Water

Collected: 2022/05/10
Shipped:
Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Alkalinity	AT	8000798	N/A	2022/05/18	Yogesh Patel
Chloride by Automated Colourimetry	KONE	8001674	N/A	2022/05/18	Alina Dobreanu
Fluoride	ISE	8000814	2022/05/17	2022/05/18	Yogesh Patel
Mercury (low level)	CV/AA	8005473	2022/05/19	2022/05/20	Jaswinder Kaur
Cyanide, Strong Acid Dissociable (SAD)	TECH/UVVS	8008656	N/A	2022/05/19	Taylor Mullings
Hardness Total (calculated as CaCO3)	CALC	8012349	N/A	2022/05/24	Automated Statchk
Hardness (calculated as CaCO3)	CALC	8012346	N/A	2022/05/20	Automated Statchk
Na, K, Ca, Mg, S by CRC ICPMS (diss.)	ICP	8012347	N/A	2022/05/20	Automated Statchk
Elements by CRC ICPMS (dissolved)	ICP/MS	8012348	N/A	2022/05/19	Andrew An
Na, K, Ca, Mg, S by CRC ICPMS (total)	ICP	8012351	2022/05/24	2022/05/24	Automated Statchk
Elements by CRC ICPMS (total)	ICP/MS	8012352	2022/05/20	2022/05/21	Sahar Omar Al-Abdalla-Inactive
Silica (Reactive)	KONE	8007938	N/A	2022/05/19	Fadia Mostafa
Total Ammonia-N	LACH/NH4	8003177	N/A	2022/05/19	Raiq Kashif
Nitrate & Nitrite as Nitrogen in Water	LACH	8000792	N/A	2022/05/18	Samuel Law
Total Oil and Grease	BAL	8010029	2022/05/23	2022/05/23	Atinder Singh
pH	AT	8000815	2022/05/17	2022/05/18	Yogesh Patel
Orthophosphate	KONE	8001669	N/A	2022/05/18	Chandra Nandlal
Sulphate by Automated Colourimetry	KONE	8001678	N/A	2022/05/18	Chandra Nandlal
Calculated Total Dissolved Solids	CALC	7999676	N/A	2022/05/25	Automated Statchk
Total Dissolved Solids	BAL	8002999	2022/05/18	2022/05/19	Kristen Chan
Total Phosphorus (Colourimetric)	LACH/P	8004574	2022/05/19	2022/05/20	Shivani Shivani
Low Level Total Suspended Solids	BAL	8002829	2022/05/18	2022/05/19	Shaneil Hall
Turbidity	AT	8000030	N/A	2022/05/17	Roya Fathitil



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671
Report Date: 2022/05/25

Agnico-Eagle
Site Location: MELIADINE
Your P.O. #: OL-1129375
Sampler Initials: KS

TEST SUMMARY

Bureau Veritas ID: SQH832 Dup
Sample ID: MEL-SR01
Matrix: Water

Collected: 2022/05/10
Shipped:
Received: 2022/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Total Dissolved Solids	BAL	8002999	2022/05/18	2022/05/19	Kristen Chan



GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	18.7°C
Package 2	19.7°C

Results relate only to the items tested.

BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

QUALITY ASSURANCE REPORT

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

QC Batch	Parameter	Date	Matrix Spike		SPIKED BLANK		Method Blank		RPD		QC Standard	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits	% Recovery	QC Limits
8000030	Turbidity	2022/05/17			95	85 - 115	<0.1	NTU	2.8	20		
8000792	Nitrate (N)	2022/05/18	95	80 - 120	99	80 - 120	<0.10	mg/L	NC	20		
8000792	Nitrite (N)	2022/05/18	90	80 - 120	103	80 - 120	<0.010	mg/L	0.30	20		
8000798	Alkalinity (Total as CaCO3)	2022/05/18			97	85 - 115	<1.0	mg/L	1.2	20		
8000814	Fluoride (F-)	2022/05/18	107	80 - 120	101	80 - 120	<0.10	mg/L	2.9	20		
8000815	pH	2022/05/18			102	98 - 103			0.83	N/A		
8000913	Nitrate (N)	2022/05/18	NC	80 - 120	100	80 - 120	<0.10	mg/L	1.1	20		
8000913	Nitrite (N)	2022/05/18	99	80 - 120	104	80 - 120	<0.010	mg/L				
8001669	Orthophosphate (P)	2022/05/18	113	75 - 125	100	80 - 120	<0.010	mg/L	NC	25		
8001674	Dissolved Chloride (Cl-)	2022/05/18	119	80 - 120	106	80 - 120	<1.0	mg/L	2.5	20		
8001678	Dissolved Sulphate (SO4)	2022/05/18	NC	75 - 125	102	80 - 120	<1.0	mg/L	1.8	20		
8001971	Total Dissolved Solids	2022/05/19					<10	mg/L	0.19	25	97	90 - 110
8002829	Total Suspended Solids	2022/05/19					<1	mg/L	8.2	25	95	85 - 115
8002999	Total Container weight (cal)	2022/05/19							1.3	N/A		
8002999	Total Dissolved Solids	2022/05/19					<10	mg/L	0	25	97	90 - 110
8002999	Total Volume of sample	2022/05/19							0	N/A		
8002999	Total Weight after drying	2022/05/19							1.3	N/A		
8003177	Total Ammonia-N	2022/05/19	97	75 - 125	101	80 - 120	<0.050	mg/L	19	20		
8004574	Total Phosphorus	2022/05/20	99	80 - 120	102	80 - 120	<0.020	mg/L	1.3	20	101	80 - 120
8005473	Mercury (Hg)	2022/05/20	97	75 - 125	99	80 - 120	<0.00001	mg/L	NC	20		
8007282	Total Suspended Solids	2022/05/20					<1	mg/L	10	25	100	85 - 115
8007938	Reactive Silica (SiO2)	2022/05/19	104	80 - 120	104	80 - 120	<0.050	mg/L	0.55	20		
8008656	Strong Acid Dissoc. Cyanide (CN)	2022/05/19	NC	80 - 120	112	80 - 120	<0.00050	mg/L				
8010029	Total Oil & Grease	2022/05/23			100	85 - 115	<0.50	mg/L	0.50	25		
8012348	Dissolved Aluminum (Al)	2022/05/19	93	80 - 120	100	80 - 120	<0.0030	mg/L				
8012348	Dissolved Antimony (Sb)	2022/05/19	97	80 - 120	99	80 - 120	<0.00050	mg/L				
8012348	Dissolved Arsenic (As)	2022/05/19	103	80 - 120	103	80 - 120	<0.00010	mg/L				
8012348	Dissolved Barium (Ba)	2022/05/19	NC	80 - 120	99	80 - 120	<0.0010	mg/L				
8012348	Dissolved Beryllium (Be)	2022/05/19	91	80 - 120	98	80 - 120	<0.00010	mg/L				
8012348	Dissolved Bismuth (Bi)	2022/05/19	88	80 - 120	98	80 - 120	<0.0010	mg/L				
8012348	Dissolved Boron (B)	2022/05/19	92	80 - 120	104	80 - 120	<0.050	mg/L				
8012348	Dissolved Cadmium (Cd)	2022/05/19	93	80 - 120	101	80 - 120	<0.000010	mg/L				



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

QUALITY ASSURANCE REPORT(CONT'D)

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

QC Batch	Parameter	Date	Matrix Spike		SPIKED BLANK		Method Blank		RPD		QC Standard	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits	% Recovery	QC Limits
8012348	Dissolved Calcium (Ca)	2022/05/19	NC	80 - 120	103	80 - 120	<0.050	mg/L				
8012348	Dissolved Chromium (Cr)	2022/05/19	94	80 - 120	104	80 - 120	<0.0010	mg/L				
8012348	Dissolved Cobalt (Co)	2022/05/19	92	80 - 120	103	80 - 120	<0.00020	mg/L				
8012348	Dissolved Copper (Cu)	2022/05/19	91	80 - 120	104	80 - 120	<0.00020	mg/L				
8012348	Dissolved Iron (Fe)	2022/05/19	NC	80 - 120	102	80 - 120	<0.0050	mg/L				
8012348	Dissolved Lead (Pb)	2022/05/19	90	80 - 120	101	80 - 120	<0.00020	mg/L				
8012348	Dissolved Lithium (Li)	2022/05/19	85	80 - 120	91	80 - 120	<0.0020	mg/L				
8012348	Dissolved Magnesium (Mg)	2022/05/19	NC	80 - 120	106	80 - 120	<0.050	mg/L				
8012348	Dissolved Manganese (Mn)	2022/05/19	NC	80 - 120	101	80 - 120	<0.0010	mg/L				
8012348	Dissolved Molybdenum (Mo)	2022/05/19	NC	80 - 120	103	80 - 120	<0.0010	mg/L				
8012348	Dissolved Nickel (Ni)	2022/05/19	88	80 - 120	104	80 - 120	<0.0010	mg/L				
8012348	Dissolved Potassium (K)	2022/05/19	NC	80 - 120	105	80 - 120	<0.050	mg/L				
8012348	Dissolved Selenium (Se)	2022/05/19	99	80 - 120	105	80 - 120	<0.00010	mg/L				
8012348	Dissolved Silicon (Si)	2022/05/19	NC	80 - 120	105	80 - 120	<0.10	mg/L				
8012348	Dissolved Silver (Ag)	2022/05/19	91	80 - 120	102	80 - 120	<0.000020	mg/L				
8012348	Dissolved Sodium (Na)	2022/05/19	NC	80 - 120	105	80 - 120	<0.050	mg/L				
8012348	Dissolved Strontium (Sr)	2022/05/19	NC	80 - 120	97	80 - 120	<0.0010	mg/L				
8012348	Dissolved Sulphur (S)	2022/05/19	95	80 - 120	100	80 - 120	<3.0	mg/L				
8012348	Dissolved Thallium (Tl)	2022/05/19	95	80 - 120	101	80 - 120	<0.000010	mg/L				
8012348	Dissolved Tin (Sn)	2022/05/19	95	80 - 120	102	80 - 120	<0.0050	mg/L				
8012348	Dissolved Titanium (Ti)	2022/05/19	96	80 - 120	100	80 - 120	<0.0050	mg/L				
8012348	Dissolved Uranium (U)	2022/05/19	105	80 - 120	107	80 - 120	<0.00010	mg/L				
8012348	Dissolved Vanadium (V)	2022/05/19	97	80 - 120	102	80 - 120	<0.0050	mg/L				
8012348	Dissolved Zinc (Zn)	2022/05/19	90	80 - 120	112	80 - 120	<0.0050	mg/L				
8012348	Dissolved Zirconium (Zr)	2022/05/19	103	80 - 120	100	80 - 120	<0.00010	mg/L				
8012352	Total Aluminum (Al)	2022/05/21	98	80 - 120	102	80 - 120	<0.0030	mg/L				
8012352	Total Antimony (Sb)	2022/05/21	99	80 - 120	102	80 - 120	<0.00050	mg/L				
8012352	Total Arsenic (As)	2022/05/21	103	80 - 120	104	80 - 120	<0.00010	mg/L				
8012352	Total Barium (Ba)	2022/05/21	98	80 - 120	101	80 - 120	<0.0010	mg/L				
8012352	Total Beryllium (Be)	2022/05/21	95	80 - 120	98	80 - 120	<0.00010	mg/L				
8012352	Total Bismuth (Bi)	2022/05/21	99	80 - 120	100	80 - 120	<0.0010	mg/L				
8012352	Total Boron (B)	2022/05/21	97	80 - 120	97	80 - 120	<0.050	mg/L				



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

QUALITY ASSURANCE REPORT(CONT'D)

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

QC Batch	Parameter	Date	Matrix Spike		SPIKED BLANK		Method Blank		RPD		QC Standard	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits	% Recovery	QC Limits
8012352	Total Cadmium (Cd)	2022/05/21	98	80 - 120	100	80 - 120	<0.000010	mg/L				
8012352	Total Calcium (Ca)	2022/05/21	100	80 - 120	102	80 - 120	<0.050	mg/L				
8012352	Total Chromium (Cr)	2022/05/21	98	80 - 120	103	80 - 120	<0.0010	mg/L				
8012352	Total Cobalt (Co)	2022/05/21	98	80 - 120	100	80 - 120	<0.00020	mg/L				
8012352	Total Copper (Cu)	2022/05/21	97	80 - 120	99	80 - 120	<0.00050	mg/L				
8012352	Total Iron (Fe)	2022/05/21	97	80 - 120	104	80 - 120	<0.010	mg/L				
8012352	Total Lead (Pb)	2022/05/21	101	80 - 120	102	80 - 120	<0.00020	mg/L				
8012352	Total Lithium (Li)	2022/05/21	94	80 - 120	97	80 - 120	<0.0020	mg/L				
8012352	Total Magnesium (Mg)	2022/05/21	102	80 - 120	104	80 - 120	<0.050	mg/L				
8012352	Total Manganese (Mn)	2022/05/21	98	80 - 120	101	80 - 120	<0.0010	mg/L				
8012352	Total Molybdenum (Mo)	2022/05/21	98	80 - 120	103	80 - 120	<0.0010	mg/L				
8012352	Total Nickel (Ni)	2022/05/21	100	80 - 120	102	80 - 120	<0.0010	mg/L				
8012352	Total Potassium (K)	2022/05/21	104	80 - 120	105	80 - 120	<0.050	mg/L				
8012352	Total Selenium (Se)	2022/05/21	103	80 - 120	102	80 - 120	<0.00010	mg/L				
8012352	Total Silicon (Si)	2022/05/21	111	80 - 120	115	80 - 120	<0.10	mg/L				
8012352	Total Silver (Ag)	2022/05/21	98	80 - 120	100	80 - 120	<0.000020	mg/L				
8012352	Total Sodium (Na)	2022/05/21	101	80 - 120	104	80 - 120	<0.050	mg/L				
8012352	Total Strontium (Sr)	2022/05/21	97	80 - 120	99	80 - 120	<0.0010	mg/L				
8012352	Total Sulphur (S)	2022/05/21	99	80 - 120	103	80 - 120	<3.0	mg/L				
8012352	Total Thallium (Tl)	2022/05/21	99	80 - 120	100	80 - 120	<0.000010	mg/L				
8012352	Total Tin (Sn)	2022/05/21	97	80 - 120	101	80 - 120	<0.0050	mg/L				
8012352	Total Titanium (Ti)	2022/05/21	99	80 - 120	102	80 - 120	<0.0050	mg/L				
8012352	Total Uranium (U)	2022/05/21	98	80 - 120	99	80 - 120	<0.00010	mg/L				
8012352	Total Vanadium (V)	2022/05/21	101	80 - 120	102	80 - 120	<0.0050	mg/L				
8012352	Total Zinc (Zn)	2022/05/21	100	80 - 120	102	80 - 120	<0.0050	mg/L				

BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

QUALITY ASSURANCE REPORT(CONT'D)

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

QC Batch	Parameter	Date	Matrix Spike		SPIKED BLANK		Method Blank		RPD		QC Standard	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits	% Recovery	QC Limits
8012352	Total Zirconium (Zr)	2022/05/21	99	80 - 120	100	80 - 120	<0.00010	mg/L				

N/A = Not Applicable

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

QC Standard: A sample of known concentration prepared by an external agency under stringent conditions. Used as an independent check of method accuracy.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spike amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than the native sample concentration)

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference $\leq 2 \times$ RDL).



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

David Huang, BBY Scientific Specialist

Heather Groves, Dip.BioSci, Laboratory Manager – Organic

Ewa Pranjic, M.Sc., C.Chem, Scientific Specialist

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



BUREAU
VERITAS

Bureau Veritas Job #: C2D2671

Report Date: 2022/05/25

Agnico-Eagle

Site Location: MELIADINE

Your P.O. #: OL-1129375

Sampler Initials: KS

Exceedance Summary Table – Metal Mining Effluent Reg
Result Exceedances

Sample ID	Bureau Veritas ID	Parameter	Criteria	Result	DL	UNITS
No Exceedances						
The exceedance summary table is for information purposes only and should not be considered a comprehensive listing or statement of conformance to applicable regulatory guidelines.						