




WSP
WSP CONSULTING INC.
101-1000-100
TEL: 514-344-4444
WWW.WSPCONSULTING.COM

NOTES GÉNÉRALES / GENERAL NOTES

- UNDERGROUND PIPING TO BE INSTALLED AT 800 DEEP. MANUFACTURER'S RECOMMENDATIONS ON PIPE SPECIFICATIONS AND JOINTS TO BE USED TO BE PROVIDED TO THE CLIENT.
- TANK DIMENSIONS ADJUSTED ACCORDING TO THE LATEST AS-BUILT DIMENSIONS.
- REPLACE DRAWING: 65-416-210-201

DESIGNS EN RÉFÉRENCE / REFERENCE DRAWINGS	
NO.	FILE
1	65-416-210-201
2	65-416-210-201
3	65-416-210-201
4	65-416-210-201
5	65-416-210-201
6	65-416-210-201
7	65-416-210-201
8	65-416-210-201
9	65-416-210-201
10	65-416-210-201
11	65-416-210-201
12	65-416-210-201
13	65-416-210-201
14	65-416-210-201
15	65-416-210-201
16	65-416-210-201
17	65-416-210-201
18	65-416-210-201
19	65-416-210-201
20	65-416-210-201
21	65-416-210-201
22	65-416-210-201
23	65-416-210-201
24	65-416-210-201
25	65-416-210-201
26	65-416-210-201
27	65-416-210-201
28	65-416-210-201
29	65-416-210-201
30	65-416-210-201
31	65-416-210-201
32	65-416-210-201
33	65-416-210-201
34	65-416-210-201
35	65-416-210-201
36	65-416-210-201
37	65-416-210-201
38	65-416-210-201
39	65-416-210-201
40	65-416-210-201
41	65-416-210-201
42	65-416-210-201
43	65-416-210-201
44	65-416-210-201
45	65-416-210-201
46	65-416-210-201
47	65-416-210-201
48	65-416-210-201
49	65-416-210-201
50	65-416-210-201
51	65-416-210-201
52	65-416-210-201
53	65-416-210-201
54	65-416-210-201
55	65-416-210-201
56	65-416-210-201
57	65-416-210-201
58	65-416-210-201
59	65-416-210-201
60	65-416-210-201
61	65-416-210-201
62	65-416-210-201
63	65-416-210-201
64	65-416-210-201
65	65-416-210-201
66	65-416-210-201
67	65-416-210-201
68	65-416-210-201
69	65-416-210-201
70	65-416-210-201
71	65-416-210-201
72	65-416-210-201
73	65-416-210-201
74	65-416-210-201
75	65-416-210-201
76	65-416-210-201
77	65-416-210-201
78	65-416-210-201
79	65-416-210-201
80	65-416-210-201
81	65-416-210-201
82	65-416-210-201
83	65-416-210-201
84	65-416-210-201
85	65-416-210-201
86	65-416-210-201
87	65-416-210-201
88	65-416-210-201
89	65-416-210-201
90	65-416-210-201
91	65-416-210-201
92	65-416-210-201
93	65-416-210-201
94	65-416-210-201
95	65-416-210-201
96	65-416-210-201
97	65-416-210-201
98	65-416-210-201
99	65-416-210-201
100	65-416-210-201

REVISIONS	
NO.	DESCRIPTION
1	65-416-210-201
2	65-416-210-201
3	65-416-210-201
4	65-416-210-201
5	65-416-210-201
6	65-416-210-201
7	65-416-210-201
8	65-416-210-201
9	65-416-210-201
10	65-416-210-201
11	65-416-210-201
12	65-416-210-201
13	65-416-210-201
14	65-416-210-201
15	65-416-210-201
16	65-416-210-201
17	65-416-210-201
18	65-416-210-201
19	65-416-210-201
20	65-416-210-201
21	65-416-210-201
22	65-416-210-201
23	65-416-210-201
24	65-416-210-201
25	65-416-210-201
26	65-416-210-201
27	65-416-210-201
28	65-416-210-201
29	65-416-210-201
30	65-416-210-201
31	65-416-210-201
32	65-416-210-201
33	65-416-210-201
34	65-416-210-201
35	65-416-210-201
36	65-416-210-201
37	65-416-210-201
38	65-416-210-201
39	65-416-210-201
40	65-416-210-201
41	65-416-210-201
42	65-416-210-201
43	65-416-210-201
44	65-416-210-201
45	65-416-210-201
46	65-416-210-201
47	65-416-210-201
48	65-416-210-201
49	65-416-210-201
50	65-416-210-201
51	65-416-210-201
52	65-416-210-201
53	65-416-210-201
54	65-416-210-201
55	65-416-210-201
56	65-416-210-201
57	65-416-210-201
58	65-416-210-201
59	65-416-210-201
60	65-416-210-201
61	65-416-210-201
62	65-416-210-201
63	65-416-210-201
64	65-416-210-201
65	65-416-210-201
66	65-416-210-201
67	65-416-210-201
68	65-416-210-201
69	65-416-210-201
70	65-416-210-201
71	65-416-210-201
72	65-416-210-201
73	65-416-210-201
74	65-416-210-201
75	65-416-210-201
76	65-416-210-201
77	65-416-210-201
78	65-416-210-201
79	65-416-210-201
80	65-416-210-201
81	65-416-210-201
82	65-416-210-201
83	65-416-210-201
84	65-416-210-201
85	65-416-210-201
86	65-416-210-201
87	65-416-210-201
88	65-416-210-201
89	65-416-210-201
90	65-416-210-201
91	65-416-210-201
92	65-416-210-201
93	65-416-210-201
94	65-416-210-201
95	65-416-210-201
96	65-416-210-201
97	65-416-210-201
98	65-416-210-201
99	65-416-210-201
100	65-416-210-201

AGNICO EAGLE

AGNICO EAGLE - MELANIE DIVISION
416 - FUEL TANK FARM
210 - GENERAL ARRANGEMENT
FUEL TANK FARM (GENERAL ARRANGEMENT)
PLAN VIEW

REVISIONS	
NO.	DESCRIPTION
1	65-416-210-201
2	65-416-210-201
3	65-416-210-201
4	65-416-210-201
5	65-416-210-201
6	65-416-210-201
7	65-416-210-201
8	65-416-210-201
9	65-416-210-201
10	65-416-210-201
11	65-416-210-201
12	65-416-210-201
13	65-416-210-201
14	65-416-210-201
15	65-416-210-201
16	65-416-210-201
17	65-416-210-201
18	65-416-210-201
19	65-416-210-201
20	65-416-210-201
21	65-416-210-201
22	65-416-210-201
23	65-416-210-201
24	65-416-210-201
25	65-416-210-201
26	65-416-210-201
27	65-416-210-201
28	65-416-210-201
29	65-416-210-201
30	65-416-210-201
31	65-416-210-201
32	65-416-210-201
33	65-416-210-201
34	65-416-210-201
35	65-416-210-201
36	65-416-210-201
37	65-416-210-201
38	65-416-210-201
39	65-416-210-201
40	65-416-210-201
41	65-416-210-201
42	65-416-210-201
43	65-416-210-201
44	65-416-210-201
45	65-416-210-201
46	65-416-210-201
47	65-416-210-201
48	65-416-210-201
49	65-416-210-201
50	65-416-210-201
51	65-416-210-201
52	65-416-210-201
53	65-416-210-201
54	65-416-210-201
55	65-416-210-201
56	65-416-210-201
57	65-416-210-201
58	65-416-210-201
59	65-416-210-201
60	65-416-210-201
61	65-416-210-201
62	65-416-210-201
63	65-416-210-201
64	65-416-210-201
65	65-416-210-201
66	65-416-210-201
67	65-416-210-201
68	65-416-210-201
69	65-416-210-201
70	65-416-210-201
71	65-416-210-201
72	65-416-210-201
73	65-416-210-201
74	65-416-210-201
75	65-416-210-201
76	65-416-210-201
77	65-416-210-201
78	65-416-210-201
79	65-416-210-201
80	65-416-210-201
81	65-416-210-201
82	65-416-210-201
83	65-416-210-201
84	65-416-210-201
85	65-416-210-201
86	65-416-210-201
87	65-416-210-201
88	65-416-210-201
89	65-416-210-201
90	65-416-210-201
91	65-416-210-201
92	65-416-210-201
93	65-416-210-201
94	65-416-210-201
95	65-416-210-201
96	65-416-210-201
97	65-416-210-201
98	65-416-210-201
99	65-416-210-201
100	65-416-210-201

REVISIONS	
NO.	DESCRIPTION
1	65-416-210-201
2	65-416-210-201
3	65-416-210-201
4	65-416-210-201
5	65-416-210-201
6	65-416-210-201
7	65-416-210-201
8	65-416-210-201
9	65-416-210-201
10	65-416-210-201
11	65-416-210-201
12	65-416-210-201
13	65-416-210-201
14	65-416-210-201
15	65-416-210-201
16	65-416-210-201
17	65-416-210-201
18	65-416-210-201
19	65-416-210-201
20	65-416-210-201
21	65-416-210-201
22	65-416-210-201
23	65-416-210-201
24	65-416-210-201
25	65-416-210-201
26	65-416-210-201
27	65-416-210-201
28	65-416-210-201
29	65-416-210-201
30	65-416-210-201
31	65-416-210-201
32	65-416-210-201
33	65-416-210-201
34	65-416-210-201
35	65-416-210-201
36	65-416-210-201
37	65-416-210-201
38	65-416-210-201
39	65-416-210-201
40	65-416-210-201
41	65-416-210-201
42	65-416-210-201
43	65-416-210-201
44	65-416-210-201
45	65-416-210-201
46	65-416-210-201
47	65-416-210-201
48	65-416-210-201
49	65-416-210-201
50	65-416-210-201
51	65-416-210-201
52	65-416-210-201
53	65-416-210-201
54	65-416-210-201
55	65-416-210-201
56	65-416-210-201
57	65-416-210-201
58	65-416-210-201
59	65-416-210-201
60	65-416-210-201
61	65-416-210-201
62	65-416-210-201
63	65-416-210-201
64	65-416-210-201
65	65-416-210-201
66	65-416-210-201
67	65-416-210-201
68	65-416-210-201
69	65-416-210-201
70	65-416-210-201
71	65-416-210-201
72	65-416-210-201
73	65-416-210-201
74	65-416-210-201
75	65-416-210-201
76	65-416-210-201

PLAN DE
REVENIR

WSP

1970, So. WINEST
VILLAGE, CO. SPRINGFIELD, IL 62781
TEL.: 818-825-4074 / FAX: 818-825-4075 / WWW.WSPGROUP.COM

Fax: 131-0046-49

NOTES GÉNÉRALES / GENERAL NOTES

1. TANK DIMENSIONS ADJUSTED ACCORDING TO INFORMATION PROVIDED BY CONTRACTOR
2. REPLACE DRAWING : 65-403-260-201

[illegible]

REVISIONS

DECISION MADE BY	CHÉLAINÉ CORNUT	DATE	2017-05-29
NOTES MADE BY	JOËL MORLIÈRE, tech.		2017-05-29
APPROVAL APPROVED BY	DENIS THIBODEAU, ing.		2017-05-29

NO. PROJECT PROJECT NO.	6515	REVISION	0	FEUILLE / SHEET	1 / 1
----------------------------	------	----------	---	-----------------	-------



\\Cmfrs1\cmtg1\user\jia\2015\1\151-08440-40\Gen's Maritime\Doc\65-414-200-201_R0\Aug-2013-09-19_14.0329

12
11
10
9
8
7
6
5
4
3
2
1

WSP
1015 3e AVENUE EST
VAL-D'OR (QUEBEC) CANADA J9P 0J7
TEL : 819-838-0774 TEL SEC : 819-834-1541 FAX : 819-838-0774
WWW.WSPORDP.COM

1. TANK DIMENSIONS ADJUSTED ACCORDING TO INFORMATION PROVIDED BY CONTRACTOR
2. REPLACE DRAWING : 45-403-260-202

1. APPROXIMATIVE STAIRWAY LOCATION: CONTRACTOR HAVE TO ENSURE A MINIMUM CLEARANCE OF 1000mm IN ELEVATION BETWEEN STAIRS AND ANY SHELL CONNECTION



AGNICO EAGLE


REV.	DATE	DESCRIPTION	J.M.	D.T.
			PREP.	APP.
				CLIENT
0	2017-08-31	ISSUED FOR CONSTRUCTION		

1880

AGNICO EAGLE - MELIADINE DIVISION
416 - FUEL TANK FARM
260 - PLATEWORK
FUEL FARM TANK (INDUSTRIAL SITE & BOILER #1)

DESIGN AND DRAWN BY	DATE
JESSICA LAGACE	2017-05-29
VERIFIED AND CHECKED BY	DATE
JOËL MORLÈRE, tech.	2017-05-29
APPROVED AND APPROVED BY	DATE
DONIS THIBODEAU, Ing.	2017-05-29
EDUCULE SCALE	1:50
DATE	2017-05-29

DRAWING NO. 65-416-260-202	NO. PROJECT PROJECT NO. 6515	SECTION	FOLIOLE / SHEET
		0	1 / 1



POUR CONSTRUCTION
FOR CONSTRUCTION
DATE: 2017-05-31



WSP
WSP CONSULTING INC.
100-1000-00
TEL: 514-350-0000
WWW.WSPCONSULTING.COM

NOTES GÉNÉRALES / GENERAL NOTES

1. REPLACE DRAWING: 65-103-270-200

DESIGNER'S NAME: J. MORLIERE, INC.

DESIGNER'S ADDRESS: 270 - PIPING

DESIGNER'S PHONE: 514-350-0000

DESIGNER'S FAX: 514-350-0000

DESIGNER'S EMAIL: J.MORLIERE@WSPCONSULTING.COM

DESIGNER'S WEBSITE: WWW.WSPCONSULTING.COM

DESIGNER'S PROJECT NO: 65-416-270-200

DESIGNER'S PROJECT NAME: AGNICO EAGLE

DESIGNER'S PROJECT ADDRESS: 416 - MELJUNE DIVISION

DESIGNER'S PROJECT PHONE: 514-350-0000

DESIGNER'S PROJECT FAX: 514-350-0000

DESIGNER'S PROJECT EMAIL: J.MORLIERE@WSPCONSULTING.COM

DESIGNER'S PROJECT WEBSITE: WWW.WSPCONSULTING.COM

DESIGNER'S PROJECT PROJECT NO: 65-416-270-200

DESIGNER'S PROJECT PROJECT NAME: AGNICO EAGLE

DESIGNER'S PROJECT PROJECT ADDRESS: 416 - MELJUNE DIVISION

DESIGNER'S PROJECT PROJECT PHONE: 514-350-0000

DESIGNER'S PROJECT PROJECT FAX: 514-350-0000

DESIGNER'S PROJECT PROJECT EMAIL: J.MORLIERE@WSPCONSULTING.COM

DESIGNER'S PROJECT PROJECT WEBSITE: WWW.WSPCONSULTING.COM

DESIGNER'S PROJECT PROJECT PROJECT NO: 65-416-270-200

DESIGNER'S PROJECT PROJECT PROJECT NAME: AGNICO EAGLE

DESIGNER'S PROJECT PROJECT PROJECT ADDRESS: 416 - MELJUNE DIVISION

DESIGNER'S PROJECT PROJECT PROJECT PHONE: 514-350-0000

DESIGNER'S PROJECT PROJECT PROJECT FAX: 514-350-0000

DESIGNER'S PROJECT PROJECT PROJECT EMAIL: J.MORLIERE@WSPCONSULTING.COM

DESIGNER'S PROJECT PROJECT PROJECT WEBSITE: WWW.WSPCONSULTING.COM

DESIGNER'S PROJECT PROJECT PROJECT PROJECT NO: 65-416-270-200

DESIGNER'S PROJECT PROJECT PROJECT PROJECT NAME: AGNICO EAGLE

DESIGNER'S PROJECT PROJECT PROJECT PROJECT ADDRESS: 416 - MELJUNE DIVISION

DESIGNER'S PROJECT PROJECT PROJECT PROJECT PHONE: 514-350-0000

DESIGNER'S PROJECT PROJECT PROJECT PROJECT FAX: 514-350-0000

DESIGNER'S PROJECT PROJECT PROJECT PROJECT EMAIL: J.MORLIERE@WSPCONSULTING.COM

DESIGNER'S PROJECT PROJECT PROJECT PROJECT WEBSITE: WWW.WSPCONSULTING.COM

DESIGNER'S PROJECT PROJECT PROJECT PROJECT PROJECT NO: 65-416-270-200

DESIGNER'S PROJECT PROJECT PROJECT PROJECT PROJECT NAME: AGNICO EAGLE


DESIGNER'S PROJECT PROJECT PROJECT PROJECT PROJECT ADDRESS: 416 - MELJUNE DIVISION

DESIGNER'S PROJECT PROJECT PROJECT PROJECT PROJECT PHONE: 514-350-0000


DESIGNER'S PROJECT PROJECT PROJECT PROJECT PROJECT FAX: 514-350-0000

DESIGNER'S PROJECT PROJECT PROJECT PROJECT PROJECT EMAIL: J.MORLIERE@WSPCONSULTING.COM

DESIGNER'S PROJECT PROJECT PROJECT PROJECT PROJECT WEBSITE: WWW.WSPCONSULTING.COM




LOADING/UNLOADING TANK PIPING
SCALE: 1:15



FRONT VIEW (F) PIPING
SIDE VIEW (S) PIPING

PIPING SUPPORT
SCALE: 1:10



SUPPORT INSIDE PUMPING STATION
SCALE: 1:5



AGNICO EAGLE

REVISIONS				
NO.	DATE	DESCRIPTION	BY	CHK
0	2017-08-31	ISSUED FOR CONSTRUCTION	J.M.	D.T.

WSP / AGNICO EAGLE - MELJUNE DIVISION
416 - FUEL TANK FARM
270 - PIPING
FUEL TANK FARM
FUEL TANK FARM
FUEL TANK FARM

DESIGNED BY	J. MORLIERE, INC.	DATE	2017-05-29
CHECKED BY	J. MORLIERE, INC.	DATE	2017-05-29
APPROVED BY	D. THROCKMORTON, P. Eng.	DATE	2017-05-29
SCALE	INDICATED	DATE	2017-05-29
PROJECT NO.	65-416-270-200		
PROJECT NAME	AGNICO EAGLE		
PROJECT ADDRESS	416 - MELJUNE DIVISION		
PROJECT PHONE	514-350-0000		
PROJECT FAX	514-350-0000		
PROJECT EMAIL	J.MORLIERE@WSPCONSULTING.COM		
PROJECT WEBSITE	WWW.WSPCONSULTING.COM		
PROJECT PROJECT NO	65-416-270-200		
PROJECT PROJECT NAME	AGNICO EAGLE		
PROJECT PROJECT ADDRESS	416 - MELJUNE DIVISION		
PROJECT PROJECT PHONE	514-350-0000		
PROJECT PROJECT FAX	514-350-0000		
PROJECT PROJECT EMAIL	J.MORLIERE@WSPCONSULTING.COM		
PROJECT PROJECT WEBSITE	WWW.WSPCONSULTING.COM		




MINUQSANA PROMTEC MINING



ultragen
für die ganze Welt • 1997 bis 2003

COMP: A/E	PROJECT:	AGNICO EAGLE - MELTADINE DIVISION
DATE: 08/09/79		416 - FUEL TANK FARM
DESIGNER: FAME A/E	TITLE:	INDUSTRIAL
DATE: 08/07/79		FABRICATION ISOMETRIC
VOID: FAME		DIESEL FROM 416-100-PD1-CC10-0101 TO 65PDM416028
DATE:	NO PROJECT	NO DESIGN
APP: 2	6515	416-100-PD1-CC10-0215
DATE:		
DESIGNER: A/E/ENGINE	PAGES:	2/2
DATE:	REV:	1

2018/05/30



RECEIVED: May 30, 2018; 1:23pm

2018/05/30



PERMIT TO PRACTICE
 LE GROUPE ULTRAGEN LTÉE
 Signature  Date **MAY 30 2018**
 PERMIT NUMBER: P 1180
 NTNU Association of Professional
 Engineers and Geoscientists

CLIENT:	AGNICO EAGLE 	591700
CONSULTANT:	ultragreen 	591700
PROJECT:	NUOSATA PROTEC MINING 	591700

PROJECT:		AGNICO EAGLE - MELIADINE DIVISION 416 - FUEL TANK FARM	
TITLE:		INDUSTRIAL FABRICATION ISOMETRIC DIESEL FROM 65EDM1601 TO 65PD041602A	
CONC: 4.16	NO. PROJECT	NO. DESIGN	REV.
DATE: 2017/02/28	6515	416-100-PD-C10-0214	4/4
ISSUING PAR: 4.16			1
DATE: 2017/02/28			
VOL. PAR			
DATE:	APP-2		
DATE:	CORRELE: AUCUNE		

NO. DE CONDUITE	SPECIFICATION	PRODUIT	SYSTEME RECITEMENT	CODE DE COULEUR	ISOLATION ET TRAÇAGE	EMISS. D'ISOLATION		
416-100-PD1-CC10-0214	CC10	PDI					65-416-270-200	PIPE SUPPORT DETAILS
TEMPERATURE D'OPERATION	PRESSION DE CONCEPTION	TEMPERATURE DE CONCEPTION	PRESSION D'ISSON	CLASSE D'INSPECTION	CODE DE SERVICE	TRAITEMENT THERMIQUE	65-416-205-201	P&ID
PSIG	Y	PSIG	PSIG				No. DESSIN	DESSIN DE REFERENCE

IMPROVE LE: May 30, 2018, 1:22pm

2018/05/30





WORKING LE: May 30, 2018, 1:19pm



NUQSANA PROMEC MINING



CONSULTANT
PROJECT NO. 591700



A circular professional engineer license seal for D. TRUONG. The seal features the text "REGISTERED PROFESSIONAL ENGINEER" around the top and "LICENSEE" on the right side. The name "D. TRUONG" is prominently displayed in the center.

2018/05/30

2018/05/30

LISTE DE MATERIEL			
No	QTE	DIA	DESCRIPTION
1	3651 MM	100	SCH STD. SMLS PIPE
2	1	100X15	CL 3000, THREDDLET
3	2	100	SCH STD. BW LR 90 DEG ELBOW
4	4	100	A 420 Gr. WPL6
5	1	100	A 250 Gr. LF2
6	5	100	CL 150, SINGLE BRAIDED HOSE ASSEMBLY
7	40	16	CL 150, GARLOCK 3500, KING TYPE GASKET 1/8"
8	1	100	CL 150, 8 - 15 Ø75 X 90 STUD BULBS C/W TWO HEAVY HEX NUTS
9	1	100	CL 150, RF, BALL VALVE
10	1	100	CL 150, RF, SWING CHECK VALVE

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE

Signature:  Date: **MAY 30 2018**

PERMIT NUMBER: P 1180
NTNU Association of Professional
Engineers and Geoscientists

1	2018/05/18	DESIGN CHANGED AS SHOWN - IFC	A.H
0	2017/07/07	ISSUED FOR CONSTRUCTION	OWN
No.	DATE	REVISION	APP

CLIENT:


AGNICO EAGLE

CONSULTANT:


NUOSAMA-PROTEC MINING
PROTEC MINING


ultragen
ULTRAGEN LTD.

CONSULTANT PRODUCT NO. **591700**

COMC: A.H. DATE: 2017/05/29 DESIGNED: PARE A.H. DATE: 2017/05/29 VDR: PARE DATE:	PROJECT: AGNICO EAGLE - MELIADINE DIVISION 416 - FUEL TANK FARM TITLE: INDUSTRIAL FABRICATION ISOMETRIC DIESEL FLOW 650CM1601 TO 659DPM1602A
APP: DATE: PROJECT ALIQUOT:	NO. PRODUCT: 6515 NO. DESIGN: 416-100-PDI-CC10-0214 PAGES: 1/4 REV: 1

TO ALL OF US:

2018/05/30

416-MN-01

CDT. DN
TANK #651M41601
416-100-PDI-CC10-0205
N 6989919264
EL +76325

CDT. DN
416-100-PDI-CC10-0205-1
E 539323725
N 6989919264
EL +76325

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE
Signature
Date **MAY 30 2018**
PERMIT NUMBER: P 1180
NTAU Association of Professional Engineers and Geoscientists

AGNICO EAGLE

LISTE DE MATERIEL

NO	QTE	DA	MATERIEL/CATALOGUE	DESCRIPTION
1	926 KM	100	A 333 Gr. 6	SCH STD. SHLS PIPE
2	1	150X100	A 420 Gr. WPL6	SCH STD. BV CONC RED
3	1	100	A 420 Gr. WPL6	SCH STD. BV LR 90 DEG ELBOW
4	1	150	A 350 Gr. LF2	CL 150. SCH STD. RF. W/ FLANGE
5	2	150	ASPE 316 20	CL 150. GARLOCK 5500. RING TYPE GASKET 1/8"
6	16	19	A 193 B7/A 194 2H	HEAVY HEX NUTS
7	1	150	GA-10	CL 150. RF. GATE VALVE
8	1	100		PIPE SUPPORT AS PER DETAIL 3. IMG

LINE NUMBERS & PROJECT TITLE	REVISION	QVN
1 2018/05/18		QVN
0 2017/07/07		QVN

NO	DATE	REVISION	PAR	APP
CLIENT				

AGNICO EAGLE

COMPLAINT PROJECT NO. 591700

PROJETS

AGNICO EAGLE - MELIADINE DIVISION

416 - FUEL TANK FARM

TITRE

INDUSTRIAL FABRICATION ISOMETRIC

DIESEL FROM 651M41601 TO 416-100-PDI-CC10-0203

COMPL. A/H	DATE	DESIGNER	DATE	NO. DESIN	NO. PROJET	NO. DESIN	PAGES	REV.
	2017/05/29		2017/05/29		6515	416-100-PDI-CC10-0205	1/1	1

CDT. DN

416-100-PDI-CC10-0205-1

E 539323725

N 6989919264

EL +76325

CDT. DN

416-100-PDI-CC10-0205-1

E 539323725

N 6989919264

EL +76325



PERMIT TO PRACTICE
 LE GROUPE ALTRAGEN LTÉE
 Signature _____
 Date MAY 30 2018
 PERMIT NUMBER: P 1180
 NTNU Association of Professional
 Engineers and Geoscientists

	AGNICO EAGLE	CLIENT:
	NUOSSANI PROMEC MINING	591700
	Ultragen	CONSULTANT

[illegible]

2018/05/30

NO. DE CONDUITE		SPECIFICATION		PRODUIT	SYSTEME REVETEMENT	CODE DE COULEUR	ESOUVENIR ET MARQUE	EPASS. D'ISOLATION	PIPE SUPPORT DETAILS	
PRECISION D'OPERATION	TEMPERATURE D'OPERATION	PRECISION DE CONCEPTION	TEMPERATURE DE CONCEPTION	TEMPERATURE DE CONCEPTION	PRESSON D'ESCA	CLASSE D'INSPECTION	CODE DE SERVICE	TRAITEMENT THERMIQUE	65-416-270-200	65-416-205-201
PSG	Y	PSG	Y	Y	PSG				No. DESSIN	DESSIN DE REFERENCE
416-100-PDI-CC10-0204		CC10		PDI						

CONT. IN
416-100-PDI-CC10-0203-6
SPINDLE NORTH 24.036 WEST
N 6989902167
EL. +73395

281 182 80mm NS 130 1254 300 118 80mm NS 895

CONNECT TO 65PDD416018 SUNCTION
80mm NS

LISTE DE MATERIEL				
No	QTE	DIAM	MATERIEL/QUALITE	DESCRIPTION
1	163 MM	80	A 333 Gr. 6	SCH STD. SMLS PIPE
2	50 MM	80	A 333 Gr. 6	SCH STD. SMLS PIPE PIECE
3	1	80	A 420 Gr. WPL6	SCH STD. 90 DEG ELBOW
4	5	80	A 350 Gr. WPL6	CL 150. SCH STD. 90° W/ FLANGE
5	1	80	ASME B16.20	CL 150. BASKET STRAINER
6	1	80	ASME B16.20	CL 150. SINGLE BRAIDED HOSE ASSEMBLY
7	4	80	ASME B16.20	CL 150. GASKET 5500. KING TYPE GASKET 1/8"
8	16	16	A 193 B7/A 194 2H	CL 150. 4 - 15.875 X 90 STUD BOLTS C/W TWO HEAVY HEX NUTS
9	1	80		PIPE SUPPORT AS PER DETAIL 4, ING 65-416-270-200

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTEE

Signature:

Date: **MAY 30 2018**

PERMIT NUMBER: P 1180
NT/NU Association of Professional Engineers and Geoscientists

LINE NUMBERS & PROJECT TITLE REVISED		QVN
1	2018/05/18	QVN
0	2017/07/07	QVN

ISSUED FOR CONSTRUCTION		QVN
0	2017/07/07	QVN

No.	DATE	REVISION	APP
CLIENT:			

AGNICO EAGLE

CONC: A-11

DATE: 2017/06/29

DESIGN: P-11

DATE: 2017/06/29

WEL: P-11

DATE: 2017/06/29

APP: 2

DATE: 2018/05/18

PROJECT: AGNICO EAGLE - MELIADINE DIVISION
416 - FUEL TANK FARM

TITLE: INDUSTRIAL FABRICATION ISOMETRIC
DIESEL FROM 65TN41601 TO 65PDD41601B

No. PROJECT: 6515

No. DESIGN: 416-100-PDI-CC10-0203

ESCALE: 1/2" = 1'-0"

CONC: A-11

DATE: 2017/06/29

DESIGN: P-11

DATE: 2017/06/29

WEL: P-11

DATE: 2017/06/29

APP: 2

DATE: 2018/05/18

PROJECT: AGNICO EAGLE - MELIADINE DIVISION
416 - FUEL TANK FARM

TITLE: INDUSTRIAL FABRICATION ISOMETRIC
DIESEL FROM 65TN41601 TO 65PDD41601B

No. PROJECT: 6515

No. DESIGN: 416-100-PDI-CC10-0203

ESCALE: 1/2" = 1'-0"


FABRICATION DRAWINGS BASED ON
WSP CERTIFIED ENGINEERING

NO. DE CONDUITE		SPECIFICATION	PRODUIT	SYSTEME REVETEMENT	CODE DE COULEUR	ESOUISON ET TRUCAGE	EPASS. D'ISOLATION	TRAITEMENT THERMIQUE	CODE DE SERVICE	CAUSE D'INSPECTION	PRESSION D'ESSAI	PRESSION DE CONCEPTION	PRESSION D'OPERATION	PRESSION D'OPERATION	PRESSION D'OPERATION
416-100-PDI-CC10-0203	CC10	PDI													

DESIGNS DE REFERENCE		No. DESIGN
65-416-270-200	PIPE SUPPORT DETAILS	
65-416-205-201	P&ID	

416-100-PDI-CC10-0203-6
SPINDLE NORTH 24.036 WEST
N 6989902167
EL. +73395

2018/05/30

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE

Signature: 
Date: **MAY 30 2018**

PERMIT NUMBER: P 1180
NTNU Association of Professional
Engineers and Geoscientists

AGNICO EAGLE

PROJECT NO. 591700

LISTE DE MATERIEL

No	QTE	DIA	MATERIEL/SPÉCIFICATION	DESCRIPTION
1	1310	80	A 333 Gr. 6	SCH STD. SMLS PIPE
2	1	10080	A 400 Gr. WPL6	SCH STD. 3M CONC RED
3	1	80X80	A 400 Gr. WPL6	SCH STD. 3M STRAIGHT TEE
4	1	80X15	A 350 Gr. LF2	CL 3000, SOCKLE
5	1	80X15	A 350 Gr. WPL6	CL 3000, THREDLET
6	1	80	A 400 Gr. WPL6	SCH STD. 3M LR 90 DEG ELBOW
7	1	15X15	A 350 Gr. LF2	CL 3000, 3M STRAIGHT TEE
8	1	15X15	A 350 Gr. WPL6	CL 3000, 3M STRAIGHT TEE
9	1	15	A 333 Gr. 6	SCH STD. NIPPLE X 75mm LG PRE-DRILL
10	1	100	A 350 Gr. LF2	CL 150, SCH STD, RF, WN FLANGE
11	1	80	A 350 Gr. LF2	CL 150, SCH STD, RF, WN FLANGE
12	1	15	BA-P9	CL 600, 3M, BALL VALVE
13	1	15	ASME B16.20	CL 150, GARDLOCK 5500, RING TYPE GASKET 1/8"
14	2	80	A 333 Gr. 6	CL 150, 4 - 15 875 X 90 STUD BOLTS C/W TWO
15	8	16	A 193 B7/A 194 2H	CL 150, 4 - 15 875 X 90 STUD BOLTS C/W TWO
16	1	80	BA-31	CL 150, RF, BALL VALVE

LINE NUMBERS & PROJECT TITLE REVISED	Q/N
0 2017/07/07/ ISSUED FOR CONSTRUCTION	Q/N
1 2018/05/18	Q/N

REVISION	DATE	BY	APP




AGNICO EAGLE - MELIADINE DIVISION
416 - FUEL TANK FARM

INDUSTRIAL FABRICATION ISOMETRIC
DIESEL FROM 65M41601 TO 65P041601B

PROJECT NO. 591700

CONC. A-4
DATE: 2017/05/29

DESIGNER: P.M. A.A.
DATE: 2017/05/29

VER. P.M.
DATE: 2017/05/29

APP: P.M.
DATE: 2017/05/29

ESCHELLE: AUCUNE

SEAL PROFESSIONNEL
REGISTERED PROFESSIONAL ENGINEER
D. THUONG
LICENSEE
NTNU

2018/05/30

FABRICATION DRAWINGS BASED ON WSP CERTIFIED ENGINEERING

NO. DE CONDUITE
416-100-PDI-CC10-0203

PRESSION D'OPERATION
PSG

TEMPERATURE D'OPERATION
Y

PRODUIT
PDI

PRESSION D'ESSAI
PSG

PRESSION D'OPERATION
Y

CODE DE COULEUR
416-100-PDI-CC10-0203-5


CODE D'UNIFICATION
416-100-PDI-CC10-0203-7

EPASS. D'ISOLATION
65-416-270-200

Traitement thermique
65-416-205-201

DESIGN DE REFERENCE
DESIGN DE REFERENCE

DESIGN DE REFERENCE
DESIGN DE REFERENCE



FABRICATION DRAWINGS BASED ON
WSP CERTIFIED ENGINEERING

LISTE DE MATERIEL					
No.	QTE	DA	MATERIEL/CATALOGUE	DESCRIPTION	
1	3003 MM		A 333 Gr. 6	SCH STD, SMLS PIPE	
2			100X15	CL 3000, THREDDLET	
3	3		A 350 Gr. LF2	SCH STD, BW LR 90 DEG ELEM	
4	3		A 420 Gr. WPL6	SCH STD, SCH STD, R7, WN FLANGE	
5	1		A 350 Gr. LF2	CL 150, FLEXIBLE	
6	4		100	CL 150, GARDLOCK 3500, RING TYPE GASKET 1/8"	
7	32		ASME B16.20	CL 150, B - 15.875 X 90 STUB BOLTS C/M TWO	
8	1		A 193 B7/A 194 2H	HEAVY HEX NUTS	
9	1		GA-10	CL 150, R7, GATE VALVE	
				PIPE SUPPORT BY CONTRACTOR	

**PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE**

Signature _____ Date **MAY 30 2018**

PERMIT NUMBER: P 1180
NTNU Association of Professional Engineers and Geoscientists

CLIENT:		PROJECT TITLE		REVISION	
Nr.	DATE	LINE NUMBERS &	PROJECT TITLE REVISED	PAP	APP
1	2018/05/18			OWN	
0	2017/07/07	ISSUED FOR CONSTRUCTION		OWN	

AGNICO EAGLE

CONSULTANT PROJECT NO.		ULTRAGEN PROJECT NO.	
		591700	

PROJECT:		TITLE:	
AGNICO EAGLE – MELLIADINE DIVISION		INDUSTRIAL FABRICATION ISOMETRIC	
416 – FUEL TANK FARM		DIESEL FROM 65TKK11601 TO 65PDM11601B	


CONC. A/L		DESIGNE PAR A/L		VÉR. PAR		DATE	
DATE: 2017/05/29		DATE: 2017/05/29		DATE: 2017/05/29		DATE: 2017/05/29	

No. PROJET		No. DESIGN		PAGES	
6515		416-100-PJ1-CC10-0203		5/7	

COPIES: 4
DATE: 2017/05/29
VÉR. PAR: A/L
DATE: 2017/05/29

COPIES: 4
DATE: 2017/05/29
VÉR. PAR: A/L
DATE: 2017/05/29

NO. DE CONDUITE		SPECIFICATION	PRODUIT	SYSTEME REVETEMENT	CODE DE COULEUR	ISOLATION ET TRAQUE	EMISS. D'ISOLATION	PIPE SUPPORT DETAILS
416-100-PDI-CC10-0203	TEMPERATURE D'OPERATION	CC10	PDI					65-416-270-200
PS6G	TEMPERATURE DE CONCEPTION	PS6G	TEMPERATURE DE CONCEPTION	PRESSION D'ESSAI	CLASSE D'INSPECTION	CODE DE SERVICE	TRAITEMENT THERMIQUE	65-416-205-201 P&ID
	PS6G	T	F	PS6G			No. ESSAI	DESSINS DE REFERENCE



NUOSANA PROMEC MINING



ultragen
für mehr... High Success

CONSULTANT PROJECT NO.	591700
---------------------------	--------

2018/05/30

INPRIME! LE: May 14, 2018, 11:00am

416-MN-01

FILED: W:\Agencia Loge\Medios\591750 (Fut. Distribucion)\03. Datos\02. Figuras\02. Instalacion Sys\603-100-FR-CT-10-100-2DWG



416-MN-01



2018/05/30

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE

Signature:
Date: **MAY 30 2018**

PERMIT NUMBER: P 1180
NT/NU Association of Professional Engineers and Geoscientists

AGNICO EAGLE

INDUSTRIAL
FABRICATION TSDMETRIC
DIESEL FROM 416-100-PDI-CC10-0201 TO 65TNK41602

No PROJECT: 6515
No DESIGN: 416-100-PDI-CC10-0202

LISTE DE MATERIEL

No	QTE	DIA	MATERIEL/CATALOGUE	DESCRIPTION
1	11287 MM	100	A 233 Gr. 6	SCH STD. SMLS PIPE
2	1	100	A 420 Gr. VPL6	SCH STD. 3M LR 45 DEG ELBOW
3	4	100	A 350 Gr. LF2	CL 150. SCH STD. RF. AN FLANGE
4	1	100	ASME B16.20	CL 150. FLEXIBLE
5	4	100	ASME B16.20	CL 150. GARLOCK 5500. RING TYPE GASKET 1/8"
6	32	16	A 193 B7/A 194 2H	THK CL 150. 8 - 15 875 X 90 STUD BOLTS C/W TWO
7	1	100	GA-10	CL 150. RF. GATE VALVE
8	4	100	GA-10	PIPE SUPPORT AS PER DETAIL 3. DWG 65-416-270-200

LINE NUMBERS & PROJECT TITLE	REVISION	OWN
1 2018/05/18		OWN
0 2017/07/07		OWN
		FAR
		APP

AGNICO EAGLE

INDUSTRIAL
FABRICATION TSDMETRIC
DIESEL FROM 416-100-PDI-CC10-0201 TO 65TNK41602

No PROJECT: 6515
No DESIGN: 416-100-PDI-CC10-0202

PROJET: AGNICO EAGLE - MELIADINE DIVISION
416 - FUEL TANK FARM

TITRE: INDUSTRIAL
FABRICATION TSDMETRIC
DIESEL FROM 416-100-PDI-CC10-0201 TO 65TNK41602

APP: 6515
6515

ESCALE: AUCUNE

CONC: A-1
DATE: 2017/05/18
DESIGNER: P. 1180
DATE: 2017/05/18
VER.: P. 1180
DATE: 2017/05/18
APP: 6515
DATE: 2017/05/18


PROJET: AGNICO EAGLE - MELIADINE DIVISION
416 - FUEL TANK FARM

TITRE: INDUSTRIAL
FABRICATION TSDMETRIC
DIESEL FROM 416-100-PDI-CC10-0201 TO 65TNK41602

APP: 6515
6515

ESCALE: AUCUNE

CONC: A-1
DATE: 2017/05/18
DESIGNER: P. 1180
DATE: 2017/05/18
VER.: P. 1180
DATE: 2017/05/18
APP: 6515
DATE: 2017/05/18

FABRICATION DRAWINGS BASED ON
WSP CERTIFIED ENGINEERING

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE
Signature: 
Date: **MAY 30 2018**
PERMIT NUMBER: P 1180
NTNU Association of Professional Engineers and Geoscientists

LISTE DE MATERIEL

No	QTE	DIA	MATERIEL/CATALOGUE	DESCRIPTION
1	1	150X100	A 420 Gr. WPL6	SCH STD. BW CONC RED
2	1	100X100	A 420 Gr. WPL6	SCH STD. BW STRAIGHT TEE
3	1	100X15	A 350 Gr. LF2	CL 3000, THREDOLET
4	1	150	A 350 Gr. LF2	CL 150, SCH STD. WF, WN FLANGE
5	3	100	A 350 Gr. LF2	CL 150, SCH STD. WF, WN FLANGE
6	1	100	ASME B16.20	CL 150, FLEXIBLE
7	2	150	ASME B16.20	CL 150, GARLOCK 5500, RING TYPE GASKET 1/8"
8	4	100	ASME B16.20	CL 150, GARLOCK 5500, RING TYPE GASKET 1/8"
9	16	19	A 193 B7/A 194 2H	CL 150, 8 - 19.05 X 100 STUD BOLTS c/w TWO
10	24	16	A 193 B7/A 194 2H	HEAVY HEX NUTS
11	1	150	GA-10	CL 150, 8" GATE VALVE
12	1	100	GA-10	CL 150, 8" GATE VALVE
13	1	100	GA-10	CL 150, 8" GATE VALVE

LINE NUMBERS & PROJECT TITLE REVISED		QVN
1	2018/05/18	QVN
0	2017/07/07	QVN
ISSUED FOR CONSTRUCTION		QVN

No	DATE	REVISION	PAR	APP
CLIENT:				



AGNICO EAGLE



CONC:	DATE:	PROJET:
A-11	2017/06/29	AGNICO EAGLE - MELIADINE DIVISION
DESIGN PAR: A-11	2017/06/29	416 - FUEL TANK FARM
WSP PAR:	2017/06/29	
DATE:		
APP-1:		
DATE:		
ESCHELLE: AUCUNE		

INDUSTRIAL FABRICATION ISOMETRIC		DIESEL FROM 6SPD41602A TO 65TNK41601	
No PROJET	6515	No DESSIN	107/10
416-100-PDI-CC10-0201		1	

SEAU PROFESSIONNEL

REGISTERED PROFESSIONAL ENGINEER

D. TRUONG


LICENCEE

RTNU

2019/05/18

NO. DE CONDUITE	SPECIFICATION	PRODUIT	SYSTEME INVENTENT	CODE DE COULEUR	ISOLATION ET TRACAGE	EPASS. D'ISOLATION	PIPE SUPPORT DETAILS
416-100-PDI-CC10-0201	CC10	PDI					
PRESSION D'OPERATION	PRESSION DE CONCEPTION	TEMPERATURE D'OPERATION	PRESSION D'ESSAI	CLASSE D'INSPECTION	CODE DE SERVICE	Traitement thermique	
PPSC	PPSC	Y	PPSC				

DESSINS DE REFERENCE	
No. DESSIN	65-416-270-200
	65-416-205-201



CONT. DN
 416-100-PDI-CC10-0201-10
 E 539354119
 N 6989915784
 EL +76325

CONT. DN
 416-100-PDI-CC10-0201-8
 E 539351255
 N 6989915479
 EL +76325

CONT. DN
 416-100-PDI-CC10-0202-1
 E 539352383
 N 6989915784
 EL +76325

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE
 Signature _____
 Date **MAY 30 2018**
PERMIT NUMBER: P 1180
 NT/NU Association of Professional
 Engineers and Geoscientists

AGNICO EAGLE

LISTE DE MATERIEL

No	QTE	DIA	MATERIEL/CATALOGUE	DESCRIPTION
1	3924 MM	100	A 333 Gr. 6	SCH STD. SMLS PIPE
2	1	100X100	A 420 Gr. WPL6	SCH STD. 3M STRAIGHT TEE
3	1	100	A 420 Gr. WPL6	SCH STD. 3M LR 45 DEG ELBOW
4	3	100	A 380 Gr. LFL2	CL 150. SCH STD. RF. WN FLANGE
5	1	100	ASME 316.20	CL 150. GARLOCK 5500. RING TYPE GASKET 1/8"
6	8	16	A 193 B7/A 194 2H	THK. CL 150. B - 15.875 X 90 STUD BOLTS c/w TWO
7	3	100		PIPE SUPPORT AS PER DETAIL 3. DWG

LINE NUMBERS & PROJECT TITLE	REVISION	QVN
1 2018/05/18		QVN
0 2017/07/07	ISSUED FOR CONSTRUCTION	QVN
		PAR
		APP

CLIENT:

AGNICO EAGLE

CONC: A-41
DATE: 2017/06/29
ISSUED PAR: A-41
DATE: 2017/06/29
VEL PAR:
DATE:
APP:
DATE:
ESCHELLE: AUCUNE


PROJET: AGNICO EAGLE - MELIADINE DIVISION
 416 - FUEL TANK FARM

TITRE: INDUSTRIAL
 FABRICATION ISOMETRIC
 DIESEL FROM 65PDI1602A TO 65TNK41601

No PROJET: 6515
No DESIGN: 416-100-PDI-CC10-0201


PAGES: 9/10
REV: 1

CONSULTANT: 591700
PROJECT NO.:



WORKED LE: May 14, 2018, 10:54am

[illegible]



2018/05/30

NO. DE COMQUTE		SPECIFICATION	PRODUIT	SISTEME RECVTEMENT	CODE DE COULEUR	ISOLATION ET TROQUE	EPKMS. D'ISOLATION	PIPE SUPPORT DETAILS
416-100-PD1-CC10-0201		CC10	PD1				65-416-270-200	
PRESSION TEMPERATURE D'OPERATION	PRESSION TEMPERATURE DE CONCEPTION			PRESSION D'ESSAI	CLASSE D'INSPECTION	CODE DE SERVICE	TRAITEMENT THERMIQUE	P&ID
PSIG	°F	PSIG	°F	PSIG			No. DESSIN	DESSIN DE REFERENCE

LISTE DE MATERIEL			MATERIEL/CATALOGUE		DESCRIPTION
No	QTE	DA			
1	659 MM	100	A 333 G- 6	SCM STD. S&S PIPE	
2	1	100X25	A 350 G- LF2	CL 3000, SOCKET	
3	1	100X15	A 350 G- WP6	CL 3000, WROUGHT	
4	1	100	A 420 G- WP6	SCM STD. 3M LG 90 DEG ELBOW	TRM TO 33.07
5	1	100	A 420 G- WP6.6	SCM STD. 3M LG 90 DEG ELBOW	
6	2	25	A 333 G- 6	SCM 80, NIPPLE x 75mm LG PHE	
7	1	25	A 350 G- LF2	CL 3000, S4 90 DEG ELBOW	
8	1	25	A 333 G- 6	CL 3000, THIRD CAP	
9	1	25	A 350 G- LF2	CL 1500, SCM STD. 90°, WN FLANGE	
10	3	100	A 350 G- LF2	CL 1500, SCM STD. 90°	
11	1	100	SA-25	CL 150, FLEXIBLE	
12	1	100	ASME B16.20	CL 150, GASKET 5500, RING TYPE GASKET 1/8"	
13	1	100	A 193 87/A 194 2H	CL 150, 8 - 15 875 X 90 STD BELTS c/w TWO	
14	16	16		HEAVY HEX NUTS	
15	1	100		PIPE SUPPORT AS PER DETAIL 3, DWG 65-416-270-200	

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE

Signature _____

Date **MAY 30 2018**

PERMIT NUMBER: P 1180

NTNU Association of Professional Engineers and Geoscientists

LINE NUMBERS & PROJECT TITLE REVISED		OWN
ISSUED FOR CONSTRUCTION		OWN
NO.	DATE	REV. APP
1	2018/05/18	
0	2017/07/07	

AGNICO EAGLE

NIUOSANA-PROMEC MINING

Ultragen

CONSULTANT PROJECT NO.		591700
PROJECT: AGNICO EAGLE - MELIADINE DIVISION		
416 - FUEL TANK FARM		
TITLE: INDUSTRIAL FABRICATION 150MMETRIC DIESEL FROM 65PDD41602A TO 65TNK41601		
CONC. A/H DATE: 2017/05/29	DESIGN P/H A/H DATE: 2017/05/29	
VID. P/H DATE: 2017/05/29	APP. DATE: 2017/05/29	
DATE: 2017/05/29	REV. 1	


416-MN-01

FCHEB: W:\Agencia Egea\Mezclero\5917300 (Fuel Distribution)\03. Deseño\02. Topografía\02. Bombreros\03. Industria S&B\403-100-PB-CC10-102-6.DWG



NO. DE CONDUITE		SPECIFICATION	PRODUIT	SYSTEME REVETEMENT	CODE DE COULEUR	COUVERTURE ET TROUS	EPAISS. ISOLATION	65-416-270-200	PIPE SUPPORT DETAILS
PRESSION D'OPERATION	TEMPERATURE D'OPERATION	PRESSION DE CONCEPTION	TEMPERATURE DE CONCEPTION	PRESSION D'ESSAI	CLASSE D'INSPECTION	CODE DE SERVICE	Traitement thermique	65-416-205-201	P&ID
PSIG	°F	PSIG	°F	PSIG				No. Dessin	Dessins de Référence

2018/05/30

FABRICATION DRAWINGS BASED ON
WSP CERTIFIED ENGINEERING

AGNICO EAGLE

CONC: A-1
DATE: 2017/05/28
DESIGNER: A-1
DATE: 2017/05/28
VDR: P-1
DATE: 2017/05/28
APP: 1
DATE: 2017/05/28

CLIENT: **AGNICO EAGLE**

PROJECT: **AGNICO EAGLE - MELIADINE DIVISION**
416 - FUEL TANK FARM

TITLE: **INDUSTRIAL**
FABRICATION ISOMETRIC
DIESEL FROM 65PDI41602A TO 65TINK41601

NO. PROJECT: **6515** NO. DESIGN: **416-100-PDI-CC10-0201**

DATE: 2017/05/28

SCALE: 1/100

LISTE DE MATERIEL

No	QTE	DA	MATERIEL/ÉQUIPEMENT	DESCRIPTION
1	861 MW	100	A 333 Gr. 6	SCH STD. SMLS PIPE
2	1	100X100	A 420 Gr. WFL6	SCH STD. BM STRAIGHT TEE
3	3	100	A 420 Gr. WFL6	SCH STD. BM LR 90 DEG ELBOW
4	5	100	A 350 Gr. LFL2	CL 150. SCH STD. RF. WN FLANGE
5	1	100	A 350 Gr. LFL2	TCS METER UNIT (700-40)
6	5	100	ASME 316.20	CL 150. GARLOCK SSOL. RING TYPE GASKET 1/8"
7	40	16	A 193 B7/A 194 2H	CL 150. 8 - 15 875 X 90 STUD BOLTS C/W TWO
8	2	100	BA-31	HEAVY HEX NUTS
9	1	100		CL 150. RF. BALL VALVE
				PIPE SUPPORT BY CONTRACTOR

PERMIT TO PRACTICE
LE GROUPE ULTRAGEN LTÉE

Signature: 

Date: **2018-05-30**

PERMIT NUMBER: P 1180
NTNU Association of Professional
Engineers and Geoscientists

No	DATE	REVISION	APP.
1	2018/05/18	LINE NUMBERS & PROJECT TITLE REVISED	QVN
0	2017/07/07	ISSUED FOR CONSTRUCTION	QVN
			PAR
			APP.




SEAU PROFESSIONNEL

REGISTERED PROFESSIONAL ENGINEER

D. TRUONG

LICENSEE

NTNU

2018/05/30

NO. DE CONDUITE	SPECIFICATION	PRODUIT	SYSTEME REVETEMENT	CODE DE COULEUR	ISO/UNI ET TRACÉ	ÉPAISS. D'ISOLATION	65-416-270-200	PIPE SUPPORT DETAILS
416-100-PDI-CC10-0201	CC10	PDI						
PRESSION D'OPERATION	PRESSION DE CONCEPTION	TEMPERATURE D'OPERATION	PRESSION D'ESSAI	CLASSE D'INSPECTION	CODE DE SERVICE	Traitement thermique	65-416-205-201	P&ID
PPSC	PPSC	Y	PPSC					DESSIN DE REFERENCE

DATE: 2018, 14:25:00

2018/05/30