


a.) TRACK SETTLEMENT FOR EMBANKMENTS WITH NO BERM – VARIOUS ICE THICKNESSES




b.) TRACK SETTLEMENT FOR EMBANKMENTS ON 20m THICK ICE – VARIOUS BERM THICKNESSES

DRAWN BY	ICB	DESIGNED BY	LBS	APPROVED BY	LBS	SCALE	AS SHOWN	DATE	NOVEMBER 9, 2011	FILE No.	19-1605-126-D1N
----------	-----	-------------	-----	-------------	-----	-------	----------	------	------------------	----------	-----------------

MARY RIVER PROJECT

TRACK SETTLEMENT AFTER 25 YEARS VS EMBANKMENT HEIGHT

FIGURE B.4




DRAWN BY	ICB	DESIGNED BY	LBS	APPROVED BY	LBS	SCALE	AS SHOWN	DATE	NOVEMBER 9, 2011	FILE No.	19-1605-126-D1N
----------	-----	-------------	-----	-------------	-----	-------	----------	------	------------------	----------	-----------------

**MARY RIVER PROJECT**  
**TRACK SETTLEMENT WITH TIME**  
**10 m AND 25 m HIGH EMBANKMENTS - NO BERMS**

**FIGURE B.5**





DRAWN BY	ICB	DESIGNED BY	LBS	APPROVED BY	LBS	SCALE	AS SHOWN	DATE	NOVEMBER 9, 2011	FILE No.	19-1605-126-D1N
----------	-----	-------------	-----	-------------	-----	-------	----------	------	------------------	----------	-----------------

**MARY RIVER PROJECT**  
**TRACK SETTLEMENT AFTER 25 YEARS VS EMBANKMENT HEIGHT**  
**NO BERMS**

**FIGURE B.6**

