Google Groups

141119 2AM-MRY1325 Technical Review comments received for the Mary River Project <u>amendment</u>

me <megan.porter@nwb-oen.ca>

Nov 19, 2014 10:21 AM

Posted in group: Licensing Department

Hello,

The Nunavut Water Board acknowledges receipt on November 14, 2014 of Technical Review comments submitted by AANDC, Environment Canada and Qiqiktani Inuit Association

The submissions can be viewed on our ftp site at the following link;

Please note that follow-up correspondence on the subject will be issued subsequently.

Regards,



Megan Porter- $L\Delta L^{\circ} > 4C$

Licence Administrator Assistant- Administratrice des Permis

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ው**ል** እር ፈር ፈር የህር የመደር የተመሰው የሚያለው የሚያለው

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0

C.P. 119 Gjoa Haven (Nunavut), X0B 1J0 በበናዔዔልዒ 119 كرماغ XOB 1J0 كرماغ XOB 1J0

Titigaqaqvia 119 Ughiqting, NU, X0B 1J0

Tel / Téléphone / イペナンC / Hivayauta: (867) 360-6338 | Fax / Télécopieur / パレストレイト Fax-kut: (867) 360-6369 Toll Free / Sans Free /

¬PSb¬COSb / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Amerci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email