



Description	
Adjustable telescoping tilt steering column	
Ignition/doors keyed alike	
Off-highway dash switch for ABS system Includes indicator light	
Flip valve on dash with piping for pintle hook	
Flip valve on dash for customer-installed single-speed PTO. Includes indicator light & piping	
Auto suspension dump with PTO engagement	
Information for customer-installed Chelsea 340/351 6-bolt	
Two spare switches wired to power	
Seven-way plug wired to dash switch for trailer hotline. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit and has an integral indicator lamp. Requires using a second ISO 3731 connector code to su	
Air supply pressure gauge with integral warning light. Two gauges; primary & secondary	
Air application pressure gauge	
Air suspension pressure gauge. For dual leveling values, not dual read	
Engine coolant temperature gauge with integral warning light.	
Engine oil pressure gauge with integral warning light.	
Oil temperature gauge: engine with integral warning light	
Fuel gauge	
Fuel filter restriction gauge	
Manifold pressure gauge	
Voltmeter gauge with integral warning light.	
Canadian Instrument Package KPH speedometer replaces MPH	
Primary instrument panel includes 5 inch Speedo with trip meter, 5 inch Tach with engine hour meter, Turn Signal and High Beam indicators and Warn Lights, Outside Air Temp. LH panel includes std: Voltmeter, Engine Water Temp, and Engine Oil Pressure. RH panel includes std: Air Application, Fuel level, P	
Warning light in dash to indicate parking brake is applied	

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

ited:	7/21/2006 2:25:51 PM	Complete	Model Number:	T800B	CONVENTIONAL
ective Date:	Jan 1, 2006		Quote/DTPO/CO:		Q51600420
pared by:	Ken Jodoin		Version Number:		16.13



Description

Splendor cab interior

Black dash panels: Full vinyl headliner; Smooth upholstered side and back panels w/stitched accent lines; Upholstered door pads w/carpeted kick panels and padded armrests; Black rubber floor mats. Vinyl inside sunvisors; driver side includes strap & mirror

Multi-Tone Interior

Interior color Slate Gray with trim Dark Slate Gray

Floormat in cab

DR seat KW Air Cushion Plus HB Cloth with dual armrests

RD seat KW Toolbox Plus HB Cloth with dual armrests

Seat color Dark Slate Gray

Driver two-tone seats

Rider two-tone seats

Delete dual rider armrests

KW radio AM/FM/CD/weather band with L.E.D. lighting

Separate CB speaker with grill

Four 4in x 6in high performance speakers adds 2 speakers to the Panasonic standard 2. Located in cab header & rear cab corners

Glove box door with locking latch

Black dash replacing trim color dash

Under-dash center console with 1 cup holder & 2 12V outlets for use with Autoshift & Ultrashift transmission

LH/RH dome lamp mounted over doors and rear headliner dome lamp. LH/RH task lights mounted over doors.

Under-dash floor lighting with red lens

Non-self cancelling turn signal with column-mounted headlight dimmer switch & intermittent wiper control

Electric LH & RH door locks

Door courtesy lights

Long grabhandle RH side of cab

Long grabhandle LH side of cab

Grabhandle LH inside door frame above dash

Grabhandle RH inside door frame above dash


Daylite doors Includes RH peeper window
Door windows have tinted, heat absorbing, tempered safety glass

Dual round air horn 13-1/4in & 15-1/4in with single pedestal RH under cab

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	7/21/2006 2:25:51 PM	Complete	Model Number:	T800B	CONVENTIONAL
Effective Date:	Jan 1, 2006		Quote/DTPO/CO:		Q51600420
Prepared by:	Ken Jodoin		Version Number:		16.13



Description

Single electric horn

Dual convex mirror 9in with offset mounting
below regular mirrorSingle convex mirror 8-1/2in x 4-7/16in located
on rider sideDual Prutsmann mirror 7in x 16in polished
stainless steel, thermostatically controlled. Switch located on door pad

Mirror brackets; 8-1/2ft load width

Rear cab stationary window 17in x 36in

Manual LH & Electric-powered RH door window lifts
Switch located on doorTwo-piece roped-in windshield, with flat glass
Tinted, heat absorbing laminated safety glassExterior aerodynamic sunvisor with integral
marker lights

Electric Wipers/washer two-speed plus intermitten

4 1/2in rubber wheelwell fender extension

Severe Service reinforcements for aluminum cab
sill

Lights & Instruments

Single rectangular halogen headlight

Five marker lights aerodynamic, L.E.D.
mounted in sunvisor

Fender-mounted turn signal lights

Rectangular foglight white lens Model 700R

Rock screens on recessed roadlights

Trucklite, stop, tail & turn 44 L.E.D.
sealed (red) with two backup lights. Flange mounted. Taillights come on
when foglights are onDual Targettech 851, 12V amber strobe roof
lights with stainless steel bracketsBeacon light located rear corner of cab
LH if single

Daytime running lamps

Separate switch for trailer marker lights

Interrupter switch for marker lights

Two midframe reflectors

Electric backup alarm Meets SAE J994 and OSHA
requirements

Junction box back of cab

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	7/21/2006 2:25:51 PM	Complete	Model Number:	T800B	CONVENTIONAL
Effective Date:	Jan 1, 2006		Quote/DTPO/CO:		Q51600420
Prepared by:	Ken Jodoin		Version Number:		16.13