

Amendment Application for Baffinland Iron Mine Corporation, Mary River Phase 2, Water Licence 2AM-MRY1325

Nunavut Water Board Technical Meeting
November 12 – 13, 2019

[illegible]

3

4

Technical Review Comments

I. $\Delta \nabla^{\text{FC}} \triangleleft \nabla^{\text{FC}} \triangleright \dot{\nabla}^{\text{FC}} \circ \Gamma^{\text{C}} \triangleright^{\text{C}}$
 $\triangleleft \triangleright \subset \triangleright \subset \sigma^{\text{FC}} \circ \triangleleft \mathbb{L} \supset \text{ARD/ML}$

▷⁹▷▷▷⁹▷

- [illegible]



Technical Review Comments

I. $\Delta^{\text{fbc}} \triangleleft \Delta^{\text{fbc}} \triangleright \dot{\Delta}^{\text{fbc}} \triangleright$
 $\triangleleft \triangleright \triangleleft \triangleright \sigma^{\text{fbc}} \triangleleft \text{LL} \triangleright \text{ARD/ML}$

[illegible]

- [illegible]



Technical Review Comments

[illegible]

Context

- CIRNAC recommended that Baffinland demonstrate a thorough understanding of the future pit conditions prior to commencing work on the open pit.
 - Baffinland assured that development of the pit was planned to occur 10 years after full scale production for the approved project.



[illegible]

▷⁹▷▷▷▷⁹▷:

- [illegible]



ፍፁም ልማት ለሚፈጸም ስራ ምክር ቤቱ ምክሮች ምክር ቤቱ ምክሮች ምክር ቤቱ ምክሮች

III. ንጹሕ ልብ ወለድ ምስ ልብ ወለድ
 ልብ ወለድ ልብ ወለድ ልብ ወለድ
 ልብ ወለድ ልብ ወለድ ልብ ወለድ
 ልብ ወለድ ልብ ወለድ ልብ ወለድ

[illegible]

- Δ ወርሲ ጋኖኔ ምዕረግ
 ናዋጥ ጋኖኔ ምዕረግ ምዕረግ ምዕረግ ምዕረግ
 ለጥራት ምዕረግ ምዕረግ ምዕረግ ምዕረግ ምዕረግ
 ምዕረግ ምዕረግ ምዕረግ ምዕረግ ምዕረግ
 ምዕረግ ምዕረግ ምዕረግ ምዕረግ ምዕረግ
 ምዕረግ ምዕረግ ምዕረግ ምዕረግ ምዕረግ



የቴክኒካል ሪቪው ዕውነተኛ አስተሳሰብ

ፍፁም ልማት ለሚፈጸም ስራ ምርጫ ማድረግ ለሚገባበት ሁኔታ ማፍጠር

- CIRNAC is satisfied with this response and will review the plans if and when they are submitted.

IV. ንጹሕ ልብ ወለድ ምስ ልብ ወለድ
 ልብ ወለድ ምስ ልብ ወለድ ልብ ወለድ
 ልብ ወለድ ምስ ልብ ወለድ ልብ ወለድ

ፋይናንስ ሚኒስትር: ለፋይናንስ

- [illegible]

V. L^a qⁱ l^e n^c j^c

መሥሪታችሁ
ጋራዎቻችሁን ጋር ሲገናኙ
ከጋራዎቻችሁ

▷⁹▷▷▷⁹▷▷▷:

- Δ መርሲያጋጥሞ ህደር
 Δ ጋርጥሮጋጥሞ ህደር ህደር ህደር
 Δ ጋርጥሞ ህደር ህደር ህደር
 Δ ጋርጥሞ ህደር ህደር ህደር
 Δ ጋርጥሞ ህደር ህደር ህደር
- Δ ጋርጥሞ ህደር ህደር ህደር
 Δ ጋርጥሞ ህደር ህደር ህደር
 Δ ጋርጥሞ ህደር ህደር ህደር
 Δ ጋርጥሞ ህደር ህደር ህደር
 Δ ጋርጥሞ ህደር ህደር ህደር



Technical Review Comments

[illegible][illegible]

- ⁂_ᄇΔC^aLσ^aL: ᄐ⁆ρᅃJ⁆ᅃ

- Δ ወርሲ ጋኃኔ ምዕረ ልዩ ስራ
 ሲሆን ስራውም በጥሩ ሁኔታ
 ይሰራል፡፡
 ጋራ ስራውም በጥሩ ሁኔታ
 ይሰራል፡፡
 ጋራ ስራውም በጥሩ ሁኔታ
 ይሰራል፡፡



Technical Review Comments

ካዊታረፍ፡ (ዐርፈር፡ 57 ልኪጋ
ፍዐሮጋ፡፡፡ ዐካፍ፡፡፡)

▷⁹▷▷▷⁹▷▷▷:

- [illegible]



Technical Review Comments

Status: Resolved Pending
Further Action

- CIRNAC is satisfied with Baffinland upholding the current sedimentation pond design approved in the Civil Design Criteria for existing ponds.
- CIRNAC recommends this design change be implemented in future sedimentation pond construction to prevent operational issues.

VI. **ፊልል ልዩ ልዩ ልማት ስራ ማስፈጸሚያ ሪፖርት**
 ከፊልል ስራ (ሪፖርት 57 ልዩ ልዩ ስራ
 ሪፖርት)

[illegible]

- [illegible]



[illegible]

▷⁹▷▷▷▷⁹▷:

- CIRNAC requested that BIMC address concerns surrounding financial security by updating the ICRP to increase Interim Care and Maintenance and Post Closure Monitoring timeline.
- Given current measured acidity in waste rock seepage, CIRNAC also recommended that a cost for open pit water treatment be included in the security until such time that treatment is shown to not be needed.

- [illegible]



፡።፩፤፪፫፬፭፮፯፰፱፻፵፶፷፸፹፺፻፼፽፿

[illegible][illegible][illegible]

IX. ၌ပုဂ္ဂိုလ်တို့သည် အလွန်သော အကျိုးကို
အလွန်သော အကျိုးကို ရရှိကြသည်။

▷⁹▷▷▷⁹▷▷▷:

- [illegible]



23

△r△

- [illegible]



Qujannamiik

Thank you

Merci

ᑭᑦᑲᑦᑭᑦᑭᑦ

