



Nunavut Water Board (NWB)
ᓄᓇᑦ ᐃᒪᓕᓂᓯᑦ ᑲᓂᒪᓯᑦ (ᐃᒪᓕᓂᓯᑦ)

NWB Community Session Presentation

for

**Type "A" Water Licence
2AM-MRY1325
Amendment No.1 Application
Baffinland Iron Mines
Corporation
Mary River Project**

ፌዴራል
 ልረብራቅ
 ሙሉ ሙሉ
 ምስክር

ماہنامہ

የጤና ጋራ “A” ረዕስ ምረቃ
2AM - MR1325
ጥያቄ ለማግኘት
ለሰራተኛው ጥያቄ ለማግኘት
ጋራ ጋራ ጋራ
ለሰራተኛው

Licence 2AM-MRY1325
Community Session - May 2015



List of Topics

- NWB Background Info.
- Authorizations NWB May Issue
- NWB Type “A” Licensing Process
- Licences Issued to the Project
- Scope of Current Application
- Application Procedural History
- BIMC & Interveners Participation
- Public Participation
- Next Steps for the Type “A” Licence Application
- NWB Staff Contact Information
- NWB Office Contact Information
- Questions and Comments

Licence 2AM-MRY1325
Community Session - May 2015



Authorizations NWB May Issue

- [illegible]



Licence 2AM-MRV1325
Community Session - May 2015





Authorizations NWB May Issue Cont.
 ΔLεηδδ^c Δ^εε(Δ)ΔεηΔ^c βεεε^ε

- Type “B” Water Licence (medium size project)
 - Type “A” Water Licence (large size project)
- This week’s Public Hearing is for a Type “A” water licence (amendment) application filed by Baffinland Iron Mines Corporation (BIMC)

Licence 2AM-MRY1325
Community Session - May 2015







Licences Issued to the Project by NWB
ለፕሮጀክቱ ለውጤቶች ለሚሰጡ ለፍታሚዎች
ለሚሰጡ ለፍታሚዎች

➤ **Licence No. 8BC-MRY1416**

- Type “B” - Issued to BIMC on August 6, 2014 and set to expire on August 5, 2016
- Allows for the use of 299 m³/day of water and the deposit of waste in support of the site preparation project

➤ ΛϚ²ϙΔ^c 2AM-MRY1416

- ንጹህናት - ጋራድላኝ
 <ጸረ-ፍጥነት ሮሮም ሳገሪ 6,
 2014 ላሊ ልሮሮም ሳገሪ
 5, 2016
- ለጥፋት ልማት 299 m³
 የፍ ርዕሰ ልማት ላሊ ልማት
 ልማት ልማት ልማት ርዕሰ
 ንጹህናት ልማት
 ለራሳቸው

Licence 2AM-MRY1325
Community Session - May 2015



Licences Issued to the Project by NWB
 ለጥያቄዎች ጋራ ለሚገኙ ለጥያቄዎች
 ለጥያቄዎች

➤ **Licence No. 2BE-MRY1421**

- **Type “B”** - Issued to BIMC on April 17, 2014 and set to expire on April 16, 2021
- Allows for the use of 299 m³/day of water and the deposit of waste in support of exploration activities

➤ ΛϚ²Ϛ^c 2BE-MRY1421

- የወጪዎች - ንግድ
 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014
 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014
- ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014
 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014
 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014 ለፌብሩዋሪ 2014

Licence ZAM-MRY1325
Community Session - May 2015



Scope of Current Application

የፖፕሌይሽን ሊሲንስ አፈጻጸም

The scope of BIMC' current Type "A" amendment application before the Board is for the following:

- Integration of water use under the Licences 8BC-MRY1416 and 2AM-MRY1325
- ለውጥ የውሃ አጠቃቀም ለውጥ ለውጥ ለውጥ 8BC-MRY1416 ለውጥ 2AM-MRY1325

Milne Inlet

- Re-commissioning of the RBC sewage treatment plant
- የፖፕሌይሽን ሊሲንስ አፈጻጸም ለውጥ ለውጥ ለውጥ ለውጥ

Licence 2AM-MRY1325
Community Session -May 2015

13



Scope of Current Application Con't.

የፖፕሌይሽን ሊሲንስ አፈጻጸም ለውጥ ለውጥ

Milne Inlet (cont.)

የፖፕሌይሽን ሊሲንስ

- Construction of an additional waste stabilization pond
- ለውጥ የውሃ አጠቃቀም ለውጥ ለውጥ ለውጥ
- Relocation of treated sewage effluent discharge
- ለውጥ የውሃ አጠቃቀም ለውጥ ለውጥ ለውጥ
- Construction of ore stockpile sedimentation ponds
- ለውጥ የውሃ አጠቃቀም ለውጥ ለውጥ ለውጥ
- Installation of two 100,000 L steel tanks for storage of marine diesel
- ለውጥ የውሃ አጠቃቀም ለውጥ ለውጥ ለውጥ

Licence 2AM-MRY1325
Community Session -May 2015

14



Scope of Current Application Con't.

የፖሊስና የፍርድ ቤት ምክር ቤት

Milne Inlet (cont.)

የሥራ (ገጽ)

- | | |
|--|--|
| <ul style="list-style-type: none"> ➤ Construction of ore stockpile pads and associated drainage ponds ➤ Construction and operation of ore stockpile pad and associated drainage ponds ➤ Construction and operation of an ore dock, ore loading system, and additional building and maintenance facilities | <ul style="list-style-type: none"> ➤ ካሊስታይን ስፔሊየር
ፍሰት/ፍሰት ስርዓት ለማሳደግ
ለማሳደግ ስርዓት ➤ ካሊስታይን ስፔሊየር ለማሳደግ
ፍሰት/ፍሰት ስርዓት ለማሳደግ
ለማሳደግ ስርዓት ➤ ካሊስታይን ስፔሊየር ለማሳደግ
ፍሰት/ፍሰት ስርዓት ለማሳደግ
ለማሳደግ ስርዓት |
|--|--|

Licence 2AM-MRY1325
Community Session - May 2015

15



Scope of Current Application Con't.

የፖሊስና የፍርድ ቤት ምክር ቤት

Tote Road

ፍሰት/ፍሰት ስርዓት

- | | |
|--|--|
| <ul style="list-style-type: none"> ➤ Realignment and changes to grade requirements ➤ Withdraw 1,500 – 2,788 m³/day water for dust suppression during the summer | <ul style="list-style-type: none"> ➤ ደረጃ/ፍሰት ስርዓት ለማሳደግ
ለማሳደግ ስርዓት ለማሳደግ ➤ ለማሳደግ 1,500 – 2,788 m³/ ሰዓት
ለማሳደግ ስርዓት ለማሳደግ |
|--|--|
-
- | | |
|---|---|
| <h3>Mine Site</h3> <ul style="list-style-type: none"> ➤ Extended use of site infrastructure ➤ Discharge of treated sewage Effluent generated at the mine site onto land | <h3>የሥራ ስፔሊየር</h3> <ul style="list-style-type: none"> ➤ ለማሳደግ ስርዓት ለማሳደግ ስርዓት ለማሳደግ ➤ ለማሳደግ ስርዓት ለማሳደግ ስርዓት ለማሳደግ |
|---|---|

Licence 2AM-MRY1325
Community Session - May 2015

16



Scope of Current Application Con't.

የፖሊስ ሥልጣን ለማግኘት የሚያስፈልጉት

General

ጥያቄው

- Address closure cost estimates for the Type "B" licence in future cost estimate
 - Address amendments to the Type "A" Licence triggered by the application
- ለጥያቄው ለማግኘት የሚያስፈልጉት ጥያቄው ለማግኘት የሚያስፈልጉት ጥያቄው ለማግኘት የሚያስፈልጉት
 - ለጥያቄው ለማግኘት የሚያስፈልጉት ጥያቄው ለማግኘት የሚያስፈልጉት ጥያቄው ለማግኘት የሚያስፈልጉት

Licence 2AM-MRY1325
Community Session - May 2015

17



Application Procedural History

ጥያቄው ለማግኘት የሚያስፈልጉት

- July 16, 2014
NWB received the amendment application for Licence No. 2AM-MRY1325 from BIMC
- July 16, 2014
ፖሊስ ሥልጣን ለማግኘት የሚያስፈልጉት ጥያቄው ለማግኘት የሚያስፈልጉት
- August 29, 2014
NWB publicly distributed the application for completeness check and initial technical assessment
- August 29, 2014
ፖሊስ ሥልጣን ለማግኘት የሚያስፈልጉት ጥያቄው ለማግኘት የሚያስፈልጉት

Licence 2AM-MRY1325
Community Session - May 2015

18



Application Procedural History Con't.

[illegible]

- | | |
|--|---|
| <p>➤ <u>January 28-29, 2015</u>
Technical Meeting/Pre-hearing Conference (TM/PHC) was held by way of teleconference</p> | <p>➤ <u>ፌብሩዋሪ 28-29, 2015</u>
ለ'ወ/ር.ሙስ ባበረራ/አዲስ አበባ የልማትና ቴክኖሎጂ ዘርፍ ኮሚሽን ምክር ቤት በቴሌፎን በኃይማኖት መካከል ስሜት ማውጣት</p> |
| <p>➤ <u>February 11, 2015</u>
NWB received a submission from BIMC in response to PHC commitments</p> | <p>➤ <u>ሐምሌ 11, 2015</u>
በፌዴራል ሰነድ ለፕሮጀክት ማስተካከያ ለሚደረግ የሚችል ሁኔታ ለመፍጠር የሚያስፈልጉትን ሰነዶች እንዲያቅርቡ ተወካዮች ለባለሙያዎች ማሳሰቢያ</p> |
| <p>➤ <u>February 25, 2015</u>
NWB Issued the PHC Decision</p> | <p>➤ <u>ሐምሌ 25, 2015</u>
በፌዴራል ሰነድ ለፕሮጀክት ማስተካከያ ለሚደረግ የሚችል ሁኔታ ለመፍጠር የሚያስፈልጉትን ሰነዶች እንዲያቅርቡ ተወካዮች ለባለሙያዎች ማሳሰቢያ</p> |

Licence 2AM-MRY1325
Community Session - May 2015

21



Application Procedural History Con't.

[illegible]

- **February 27, 2015**
Issued notice of public hearing
- **April 17/22, 2015**
NWB received AANDC, EC,
and QIA final submissions
- **April 28, 2015**
NWB received BIMC's response
to interveners' final submissions
- **May 1, 2015**
Public Hearing presentations
received from AANDC, QIA and
BIMC

Licence 2AM-MR11-25
Community Session - May 2015

22



BIMC's and Interveners' Participation

$\langle \Lambda^a \bar{\Lambda}^a \rangle^C$
 $\langle L^2 \rangle$
 $\Lambda^C \bar{\Lambda}^C$
 $\Lambda^b \bar{\Lambda}^b$
 $\sigma^a \tau^a$

- > BIMC, AANDC, EC, the QIA, and the Hamlet of Pond Inlet have all contributed to the review process for the Application**
- > The NWB recognizes and appreciates the participation of the various parties and asks that they continue to do so for the remaining stages of the process.**

Licence 2AM-MRY1325
Community Session - May 2015



Public Participation

Δμοῦ Ἰ᾿ Ἀ᾿βC▷σ᾿ῖρ

- During the TM/PHC, the NWB received very good feedback from the community of Pond Inlet. The NWB encourages community members to provide additional feedback that they may have for the Project.
- Interested persons can also contact Robin Ikkutisluq to provide written comments or to review documents filed with the Board

Licence 2AM-MRY1325
Community Session - May 2015



Next Steps for the Type "A" Application

Tuliit Atugakhat Qanugittunianut "A" Tukhigautmun Huli

- The Public Hearing this week is attended by the Mary River Board Panel and led by the Board's Chair
 - The Panel is here to consider the evidence provided during the hearing before issuing a decision in about 30-45 days
 - The NWB will inform the public of the Board's decision through issuance of a Hearing Decision Report
- ᑕᓐᓇ ᐃᓂᑦᑲᓂᓐ ᐃᐱᓐᓂᓐ ᐅᑦᑲ ᐱᓇᓂᐱᓂᓐ ᐱᓐᑕᐅᑦ ᑕᓐᓇᓐ ᑲᑲᑲᓐ ᐃᐱᓐᓂᓐ ᐃᓂᓐ ᓂᓐᓂᓐ ᐃᓐᓂᓐ ᐃᓐᓂᓐ
 - ᑕᓐᓇᓐ ᑲᑲᑲᓐ ᐃᐱᓐᓂᓐ ᑲᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ ᑲᑲᑲᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ
 - ᑕᓐᓇᓐ ᐃᑲᑲᓐᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ

Licence 2AM-MRY1325
Community Session - May 2015

25



NWB Staff Contact Information

ᐃᑲᑲᓐᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ

- David Hohnstein, Director of Technical Services
david.hohnstein@nwb-oen.ca
- Ben, Kogvik, Board Secretary and Interpreter
ben.kogvik@nwb-oen.ca
- Sean Joseph, Technical Advisor
sean.joseph@nwb-oen.ca
- Robin Ikkutisluk, Licensing Administrator
robin.ikkutisluk@nwb-oen.ca
- ᑕᐃᐱᑲ ᐱᓂᓐᓂᓐ ᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ
david.hohnstein@nwb-oen.ca
- ᐱᓐ ᐃᓂᓐ ᑲᑲᑲᓐ ᐃᓂᓐᓂᓐ
ben.kogvik@nwb-oen.ca
- ᓐᓂ ᐃᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ
sean.joseph@nwb-oen.ca
- ᓐᓂ ᐃᓂᓐ ᐃᓂᓐᓂᓐ ᐃᓂᓐᓂᓐ
robin.ikkutisluk@nwb-oen.ca

Licence 2AM-MRY1325
Community Session - May 2015

26



NWB Office Contact Information ᐃᓕᓕᓕᓕ ᐃᓕᓕᓕᓕ ᐃᓕᓕᓕᓕ ᐃᓕᓕᓕᓕ

Nunavut Water Board

ᓄᓇᓂᓕ ᐃᓕᓕᓕᓕ ᓐᓕᓕᓕᓕ

15 Stone Maker Street
 P. O. Box 119
 Gjoa Haven, Nunavut X0B 1J0

15 Stone Maker Street
 ᓐᓐᓐᓐᓐᓐ 119
 ᐃᓐᓐᓐᓐ, ᓄᓇᓂᓕ X0B 1J0

Phone: (867) 360-6338
 Fax: (867) 360-6369

ᓕᓕᓕᓕᓕ: (867) 360-6338
 ᓕᓕᓕᓕᓕ: (867) 360-6369

Licence 2AM-MRY1325
 Community Session - May 2015

27



Questions and Comments ᐃᓐᓐᓐᓐᓐᓐ ᐃᓐᓐᓐᓐᓐᓐ

Questions and/or Comments?

ᐃᓐᓐᓐᓐᓐᓐ ᐃᓐᓐᓐᓐᓐᓐ
 ᐃᓐᓐᓐᓐᓐᓐ?

Thank You!

ᓐᓐᓐᓐᓐ!

Licence 2AM-MRY1325
 Community Session - May 2015

28