

[illegible]

Γ^cΠLC^b, μαθη^c



▷⁹▷▷▷σ◁⁹▷^c

- $\wedge^b \text{ከ} \text{ኃ} \text{ኃ}^c$
- $\triangleleft \text{ኃ} \text{ኃ}^b \text{ኃ}^c \wedge^c \text{ኃ} \text{ኃ}^b \text{ኃ}^c \triangleleft \text{ኃ} \text{ኃ}^c$
 $\wedge^c \text{ኃ} \text{ኃ}^b \text{ኃ}^c$
- $\text{ኃ} \text{ኃ}^b \text{ኃ}^c \text{ኃ}^b \text{ኃ}^c \triangleleft \text{ኃ} \text{ኃ}^c$
 $\triangleleft^b \text{ኃ} \text{ኃ}^b \text{ኃ}^c \text{ኃ}^b \text{ኃ}^c \triangleleft \text{ኃ} \text{ኃ}^c$
 $\triangleleft^b \text{ኃ} \text{ኃ}^b \text{ኃ}^c \text{ኃ}^b \text{ኃ}^c \triangleleft \text{ኃ} \text{ኃ}^c$

כ"ב ט"ו שבט ה'תשפ"ד

- *Department of the Environment Act*
- *Canadian Environmental Protection Act*
- *Fisheries Act – Pollution Prevention Provisions*
- *Migratory Birds Convention Act*
- *Species at Risk Act*

ECCC-01: Surface Runoff Management at the Mine Site

ECCC recommends the Proponent:

- Implement proposed measures to reduce sediment load in surface runoff managed on site as promptly as possible
- Return seepage from KM105 management pond through final discharge point (MS-11) before 2025 spring freshet so effluent data can be recorded in ECCC Mine Effluent Reporting System.

[illegible]

- [illegible]

[illegible][illegible]

[illegible]

$\langle \rangle \rho \sigma^{\epsilon} \rfloor^c \langle^{\epsilon} \omega \triangleright \cap$

[illegible][illegible]

[illegible][illegible]

- [illegible]

[illegible]

“Maximum increase of 25 mg/L from background levels at any time when background levels are between 25 and 250 mg/L. Should not increase more than 10% of background levels when background is >250 mg/L.”

[illegible]

ECCC-04: **የጥያቄው ስራ ለማጠናቀቅ ለሚገባው ሰው ማግኘት**

[illegible]

ECCC-04: **የጥያቄው ስራ ለማጠናቀቅ ለሚገባው ሰው ማግኘት**

- identifies missing data needed for an assessment of the impacts of pit flooding on permafrost and the regional hydrogeology.
- Updates the reclamation research program on pit flooding to include the collection of missing data
- Assesses the impacts of pit flooding on regional hydrogeology

[illegible]

ECCC-05: Proposed Changes to the Water Licence

ECCC-05: $\triangleleft \rho^{\gamma} \rho^{\delta} \triangleright \rho^{\epsilon} \triangleleft \rho^{\gamma} \rho^{\delta} \triangleright \rho^{\epsilon}$

ECCC reviewed the Proposed Water Licence Renewal Framework submitted by the Proponent and has 11 comments and recommendations.

[illegible]

Thank You **ᐱᐅᐅᐅ / ᐅᐅᐅᐅ**

