

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

151023 2AM-MRY1325, Mary River Project; 2015-2016 Annual Security Review Process and Guidance for Timing with respect to Part C and Schedule C

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fri, Oct 23, 2015 at 5:08 PM

To: Erik Madsen <erik.madsen@baffinland.com>, Oliver Curran <oliver.curran@baffinland.com>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro - Mary River <2AM-MRY-Licence@nwb-oen.ca>

Please see attached related to the above.

Regards,



Phyllis Beaulieu- Δαττ >αττ

Manager of Licensing- Responsable des Permis

ᐃᑦᓴᕈᔭ ᐅᐱᕐᓂᓄᓗ Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐱᓚᓕᓂᓪ ᓂᑎᓚᓪᓴᓯ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

၂၂၆၁၁၁ ၁၁၁

▷^c▷^a▷^a, $\mathbb{M}^c$ X013 1J0

Titigacaqvia 119

Ughmugma, NU, X013 110

Tel / Téléphone / ስልክ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ስልክ-ፍጅ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᐱᓂᕋᑦᓴᕈᓄᑦ / Akiittug : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



151023 2AM-MRY1325 ASR Process Guidance and Timing-OEDE.pdf

437K