



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-MRY1325 Construction Drawing Run of Mine Stockpile and Sedimentation Pond

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, Oct 22, 2018 at 2:58 PM

To: Christopher Murray <christopher.murray@baffinland.com>, andrew.vermeer@baffinland.com

Cc: licensing@nwb-oen.ca, Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board requests response to the attached comments for Issued for Construction Drawings Submission Run of Mine Stockpile and Sedimentation Pond by **November 1, 2018**.

Please note QIA provided the following corrections to items 1 and 4 in their submission. These are directed to BIMC for response.

Item 1. The Baffinland's submission does not include a stability analysis, and current geotechnical site conditions to confirm design. QIA addressed Baffinland on these topics as well, in comments 6 and 8 originally provided. QIA does recommend these items be required as part of the process.

Item 4. QIA comment 4, which is addressed to Baffinland, expresses QIA's concern regarding whether or not the diversion berm has sufficient capacity to capture all runoff waters

Regards,

Richard

Richard Dwyer- $\mathcal{L}^{\mathcal{C}}\mathcal{J}^{\mathcal{G}} \supset \triangleleft \Delta \mathcal{L}^{\mathcal{G}}$

Manager of Licensing - Responsable des Permis ᐃᓄᑦᕆᔭᕋᑦ ᐱᓂᒃᕈᑦ
Laiseliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓄᐱᑦ ᑲᑎᓕᓱᑦ - NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገናኙል ልግ
ገናኙል ገናኙል ገናኙል X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

2 attachments



181005 2AM-MRY1625 CIRNAC Comments Notification of Construction ROM Stockpile Infrastructure-
ILAE.pdf

171K



181008 2AM-MRY1325 QIA-CPL Comments ROM Stockpile and Sedimentation Pond-ILAE.pdf

443K