

Ida Porter <ida.porter@nwb-oen.ca>

181109 2AM-MRY1325 Comment Request on Construction Drawings Submission **Run of MSSP-OLAE**

2 messages

Ida Porter <ida.porter@nwb-oen.ca>

Fri, Nov 9, 2018 at 4:20 PM

To: Christopher Murray <christopher.murray@baffinland.com>, Andrew Vermeer <Andrew.vermeer@baffinland.com> Cc: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>, Fai Ndofor <FNdofor@qia.ca>, Ian Parsons <lan.Parsons@aandcaadnc.gc.ca>, "Forte, Sarah (AADNC/AANDC)" <sarah.forte@canada.ca>, "Campbell, Bridget (AADNC/AANDC)" <bri>dget.campbell@canada.ca>, "Dewar, Spencer (AADNC/AANDC)" <spencer.dewar@canada.ca>

Hi Chris,

Please find attached copy of QIA & CIRNAC Response to comments on Construction Drawings Submission Run of Mine Stockpile and Sedimentation Pond, please review and respond.

Regards, lda



Ida Porter- $\triangle C > \triangle C$

Licence Administrator- Administratrice des permis

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0

C.P. 119 Gjoa Haven (Nunavut), X0B 1J0

በበናዔዔልዒ 119 Þ5/250 . 00 € XOB 110 Titigaqaqvia 119 Ughiigtinig, NU, X0B 1J0

Tel / Téléphone / イペナン(/ Hivayauta: (867) 360-6338 | Fax / Télécopieur / アレス・ロート / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

2 attachments



181109 2AM-MRY1325 QIA CPL Run of Mine Stockpileand Sedimentation Pond Response-ILAE.pdf 482K

181109 2AM-MRY1325 CIRNAC Reply to BIM Response_KM107_ROMSTOCKPILE-IMLE.pdf 101K

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca> To: Christopher Murray <christopher.murray@baffinland.com> Fri, Nov 9, 2018 at 4:27 PM

Cc: licensing@nwb-oen.ca

Chris,

Could you also please let us know the following:

- the planned capacity of the pond is 3,500 m3. What would be the additional capacity if the pond were to contain a 10year flood, plus a standard/average volume of stored water (i.e., the runoff that had been collected just prior to the 10-year
- how often and at when/what time of year does BIMC discharge its ponds;
- is there a contingency plan in the event of a 10-year flood?
- is it possible that the pond may be left empty at some point? If so, for how long? CIRNAC raised a concern in of its submissions about liner deterioration due to mechanical and UV damage;

Thank you,



Assol Kubeisinova- ついてはいるはい

Technical Advisor - Conseiller technique ADD \$\sigma \sigma \sigm Piluagnagtuliginigmun Ikayugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ϼϭͻϪϹϭϧ϶ϴϴͰ϶϶ϤͰͶͶΑΥϢͳ IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU X0B 1J0

C.P. 119 Gjoa Haven, NU X0B 1J0

MAS SE ASU DB 130 300,000 XOB 130

Titigaqaqvia 119 Uqhuqhing, NU, X0B 1J0

Tel / Téléphone / y?/s]b / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4f5 / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



🚅 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]

2 attachments



181109 2AM-MRY1325 QIA CPL Run of Mine Stockpileand Sedimentation Pond Response-ILAE.pdf



181109 2AM-MRY1325 CIRNAC Reply to BIM Response_KM107_ROMSTOCKPILE-IMLE.pdf 101K