



2AM-MRY1325 Modification No.12 BIMC response to teleconference comments


Thu, Jul 11, 2019 at 2:57 PM

Good afternoon.

The Nunavut Water Board acknowledges receipt July 11, 2019 of 2AM-MRY1325 Modification No.12 BIMC response to teleconference comments, parties are invited to provide feedback by July 17, 2019.

Regards,

Richard



Manager of Licensing - Responsable des Permis ᐃᑦᓴᓂᐱᕈᖅ ᐃᑦᓴᓂᐱᕈᖅ Maniyaauyuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገናኙል ልጄ
ድምሪክ፣ ምድር X013 110

Titigaqavua 119
Uqhuqtunq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

