



NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

180830 2AM-MRY1325 BIMC to Response to CIRNAC Comments-OLAE

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>


Thu, Aug 30, 2018 at 11:23 AM

To: Ida Porter <ida.porter@nwb-oen.ca>

Ida,

Could you please save the emails below in the Mod 9 folder?

Thanks,

Assol Kubeisinoва- 

Technical Advisor - Conseiller technique ᐱᓕᑦᑐᒃᔭᑦ ᐸᑲᑦᑎ-
Piluagnagtulinigimun Ikayugi

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᑦᓴᑦ - NUNAVUT IMALIRIYTN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၀၈၄၆၁၂
၁၃၇၅၊ ဝေဇာလ X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / yʔ/sʅb / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4fʅ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᑦᐸᓄᓂᓗ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Assol Kubeisinova** <assol.kubeisinova@nwb-oen.ca>

Date: Thu, Aug 30, 2018 at 11:22 AM

Subject: Re: [External]Re: [External]180830 2AM-MRY1325 BIMC to Response to CIRNAC Comments-OLAE

To: Christopher Murray <christopher.murray@baffinland.com>

Cc: Megan Lord-Hoyle <megan.lord-hoyle@baffinland.com>

Chris,

Thanks. Your confirmation that no work on the ore stockpile expansion will be done until the ponds are adequately constructed is a satisfactory response.

Regards,



Assol Kubeisinoва-ᠠᠰᠣᠯᠤ ᠬᠤᠪᠡᠢᠰᠢᠨᠣᠪᠠ

Technical Advisor - Conseiller technique ᐱᓗᑦᑐᕋᕈᒃᔪᕆᓴᕉᐅ ᐃᑲᕙᕎ-
Piluagnaqtulinigimun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ - NUNAVUT IMALIRIYTN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Cajon Haven, NU X013 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በበና ነፍ ልጄ
ፊኔሽኖች፣ ሙያዊ X013 110

Uqhuqhuq, NU, X013 110

Tel / Téléphone / ᖃᓴᑭᐅ Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4fS / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᕈᖁᒫᕋ Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Thu, Aug 30, 2018 at 11:17 AM Christopher Murray <christopher.murray@baffinland.com> wrote:

Hi Assol,

We have provided a solution for the CIRNAC concern regarding groundwater, both by incorporating known groundwater depth encountered during the previous construction into the current design considerations, and by indicating that if groundwater is encountered at the invert depth and the pond base elevation needs to be raised, the design change would ensure the capacity of the pond is sufficient based on the design footprint of the pad.

Additionally, it is recognized that the pad construction cannot commence until the pond is constructed, as we have not done this work to date in anticipation of the approved modification request.

Baffinland would request that the Board provide direction at this point as we consider the concerns raised by CIRNAC to be adequately addressed in our responses.

Thank you,

Christopher Murray | Environmental & Regulatory Compliance Manager
Oakville - 2275
T: +1 416 364 8820 x5072
C: +1 647 472 9842



2275 Upper Middle Road East, Suite 300, Oakville, Ontario, Canada, L6H 0C3
www.baffinland.com

CAUTION: This email was received from outside of Baffinland systems. It may contain malicious attachments or links. If you are not familiar with the content of the email do not open the attachments or click embedded links.

<https://mail.google.com/mail/u/0/?ui=2&ik=cab0cbada6&jsver=TKereZPtSMY.en.&cbl=gmail> fe 180822.12 p2&view=pt&msg=1658bdd20f1a3833&se... 3/5

Can you provide some indication on what response the NWB is looking for? There are no questions posed in the CIRNAC response and Baffinland feels it has addressed their concerns in our responses. Any guidance you can provide would be much appreciated.

Thank you,

Christopher Murray | Environmental & Regulatory Compliance Manager
Oakville - 2275
T: +1 416 364 8820 x5072
C: +1 647 472 9842



2275 Upper Middle Road East, Suite 300, Oakville, Ontario, Canada, L6H 0C3
www.baffinland.com

From: Ida Porter [mailto:ida.porter@nwb-oen.ca]
Sent: August 30, 2018 12:19 PM
To: Christopher Murray <christopher.murray@baffinland.com>; Andrew Vermeer <andrew.vermeer@baffinland.com>
Cc: Licensing Department <licensing@nwb-oen.ca>
Subject: [External]180830 2AM-MRY1325 BIMC to Response to CIRNAC Comments-OLAE

CAUTION: This email was received from outside of Baffinland systems. It may contain malicious attachments or links. If you are not familiar with the content of the email do not open the attachments or click embedded links.

[Quoted text hidden]

"This e-mail transmission, and any attached file, is intended solely for the addressee. It may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, you must not copy or distribute it. Privilege is not waived by reason of mistaken delivery to you. If you have received this e-mail in error, please notify the sender and delete the e-mail transmission immediately.

Connections via the Internet are not secure unless otherwise stated. Baffinland accepts no liability whatsoever for loss or damage in relation to this e-mail. We reserve the right to monitor, retain and/or review any e-mail or attachment entering or leaving our systems from any source without prior notice"

-----test-----

"This e-mail transmission, and any attached file, is intended solely for the addressee. It may contain information that is

privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, you must not copy or distribute it. Privilege is not waived by reason of mistaken delivery to you. If you have received this e-mail in error, please notify the sender and delete the e-mail transmission immediately.

Connections via the Internet are not secure unless otherwise stated. Baffinland accepts no liability whatsoever for loss or damage in relation to this e-mail. We reserve the right to monitor, retain and/or review any e-mail or attachment entering or leaving our systems from any source without prior notice"

-----test-----
