



NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

2017 QIA & NWB Annual Report - Responses to Comments

8 messages

Christopher Murray <christopher.murray@baffinland.com>

Thu, Nov 1, 2018 at 6:46 PM

To: "assol.kubeisinova@nwb-oen.ca" <assol.kubeisinova@nwb-oen.ca>

Cc: "karen.kharatyan@nwb-oen.ca" <karen.kharatyan@nwb-oen.ca>, "licensing@nwb-oen.ca" <licensing@nwb-oen.ca>, Fai Ndofor <FNdofor@qia.ca>, "Campbell, Bridget (AADNC/AANDC)" <bridget.campbell@canada.ca>, Sarah Forté <Sarah.Forte@aandc-aadnc.gc.ca>, Wajid Daouda <Wajid.Daouda@tpsgc-pwgsc.gc.ca>, Megan Lord-Hoyle <megan.lord-hoyle@baffinland.com>, Timothy Ray Sewell <Timothy.Sewell@baffinland.com>, Andrew Vermeer <andrew.vermeer@baffinland.com>, Connor Devereaux <Connor.Devereaux@baffinland.com>, William Bowden <William.Bowden@baffinland.com>

Hello Assol,

Please find attached Baffinland Iron Mines Corporation (Baffinland) response to the comments received on the 2017 QIA and NWB Annual Report for Operations, for the Mary River Project.

Please let me know if there are any further questions or concerns.

Thank you,

Christopher Murray | Environmental & Regulatory Compliance Manager

Oakville - 2275

T: +1 416 364 8820 x5072

C: +1 647 472 9842



2275 Upper Middle Road East, Suite 300, Oakville, Ontario, Canada, L6H 0C3

www.baffinland.com

This email, and any attachments, may contain information which is confidential and/or privileged. Any unauthorized use or disclosure is prohibited. If you are not the intended recipient, please contact the sender and delete the material from any device.

"This e-mail transmission, and any attached file, is intended solely for the addressee. It may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, you must not copy or distribute it. Privilege is not waived by reason of mistaken delivery to you. If you have received this e-mail in error, please notify the sender and delete the e-mail transmission immediately.

Connections via the Internet are not secure unless otherwise stated. Baffinland accepts no liability whatsoever for loss or damage in relation to this e-mail. We reserve the right to monitor, retain and/or review any e-mail or attachment entering or leaving our systems from any source without prior notice"



18 11 01 - BIMC-Response-2017 QIA-NWB Annual Report for Ops - As Sent.pdf

211K

Ida Porter <ida.porter@nwb-oen.ca>

Fri, Nov 2, 2018 at 9:27 AM

To: Christopher Murray <christopher.murray@baffinland.com>

Cc: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>, Karén Kharatyan <karen.kharatyan@nwb-oen.ca>, licensing@nwb-oen.ca, Fai Ndofo <FNdofo@qia.ca>, "Campbell, Bridget (AADNC/AANDC)" <bridget.campbell@canada.ca>, Sarah Forté <Sarah.Forte@aandc-aadnc.gc.ca>, Wajid.Daouda@tpsgc-pwgsc.gc.ca, Megan Lord-Hoyle <megan.lord-hoyle@baffinland.com>, Timothy Ray Sewell <Timothy.Sewell@baffinland.com>, Andrew Vermeer <andrew.vermeer@baffinland.com>, Connor Devereaux <Connor.Devereaux@baffinland.com>, William Bowden <William.Bowden@baffinland.com>

Hi Chris,

The Nunavut Water Board has acknowledge the response to the comments on the 2017 annual report.

[ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MRY1325%20BIMC/3%20TECH/1%20GENERAL%20\(B\)/2%20ANNUAL%20RPT/2017/](ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MRY1325%20BIMC/3%20TECH/1%20GENERAL%20(B)/2%20ANNUAL%20RPT/2017/)

Regards,
Ida



Ida Porter- $\Delta C > \Delta C$

Licence Administrator- Administratrice des permis

ᑕᐱᓴᓂᓯ ᐸᐅᑕᓄᓯ- Laisaliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᐅᑦ ᐃᒪᑦᓂᔨᑦ ᑲᑎᒪᔨᖅ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

၂၂၆၁၁၁ ၁၁၁

▷¹▷²▷³▷⁴▷⁵▷⁶▷⁷▷⁸▷⁹▷¹⁰▷¹¹▷¹²▷¹³▷¹⁴▷¹⁵▷¹⁶▷¹⁷▷¹⁸▷¹⁹▷²⁰▷²¹▷²²▷²³▷²⁴▷²⁵▷²⁶▷²⁷▷²⁸▷²⁹▷³⁰▷³¹▷³²▷³³▷³⁴▷³⁵▷³⁶▷³⁷▷³⁸▷³⁹▷⁴⁰▷⁴¹▷⁴²▷⁴³▷⁴⁴▷⁴⁵▷⁴⁶▷⁴⁷▷⁴⁸▷⁴⁹▷⁵⁰▷⁵¹▷⁵²▷⁵³▷⁵⁴▷⁵⁵▷⁵⁶▷⁵⁷▷⁵⁸▷⁵⁹▷⁶⁰▷⁶¹▷⁶²▷⁶³▷⁶⁴▷⁶⁵▷⁶⁶▷⁶⁷▷⁶⁸▷⁶⁹▷⁷⁰▷⁷¹▷⁷²▷⁷³▷⁷⁴▷⁷⁵▷⁷⁶▷⁷⁷▷⁷⁸▷⁷⁹▷⁸⁰▷⁸¹▷⁸²▷⁸³▷⁸⁴▷⁸⁵▷⁸⁶▷⁸⁷▷⁸⁸▷⁸⁹▷⁹⁰▷⁹¹▷⁹²▷⁹³▷⁹⁴▷⁹⁵▷⁹⁶▷⁹⁷▷⁹⁸▷⁹⁹▷¹⁰⁰▷¹⁰¹▷¹⁰²▷¹⁰³▷¹⁰⁴▷¹⁰⁵▷¹⁰⁶▷¹⁰⁷▷¹⁰⁸▷¹⁰⁹▷¹¹⁰▷¹¹¹▷¹¹²▷¹¹³▷¹¹⁴▷¹¹⁵▷¹¹⁶▷¹¹⁷▷¹¹⁸▷¹¹⁹▷¹²⁰▷¹²¹▷¹²²▷¹²³▷¹²⁴▷¹²⁵▷¹²⁶▷¹²⁷▷¹²⁸▷¹²⁹▷¹³⁰▷¹³¹▷¹³²▷¹³³▷¹³⁴▷¹³⁵▷¹³⁶▷¹³⁷▷¹³⁸▷¹³⁹▷¹⁴⁰▷¹⁴¹▷¹⁴²▷¹⁴³▷¹⁴⁴▷¹⁴⁵▷¹⁴⁶▷¹⁴⁷▷¹⁴⁸▷¹⁴⁹▷¹⁵⁰▷¹⁵¹▷¹⁵²▷¹⁵³▷¹⁵⁴▷¹⁵⁵▷¹⁵⁶▷¹⁵⁷▷¹⁵⁸▷¹⁵⁹▷¹⁶⁰▷¹⁶¹▷¹⁶²▷¹⁶³▷¹⁶⁴▷¹⁶⁵▷¹⁶⁶▷¹⁶⁷▷¹⁶⁸▷¹⁶⁹▷¹⁷⁰▷¹⁷¹▷¹⁷²▷¹⁷³▷¹⁷⁴▷¹⁷⁵▷¹⁷⁶▷¹⁷⁷▷¹⁷⁸▷¹⁷⁹▷¹⁸⁰▷¹⁸¹▷¹⁸²▷¹⁸³▷¹⁸⁴▷¹⁸⁵▷¹⁸⁶▷¹⁸⁷▷¹⁸⁸▷¹⁸⁹▷¹⁹⁰▷¹⁹¹▷¹⁹²▷¹⁹³▷¹⁹⁴▷¹⁹⁵▷¹⁹⁶▷¹⁹⁷▷¹⁹⁸▷¹⁹⁹▷²⁰⁰▷²⁰¹▷²⁰²▷²⁰³▷²⁰⁴▷²⁰⁵▷²⁰⁶▷²⁰⁷▷²⁰⁸▷²⁰⁹▷²¹⁰▷²¹¹▷²¹²▷²¹³▷²¹⁴▷²¹⁵▷²¹⁶▷²¹⁷▷²¹⁸▷²¹⁹▷²²⁰▷²²¹▷²²²▷²²³▷²²⁴▷²²⁵▷²²⁶▷²²⁷▷²²⁸▷²²⁹▷²³⁰▷²³¹▷²³²▷²³³▷²³⁴▷²³⁵▷²³⁶▷²³⁷▷²³⁸▷²³⁹▷²⁴⁰▷²⁴¹▷²⁴²▷²⁴³▷²⁴⁴▷²⁴⁵▷²⁴⁶▷²⁴⁷▷²⁴⁸▷²⁴⁹▷²⁵⁰▷²⁵¹▷²⁵²▷²⁵³▷²⁵⁴▷²⁵⁵▷²⁵⁶▷²⁵⁷▷²⁵⁸▷²⁵⁹▷²⁶⁰▷²⁶¹▷²⁶²▷²⁶³▷²⁶⁴▷²⁶⁵▷²⁶⁶▷²⁶⁷▷²⁶⁸▷²⁶⁹▷²⁷⁰▷²⁷¹▷²⁷²▷²⁷³▷²⁷⁴▷²⁷⁵▷²⁷⁶▷²⁷⁷▷²⁷⁸▷²⁷⁹▷²⁸⁰▷²⁸¹▷²⁸²▷²⁸³▷²⁸⁴▷²⁸⁵▷²⁸⁶▷²⁸⁷▷²⁸⁸▷²⁸⁹▷²⁹⁰▷²⁹¹▷²⁹²▷²⁹³▷²⁹⁴▷²⁹⁵▷²⁹⁶▷²⁹⁷▷²⁹⁸▷²⁹⁹▷³⁰⁰▷³⁰¹▷³⁰²▷³⁰³▷³⁰⁴▷³⁰⁵▷³⁰⁶▷³⁰⁷▷³⁰⁸▷³⁰⁹▷³¹⁰▷³¹¹▷³¹²▷³¹³▷³¹⁴▷³¹⁵▷³¹⁶▷³¹⁷▷³¹⁸▷³¹⁹▷³²⁰▷³²¹▷³²²▷³²³▷³²⁴▷³²⁵▷³²⁶▷³²⁷▷³²⁸▷³²⁹▷³³⁰▷³³¹▷³³²▷³³³▷³³⁴▷³³⁵▷³³⁶▷³³⁷▷³³⁸▷³³⁹▷³⁴⁰▷³⁴¹▷³⁴²▷³⁴³▷³⁴⁴▷³⁴⁵▷³⁴⁶▷³⁴⁷▷³⁴⁸▷³⁴⁹▷³⁵⁰▷³⁵¹▷³⁵²▷³⁵³▷³⁵⁴▷³⁵⁵▷³⁵⁶▷³⁵⁷▷³⁵⁸▷³⁵⁹▷³⁶⁰▷³⁶¹▷³⁶²▷³⁶³▷³⁶⁴▷³⁶⁵▷³⁶⁶▷³⁶⁷▷³⁶⁸▷³⁶⁹▷³⁷⁰▷³⁷¹▷³⁷²▷³⁷³▷³⁷⁴▷³⁷⁵▷³⁷⁶▷³⁷⁷▷³⁷⁸▷³⁷⁹▷³⁸⁰▷³⁸¹▷³⁸²▷³⁸³▷³⁸⁴▷³⁸⁵▷³⁸⁶▷³⁸⁷▷³⁸⁸▷³⁸⁹▷³⁹⁰▷³⁹¹▷³⁹²▷³⁹³▷³⁹⁴▷³⁹⁵▷³⁹⁶▷³⁹⁷▷³⁹⁸▷³⁹⁹▷⁴⁰⁰▷⁴⁰¹▷⁴⁰²▷⁴⁰³▷⁴⁰⁴▷⁴⁰⁵▷⁴⁰⁶▷⁴⁰⁷▷⁴⁰⁸▷⁴⁰⁹▷⁴¹⁰▷⁴¹¹▷⁴¹²▷⁴¹³▷⁴¹⁴▷⁴¹⁵▷⁴¹⁶▷⁴¹⁷▷⁴¹⁸▷⁴¹⁹▷⁴²⁰▷<

Titigacaqvia 119

Ughmting, NU, X0B 110

Tel / Téléphone / ལྷན་སྐད་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ལྷན་སྐད་ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᓂᑦ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]

2 attachments



image001.png

8K



image001.png

8K

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Fri, Nov 2, 2018 at 11:23 AM

To: Christopher Murray <christopher.murray@baffinland.com>

Cc: licensing@nwb-oen.ca

Hi Chris.

Thanks for the response. I only have two questions. In Table 5.1, there indicated a number of inactive and decommissioned monitoring stations aside from MS-MRY-9 and MS-MRY-10. Could you please discuss the reasons?

As for NWB's comment #5, we did not imply any connection between the two events. However, what would be the reason for them to be called "mutually exclusive"?

Thank you,



Assol Kubeisinova- ᠠᠰᠣᠯ ᠬᠤᠪᠡᠰᠢᠨᠣᠪᠠ

Technical Advisor - Conseiller technique ᐱᓗᑦᑐᕋᕈᕋᕆᕐᔪᕐ ᐃᐅᕋᕐ-
Piluagnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ - NUNAVUT IMALIRIYTN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በበና ሄፍ ልሳ
ፕላን ሄፍ, ወጪ ሄፍ X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / yʔ/s]b / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4f5 / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᑦᐸᓂᓄᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Thu, Nov 1, 2018 at 6:46 PM Christopher Murray <christopher.murray@baffinland.com> wrote:

[Quoted text hidden]



Christopher Murray <christopher.murray@baffinland.com>

To: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Cc: "licensing@nwb-oen.ca" <licensing@nwb-oen.ca>

Thu, Nov 8, 2018 at 11:24 AM

Hi Assol,

I've prepared the below table to help clarify the status of the inactive and decommissioned stations, please let me know if you have any further questions.

Station ID	Rationale
<i>Milne Port</i>	
MP-MRY-2	Water is not taken from this location, due to naturally high suspended sediments in the water source which put a unacceptable strain on the potable water treatment facility.
MP-MRY-04 and	Associated with the Exploration Phase Treatment System and PWSP, which were each

MP-MRY04a	decommissioned. Waste at Milne Port is managed through the Milne Port Sewage Treatment Facilities and PWSP, with sampling locations MP-01 and MP-01a.
MP-MRY-7	The Milne Exploration Phase bladder farm was decommissioned in 2014.
MP-MRY-12	The bulk sample stockpile area is no longer in use, and all ore stockpiled at Milne Port is captured and monitored by MP-05 and MP-06.
MP-C-A	Sampled twice in June 2014 but not 2015. Inactive since
MP-C-C	No flow observed 2015. Inactive since
MP-C-D	No flow observed 2015. Inactive since
MP-C-G	No flow observed 2015. Inactive since
<i>Mary River Mine Site</i>	
MS-MRY-4	The Exploration Camp Sewage Treatment Facility is no longer used to treat sewage. All sewage at the Mine Site is directed to the Mine Site Sewage Treatment Facilities and discharged as MS-01.
MS-MRY-09, MS-MRY-10 and MS-MRY-11	Not active due to lack of flows. MS-MRY-9 and MS-MRY-10 have been repurposed into the growing Deposit No. 1 Pit. MS-MRY-11 had been repurposed into a laydown.

Regarding Comment #5, it was perceived that the NWB implied the connection between the events, as the time between these two events was significant (“a significant time lapse”). While it is correct that the seepage was observed during a regulatory inspection, the prior observation of low pH could not have predicted the seepage, nor would increased monitoring for pH (which was instituted at the time to monitor the abnormal condition) resulted in prediction or early observation of the seepage. Therefore the time lapse between these event is not relevant, as they are exclusive of each other.

Let me know if you would like to discuss further or need any additional clarification.

Thank you,

Christopher Murray | Environmental & Regulatory Compliance Manager
 Oakville - 2275
 T: +1 416 364 8820 x5072
 C: +1 647 472 9842



2275 Upper Middle Road East, Suite 300, Oakville, Ontario, Canada, L6H 0C3
www.baffinland.com

This email, and any attachments, may contain information which is confidential and/or privileged. Any unauthorized use or disclosure is prohibited. If you are not the intended recipient, please contact the sender and delete the material from any device.

From: Assol Kubeisinova [mailto:assol.kubeisinova@nwb-oen.ca]
Sent: November 2, 2018 1:24 PM
To: Christopher Murray <christopher.murray@baffinland.com>
Cc: licensing@nwb-oen.ca
Subject: [EXTERNAL] Re: 2017 QIA & NWB Annual Report - Responses to Comments

CAUTION: This email was received from outside of Baffinland systems. It may contain malicious attachments or links. If you are not familiar with the content of the email do not open the attachments or click embedded links.

Hi Chris,

Thanks for the response. I only have two questions. In Table 5.1, there indicated a number of inactive and decommissioned monitoring stations aside from MS-MRY-9 and MS-MRY-10. Could you please discuss the reasons?

As for NWB's comment #5, we did not imply any connection between the two events. However, what would be the reason for them to be called "mutually exclusive"?

Thank you,



Assol Kubeisinoва- ᠠᠰᠣᠯ ᠬᠤᠪᠡᠰᠢᠨᠣᠪᠠ

Technical Advisor - Conseiller technique ᐱᓕᑦᑐᒃᑐᔭᑦ ᐅᔪᑦᑎ-
Piluagnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᐃᐃᑭᑦ ᐃᐱᐱᐱᑦ ᐅᐱᐱᑦᐱᑦ - NUNAVUT IMALIRIYTN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gloa Haven, NU X0B 1J0

၂၀၁၄ ခုနှစ် အတွက်
ပုံနှိပ်မှု နှင့် ဖြန့်ဖြူးမှု X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / yʔ/s]b / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4f5 / Fax-kut: (867) 360-6369
Toll Free / Sans / 4Pʳbʷŋʽʷb / Akiñtug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Thu, Nov 1, 2018 at 6:46 PM Christopher Murray <christopher.murray@baffinland.com> wrote:

Hello Assol,

Please find attached Baffinland Iron Mines Corporation (Baffinland) response to the comments received on the 2017 QIA and NWB Annual Report for Operations, for the Mary River Project.

Please let me know if there are any further questions or concerns.

Thank you,

Christopher Murray | Environmental & Regulatory Compliance Manager
Oakville - 2275
T: +1 416 364 8820 x5072
C: +1 647 472 9842

2275 Upper Middle Road East, Suite 300, Oakville, Ontario, Canada, L6H 0C3
www.baffinland.com

This email, and any attachments, may contain information which is confidential and/or privileged. Any unauthorized use or disclosure is prohibited. If you are not the intended recipient, please contact the sender and delete the material from any device.

"This e-mail transmission, and any attached file, is intended solely for the addressee. It may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, you must not copy or distribute it. Privilege is not waived by reason of mistaken delivery to you. If you have received this e-mail in error, please notify the sender and delete the e-mail transmission immediately.

Connections via the Internet are not secure unless otherwise stated. Baffinland accepts no liability whatsoever for loss or damage in relation to this e-mail. We reserve the right to monitor, retain and/or review any e-mail or attachment entering or leaving our systems from any source without prior notice"

"This e-mail transmission, and any attached file, is intended solely for the addressee. It may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, you must not copy or distribute it. Privilege is not waived by reason of mistaken delivery to you. If you have received this e-mail in error, please notify the sender and delete the e-mail transmission immediately.

Connections via the Internet are not secure unless otherwise stated. Baffinland accepts no liability whatsoever for loss or damage in relation to this e-mail. We reserve the right to monitor, retain and/or review any e-mail or attachment entering or leaving our systems from any source without prior notice"

Ida Porter <ida.porter@nwb-oen.ca>
To: Christopher Murray <christopher.murray@baffinland.com>
Cc: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>, licensing@nwb-oen.ca

Thu, Nov 8, 2018 at 11:38 AM

Hi Chris and Assol,

I have save the QIA & NWB Annual Report Responses to Comments to central and ftp.

Dated November 8, 2018

[ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MRY1325%20BIMC/3%20TECH/1%20GENERAL%20\(B\)/2%20ANNUAL%20RPT/2017/](ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-MRY1325%20BIMC/3%20TECH/1%20GENERAL%20(B)/2%20ANNUAL%20RPT/2017/)

Regards,
Ida



Ida Porter- $\Delta C > \Delta C$

Licence Administrator- Administratrice des permis
ᑕᐱᓕᓂᐱ ᐸᐅᑕᓃᐱ- Laisaginiqmun Ikayuqtī

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᑦ ᐃᐭᓕᓂᓴᑦ ᑲᓂᐭᓴᓴᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
၂၀၁၇-၁၈ ၁၂၀

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]

2 attachments



image001.png
8K



image001.png
8K

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>
To: Christopher Murray <christopher.murray@baffinland.com>
Cc: licensing@nwb-oen.ca

Thu, Nov 8, 2018 at 11:38 AM

Hi Chis,

Thank you for the clarifications. Please find some follow-up comments below.

Did BIMC receive NWB's approval to repurpose MS-MRY-09, MS-MRY-10 and MS-MRY-11?

As for comment #5, the intention of the comment was to point out that the seepage was not noticed by any field personnel, although a prior significant event took place on location, which was investigated by said personnel, and a lot of activity was happening on-site at the time. However, since BIMC is intending to introduce a mitigation measure (unplanned inspections), then we can consider the item resolved.

Regards,



Assol Kubeisinova- ᠠᠰᠣᠯ ᠬᠤᠪᠡᠰᠢᠨᠣᠪᠠᠶ᠋ᠠᠨ

Technical Advisor - Conseiller technique ᐱᓕᑦᑐᒃᑐᓂᑦᐅᑦ ᐃᔭᑦᑎ-
Piluagnaqtuliniginmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ - NUNAVUT IMALIRIYTN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በበና ነፍ ልጄ
ጌና ጌና ጌና ጌና X013 110

Titigaqavua 119
Uqhuqtuuq, NU, X013 1J0

Tel / Téléphone / ᖃᓄᓂᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4I3 / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᕈᖃᐅᑦᐅᑦᐅᑦ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Thu, Nov 8, 2018 at 11:24 AM Christopher Murray <christopher.murray@baffinland.com> wrote:

[Quoted text hidden]

2 attachments



image001.png
8K



image001.png
8K

Christopher Murray <christopher.murray@baffinland.com>

To: Assol Kubeisnova <assol.kubeisnova@nwb-oen.ca>

Cc: "licensing@nwb-oen.ca" <licensing@nwb-oen.ca>

Thu, Nov 8, 2018 at 12:44 PM

Hi Assol,

Baffinland provided a response to CIRNAC Comment #1 regarding MS-MRY-09 and MS-MRY-10; we will provide a formal request to relocate these monitoring stations in the 2018 Annual Report submission. Through the open water season of 2018 we have identified candidate locations where flow is sufficient and would be representative of Deposit 1. Please let me know if the NWB approves of this approach or if there is another mechanism to relocate these monitoring stations that would be more appropriate.

For MS-MRY-11, the facility the sampling location was designed to address – the Bulk Sample Processing Stockpile Area – is no longer in use. The area is now occupied by the 800 Person Camp laydown area. We do not intend to relocate this sampling station, and consider it to be inactive due to decommissioning as of 2018. Should we include this in our Annual Report submission similar to the above noted changes, or would we simply continue to identify the location as inactive?

Thank you,

Christopher Murray | Environmental & Regulatory Compliance Manager
Oakville - 2275
T: +1 416 364 8820 x5072
C: +1 647 472 9842



2275 Upper Middle Road East, Suite 300, Oakville, Ontario, Canada, L6H 0C3
www.baffinland.com

This email, and any attachments, may contain information which is confidential and/or privileged. Any unauthorized use or disclosure is prohibited. If you are not the intended recipient, please contact the sender and delete the material from any device.

From: Assol Kubeisinova [mailto:assol.kubeisinova@nwb-oen.ca]
Sent: November 8, 2018 1:38 PM
To: Christopher Murray <christopher.murray@baffinland.com>
Cc: licensing@nwb-oen.ca
Subject: [External]Re: [EXTERNAL] Re: 2017 QIA & NWB Annual Report - Responses to Comments

[Quoted text hidden]

[Quoted text hidden]

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>
To: Christopher Murray <christopher.murray@baffinland.com>
Cc: licensing@nwb-oen.ca

Thu, Nov 8, 2018 at 1:18 PM

Chris,

Your approach for MS-MRY-09 and MS-MRY-10 would work well, thank you. As for MS-MRY-11, your clarification is noted. However, please include the information in the 2018 report to ensure continuity.

Thank you,



Assol Kubeisinoва- ᠠᠰᠣᠯ ᠬᠤᠪᠡᠢᠰᠢᠨᠣᠪ᠎ᠠ

Technical Advisor - Conseiller technique ᐱᓕᑦᑐᒃᑐᑦ ᐸᑦᑐᑦ
Piluagnaqtuliginigmun Ikayugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ - NUNAVUT IMALIRIYTN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገናኙል ልጄ
ገናኙል ገናኙል ገናኙል X013 110

Titigaqavua 119
Uqhuqtinaq, NU, X0B 1J0

Tel / Téléphone / yʔ/s]b / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4f5 / Fax-kut: (867) 360-6369
Toll Free / Sans / 4Pʳbʷŋʷb / Akiñtug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]

2 attachments

 **image001.png**
8K

 **image001.png**
8K