## Google Groups

## 140109 2AM-MRY1325 November 2013 Monthly Monitoring Report for the Mary River Project

me <megan.porter@nwb-oen.ca>

Jan 9, 2014 9:22 AM

Posted in group: Licensing Department

The Nunavut Water Board acknowledges receipt on December 30, 2013 of the November 2013 Monthly Monitoring Report for the Mary River Project, Anyone wishing to view the document, it is available on our ftp site at the following link; ftp://nunavutwaterboard.org/1%20PRUC/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-

MRY1325%20BIMC/3%20TECH/9%20MONITORING%20(I)/I%2021%20%20Monthly%20monitoring/

Anyone wishing to provide comments may do so by emailing phyllis.beaulieu@nwb-oen.ca

Regards,



## Megan Porter- L△L° >

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ውඛንና ልL ር ሲትና ቴበLት ነ - NUNAVUT IMALIRIYIN KATIMAYINGI www.NunavutWaterBoard.org

P.O. Box 119 Gjoa Haven, NU, X0B 1J0 C.P. 119 Gjoa Haven (Nunavut), X0B 1J0 በበናዔሌሌ 119 ኦ'ሥን, ፴ፌን' X0B 1J0 Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / イペトレく / Hivayauta: (867) 360-6338 | Fax / Télécopieur / みらら / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email