

OVERVIEW OF AGNICO EAGLE የጥቅም ላይ የዋለው



Canadian-based company:

- Celebrating 60 years of success in 2017
- **Nine (9) operating mines** in Nunavut, Quebec, Finland and Mexico;
- More than **7,500 employees**;
- **Produced** 1,662,888 ounces of gold in 2016
- One of Canada's **Top 50 Corporate Responsible Companies**

ከፍተኛ የጥቅም ላይ የዋለው:

- ንድፍ ለጥቅም ላይ የዋለው 60-ዓመት ለጥቅም ላይ የዋለው 2017-ጥቅም
- **9-ህድረ ጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው** ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው
- ለጥቅም ላይ የዋለው 7500 ለጥቅም ላይ የዋለው
- 1,662,888 ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው 2016-ጥቅም
- ለጥቅም ላይ የዋለው ከፍተኛ የጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 3

AEM HISTORY & FUTURE IN NUNAVUT ላይን ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው



Why Nunavut?

- Politically attractive and stable jurisdiction
- Enormous geological potential
- Meadowbank's success and infrastructure should be leverage
- Operating experience on Inuit Owned Land

የጥቅም ላይ የዋለው?

- ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው
- ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው
- ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው
- ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው
- ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው ለጥቅም ላይ የዋለው

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 4

AEM HISTORY & FUTURE IN NUNAVUT
 ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ



Event	Meadowbank	Whale Tail Pit	Meliadine
First gold discovery	1987	1972	1972
AEM acquisition	2007	2007	2010
AEM first drilling activity	2007	2013	2010
Approval for construction	2007	*2017	2017
Construction period	2007-08-09-10	*2018-19	2017-18-19
Commercial production	2010	*2019	2019
End of production	Q3 2018	**2021	**2033

*Subject to receipt of final permits
 ** Based on current life of mine estimates



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 5

AEM HISTORY & FUTURE IN NUNAVUT
 ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ




	ᐱᓕᓂᓂᓂᓂ	Whale Tail ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ	ᐱᓕᓂᓂᓂᓂ
ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ	1987	1972	1972
ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂ	2007	2007	2010
ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂᓂ	2007	2013	2010
ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂᓂ	2007	*2017	2017
ᐱᓕᓂᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂᓂ	2007-08-09-10	*2018-19	2017-18-19
ᐱᓕᓂᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ	2010	*2019	2019
ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ	Q3 2018	**2021	*2033

*ᐱᓕᓂᓂᓂᓂᓂ ᐱᓕᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ
 ** ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂᓂ ᐱᓕᓂᓂᓂᓂᓂ

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 6


AGNICO EAGLE

- [illegible]



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 7

AGNICO EAGLE



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 8

AGNICO EAGLE

- AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 9

A large yellow mining truck is shown in the process of dumping its load into a massive pile of dark, rocky waste. The truck is positioned on a raised platform, and its bed is tilted upwards. The pile of waste is composed of numerous dark, angular rocks and fragments, creating a textured, uneven surface. In the background, another yellow mining vehicle is visible, and the sky is a clear, bright blue. The overall scene depicts a large-scale mining or waste management operation.



AGNICO EAGLE

AEM will work in partnership with Indigenous People to establish a mutually beneficial, cooperative and productive relationship. Our approach will be characterized by effective two-way communication, consultation and partnering.

[illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 11

AGNICO EAGLE

Plan $\langle \varphi_Q \rangle \cap$

- Sustainable Development Policy
- Towards Sustainable Mining
- ICMM Sustainable Development Framework
- NIRB requirements
- IIBAS



 Do $\wedge \sigma \triangleleft^{\text{fb}} \triangleright^{\text{c}}$

- Community Coordinators
- Open Houses/Public Meetings
- Consultations
- Community Initiative Funds
- Hamlet Agreements
- Community Liaison Committees
- HTO meetings



Check
ኖፕላርፕላር

- Tusaajugut (We're Listening)
- IIBA committees
- Monitoring
- External reporting
(KIA/GN/SEMC, etc.)
- Company performance indicators and sustainability reporting



Act ΛCn◁n▷rc

- Management review
- External review (KIA, corporate stakeholder advisory committee)



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 12

AGNICO EAGLE

Type A Water Licence for the Meadowbank Gold Mine: 2AM- MEA1525
July 23, 2015 to July 22, 2025


- Meadowbank Mine** (2017 Q4): Exhaust mineable reserves
- 2018 (Q3):** Mine life exhausted
- Whale Tail Pit** (2018 (Q2): Site preparation / construction)
- 2019 to 2022:** Operations
- Meadowbank Mine Facility Support to Whale Tail Pit** (2018 (Q3) to 2022: Extended life of milling and tailings deposition)
- Progressively close portions of Meadowbank**
- Closure Activities at Meadowbank Mine and Whale Tail** (2022 to 2029: Whale Tail Closure)
- Whale Tail Pit and Whale Tail Lake flood naturally**
- Progressively close Portage WRSF, refill Goose and Portage pits**
- Post-closure Whale Tail Pit and Meadowbank Mine**

Type A Water Licence Amendment for the Whale Tail Pit Project

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 13


AGNICO EAGLE

- 2017 -2018 - Construction:
 - Dikes, Site Pads, Site and Haul Road
- 2018- 2022 - Operation (3-4 years),
 - Over 800 jobs
 - Whale Tail Pit
 - Haul to Meadowbank Mill
 - Whale Tail Pit Camp
 - Use of Meadowbank Camp/ infrastructure
- 2022 - 2025 closure

[illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 14


ᐃᑦᓴᓂᐱᕐᑦ ᐅᓄᓂᐱᕐᑦ WHALE TAIL ᓄᓇᒥᕐ ᐃᑦᓴᓂᐱᕐᑦ ᐱᕐᓴᓂᐱᕐᑦ ᐱᕐᓴᓂᐱᕐᑦ ᐱᕐᓴᓂᐱᕐᑦ



Year	Ore Mined (t)	Waste Rock Excavated (t)	Overburden Excavated (t)	Ore Stockpile Balance (t)
2018	160,020	1,481,594	1,418,078	160,020
2019	2,289,976	13,797,463	4,118,981	807,495
2020	3,352,314	21,504,494	81,300	874,809
2021	2,476,834	9,320,843	0	66,644
2022 ^a	0	0	0	0
Total	8,279,144	46,104,394	5,618,359	-

<>ᑭᐁᕈᓂᑦᑭᐅᒥᑦ ᐱᕐᕐᗪ WHALE TAIL ᓄᔨᒥᑦ ᐃᓯᑐᑦᑭᐅᕐᕐᕋᒥᑦ ᐅᕏᑲᑦᑕᓴᓂᑦᑭᑦ ᐱᑦᑭᑦᐅᑎᑦ

AGNICO EAGLE

[illegible]

Category	Lower 5%	Average	Upper 95%
Approximate mill throughput	5,000 tpd	9,748 tpd	13,000 tpd
Long haul	64	154	173
Explosives	2	4	5
Fuel	1	2	4
Cargo	4	7	10
Pickup	12	20	26
Bus	0	2	4
Oversize	0	1	4
Maintenance	0	2	4




8

WHALE TAIL PIT ORE HAULING TRUCKS (OHTS)


WHALE TAIL ሙሉ ልጋጋግ/ሊፋፍ ጉሳግሳ ለግራፍ ጉሳግሳ ሙሉ ልጋጋግ



First trial: Kenworth C500/C540 (6x6 AWD)



Second trial: Dramis D150T / Kenworth C540 (10x10 AWD)




- ✓ **Engine:** Cummins ISX15, 605hp @ 2050lbs/tq, Tier4 EPA2017
- ✓ **Net payload:** 150mt
- ✓ **Truck-Trailer length:** ~84 feet

- ✓ **ΔdL:** Cummins ISX15, 605hp @ 2050lbs/tq, Tier4 EPA2017
- ✓ **ለግራፍ ልጋጋግ ልጋጋግ:** 150mt
- ✓ **ሙሉ ልጋጋግ-ጉሳግሳ ርዕሥ:** ~84 ልጋጋግ

AGNICO EAGLE | WHALI General manager meeting Q1 2017 17

WHALE TAIL PIT - HAUL ROAD

WHALE TAIL ሙሉ ልጋጋግ/ሊፋፍ ጉሳግሳ ለግራፍ ጉሳግሳ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 18

[illegible]

- [illegible]




AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 19

[illegible]

-

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 20

AGNICO EAGLE



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 21

AGNICO EAGLE

- | | |
|---|---|
| <ul style="list-style-type: none"> ➤ Construction is planned to begin as soon as permits are received ➤ Critical milestone is building the Whale Tail Dike in open water beginning in July 2018 ➤ Material preparation must begin as early as possible | <ul style="list-style-type: none"> ➤ ካዲኔታሪያዊ ምረቃ ለጥንቃቄ ማረጋገጫ ምዝገባ ማግኘት ➤ ለክሊኒካል ምርምር ማረጋገጫ ምዝገባ ማግኘት ለጥንቃቄ ማረጋገጫ ምዝገባ ማግኘት ➤ ለጥንቃቄ ማረጋገጫ ምዝገባ ማግኘት ለጥንቃቄ ማረጋገጫ ምዝገባ ማግኘት |
|---|---|


Structure / Activity / Sector	Construction Phase							Dewatering Phase					Operational Phase						
	2018							2019											
	June	July	August	September	October	November	December	January	February	March	April	May	June	July	August	September	October	November	December
Whale Tail Dike																			
Mammoth Dike																			
RSF Dike																			
NE Dike																			
East Sector																			
Industrial Sector																			
Main Camp Sector																			
Attenuation Pond & Pit Sector																			
Fishing																			
Dewatering																			

Dewatering dike
Contact water
Non-contact water

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 22

AGNICO EAGLE

↗ Δ▷^aσ^b: 2019-Γ^c 2023-Λ^c



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 23

AGNICO EAGLE

- | | |
|---|---|
| <ul style="list-style-type: none"> 8 wings to accommodate 210 workers Kitchen, mine dry and office space 440 persons will stay at Meadowbank STP (eg Bionest) discharge into attenuation pond Freshwater use for Whale Tail Camp
118,625m³/day Exploration site area will need to move | <ul style="list-style-type: none"> 8-መ ልካናቅጥም ድንግል፤ 210 ለርስሰው ልዩጭ, <መኞት ልረሳ በበናልላጋ ልማተኛ 440 ልማተኛ ቀንመው ልካናቅጥም መኖር STP ዕለተ ለቅርንጫፍ ለአልጭላጋ ርኅነት ልዩበላጭት መኖር Whale Tail ልማተኛ ልረሳ ርኅነት ልማተኛ መኖር ልረሳ ልማተኛ መኖር ናዎመካልማተኛ ልማተኛ ዕርሻ ልካናቅጥም መኖር |
|---|---|



Eg – Meliadine Camp




AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 24

- 2 x 250,000 ሩርገል ለጤናማ ልማት ለፍትሕ ምርጫ ማሳተፍ
- 2 x 1.8 MW ስራ ለፍትሕ ምርጫ ማሳተፍ
- HAZMAT ጋሽታ ለፍትሕ ምርጫ ማሳተፍ ለፍትሕ ምርጫ ማሳተፍ ለፍትሕ ምርጫ ማሳተፍ
- HAZMAT ለፍትሕ ምርጫ ማሳተፍ ለፍትሕ ምርጫ ማሳተፍ ለፍትሕ ምርጫ ማሳተፍ
- ለፍትሕ ምርጫ ማሳተፍ ለፍትሕ ምርጫ ማሳተፍ ለፍትሕ ምርጫ ማሳተፍ ለፍትሕ ምርጫ ማሳተፍ


AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 25

AGNICO EAGLE



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 26

WHALE TAIL PIT POST CLOSURE – 2025 TO 2029
WHALE TAIL ᓄᓇᓕ ᐃᓕᓕᓐᓴᓐᓴᓐ ᐅᓐᓴᓐᓴᓐᓴᓐ - 2025-ᓕ 2029-ᓴᓐ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 27



Continued use of Meadowbank Camp, Mill and TSF
 ᐃᓕᓕᓐᓴᓐᓴᓐ ᐃᓕᓕᓐᓴᓐᓴᓐ ᐃᓕᓕᓐᓴᓐᓴᓐ ᐃᓕᓕᓐᓴᓐᓴᓐ
 ᐃᓕᓕᓐᓴᓐᓴᓐ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 28


$\langle \Delta \rangle^{\text{fb}} \rho^{\text{a}} \dot{\phi}^{\text{fb}} \langle \Delta \rangle^{\text{fb}} C \Delta^{\text{a}} \omega^{\text{f}} \rightarrow \sigma, \rho^{\text{fb}} c \rho n^{\text{e}} \delta^{\text{b}} \langle L \rangle$ TSF



2

[illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 30

[illegible][illegible]

16

TAILINGS STORAGE FACILITY CLOSURE


የቅርንጫፍ ማቆራረጥ ስራ ላይ የሚገኝ የጽዳታ ስራ



CURRENT CLOSURE OF MEADOWBANK TSF NORTH CELL

የጽዳታ ስራ ላይ የሚገኝ የጽዳታ ስራ

- Waste rock cover being placed over the north and east portions of the north cell TSF
- Verify achievement of closure objectives with various cover thicknesses and cover designs
- ፈጠራዊ የጽዳታ ስራ ላይ የሚገኝ የጽዳታ ስራ
- ፈጠራዊ የጽዳታ ስራ ላይ የሚገኝ የጽዳታ ስራ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 33

WHALE TAIL PIT – ENVIRONMENTAL MONITORING AND MITIGATION

WHALE TAIL ማቆራረጥ ስራ ላይ የሚገኝ የጽዳታ ስራ

ፈጠራዊ የጽዳታ ስራ ላይ የሚገኝ የጽዳታ ስራ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 34

AGNICO EAGLE

The diagram illustrates the pathways of contaminants from a mining operation to various environmental compartments and organisms. The mining operation includes components like the MILL, TAILINGS, WASTE ROCK PILE, and ORE STOCKPILE, which release AIR EMISSIONS and WIND EMISSIONS. These emissions lead to AIR DISPERSION and DEPOSITION in the atmosphere. Contaminants then enter the terrestrial environment through uptake by organisms such as GRAY WOLF, CARIBOU, PTARMIGAN, ARCTIC FOX, and SQUIRREL. The aquatic environment is also affected, with contaminants entering through DISCHARGE and uptake by AQUATIC PLANTS, AQUATIC BIRDS, PREDATOR FISH, and CONSUMPTION FISH. The diagram highlights the interconnectedness of these pathways and the potential for bioaccumulation and biomagnification.

Figure is Adapted from AREVA- Kiggavik project


AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 35

AGNICO EAGLE

$$\Lambda^3 \mathcal{P}^{cb} \Delta \dot{\mathcal{L}}^{bd} - \rho^b \mathcal{L}^b \Lambda \mathcal{C} \Delta \mathcal{F}^c$$


AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 36

- | | |
|--|--|
| ➤ Adaptive Management requires continuous monitoring, evaluation, modeling and planning, with a feedback loop for continuous improvement | ➤ ለጋርጭብናቸው ለጋር ለመጭቀም የሚችሉ የቴክኖሎጂዎችን ማግኘትና ማጥፋት ማለት ማለፍ ሲሆን ለዚህም ማረጋገጫ ማድረግ ይገባል። |
| ➤ This will result in adapting infrastructure, management plans, and mitigation accordingly | ➤ የቴክኖሎጂዎችን ማግኘትና ማጥፋት ማለት ማለፍ ሲሆን ለዚህም ማረጋገጫ ማድረግ ይገባል። |




AGNICO EAGLE

- TK workshops held in December 2014
- 2015 baseline studies were guided by TK information
- Various site visits with HTO, CLARC, Elders in 2015
- February 2016, follow-up TK workshop with Elders, Women, Youth and meetings with HTO and CLARC
- Consultation with Regulators and Kivalliq Stakeholders throughout 2016 and 2017



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 38



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 41

AGNICO EAGLE


- | | |
|--|--|
| <p> Collared Caribou Residency - 0.37% of their time within the RSA</p> <p> Caribou have been found to primarily pass through the Whale Tail Pit Site during Early and Late Winter</p> | <p> በበጭታ ልርኩንድሊፍ 5-D, በበጭኔ 5-D-1: የካሪቡስ ዋይል ቲል ፒት አካባቢው 0.37% ርልዕሙምቦር ድህረገጽ ምልክት ነው።</p> <p> ድህረገጹ የዋይል ቲል ፒት ልጅ ምልክት ሆኖ የዋይል ቲል ፒት ልጅ ምልክት ሆኖ ለመጓጓዣው ይጠቀማል።</p> |
|--|--|

Table 9.5-1: Collared Caribou	Herd	Season	Residency Time in White Tail RSA - Days	Total Time - Days	%	Number of Unique Collared Caribou within RSA	Number of Unique Collared Caribou Total	Years that Caribou are within the RSA	Years of Collar Data
		Post-calving	0.00	1,668.17	0.00	0	18	n/a	1999-2006, 2010-2012, 2015
		Late Summer	16.77	2,043.00	0.82	1	18	2015	1999-2006, 2010-2012, 2015
		Fall	11.68	1,299.00	0.90	1	18	2015	1999-2006, 2010-2012, 2015
		Fall Rut	19.88	1,127.00	1.76	5	18	2003, 2004	1999-2006, 2010-2012, 2015
		Early Winter	60.72	2,369.17	2.56	6	18	2000, 2001, 2003, 2004, 2011	1999-2006, 2010-2012, 2015
		Late Winter	203.43	3,272.00	6.22	6	16	2001, 2002, 2004, 2005	2000-2006, 2010-2013
		Total		329.23	15,501.17	2.12	12	18	
	Total All Herds		981.76	264,995.08	0.37	71	359		


RSA = regional study area; % = percent.

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 42

$\Delta^c \sigma^{\mu\nu} \Delta > n - i\sigma$



1



7.19

AGNICO EAGLE

- [illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 45

AGNICO EAGLE

Monitoring that is proven and effective:

- Caribou radio-collaring program in collaboration with the GN.
- Mine Site and Haul Road surveys
- Working with BL HTO, KivIa and elders
- Local field technicians

Based on workshop discussions, Agnico Eagle has added the following:

- Increased Mine Site and Haul Road Height of Land Surveys
- 2 dedicated local technicians monitoring wildlife along roads (one BL HTO representative)
- Gates and alert signs

Considering the following monitoring:

- Reconyx camera's in specific areas
- Improve detection beyond 3 km (i.e. motion sensing camera's at the mine site similar to Sabina)

[illegible]

- [illegible]

[illegible]

- [illegible]

ልረኤ ካብ ጉዳይ ባርነት ድረስ ዕለት ክልተ ምዃር ነጻነት ክገኝ፡

- [illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 46

ፌዴራል ሪፐብሊክ ኢትዮጵያ



- AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 47

$\Delta^c \nabla^c \Delta^c \sigma^c$



- AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 48

መፈገግ ምክር ቤቱ



- [illegible]



ፌዴራል ሪፐብሊክ ኢትዮጵያ



Caribou Group Size Threshold (GST)	Caribou Group Size Threshold (GST)
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

```

graph TD
    A{WHALE TAIL HAUL ROAD OPERATIONS} --> B[NORMAL OPERATIONS  
WILDLIFE HAVE RIGHT OF WAY  
BASIC MONITORING ACCORDING TO TEMP]
    B --> C[1 caribou within 25 km,  
based on caribou collaring data]
    C --> D[LEVEL 1 TRIGGERED FOR 5 DAYS THROUGHOUT THE YEAR]
    D --> E[MONITORING  
surveys every 2 days (during sensitive seasons)  
road surveys every 2 days (during sensitive seasons)  
information reviewed 2x/week]
    D --> F[MITIGATION  
Daily site-wide notification that caribou could be encountered]
    E --> G[> GST within 4 km  
(or maximum distance observed)]
    F --> G
    G --> H[ ]
  
```



መፈገግር ለግልጽ ምርጫ ማድረግ



$\Delta^c \nabla^c \sigma^c$



- **Δ²ῥ⁵ῑ⁶ῑ⁷ῑ⁸ῑ⁹ῑ¹⁰ῑ¹¹ῑ¹²ῑ¹³ῑ¹⁴ῑ¹⁵ῑ¹⁶ῑ¹⁷ῑ¹⁸ῑ¹⁹ῑ²⁰ῑ²¹ῑ²²ῑ²³ῑ²⁴ῑ²⁵ῑ²⁶ῑ²⁷ῑ²⁸ῑ²⁹ῑ³⁰ῑ³¹ῑ³²ῑ³³ῑ³⁴ῑ³⁵ῑ³⁶ῑ³⁷ῑ³⁸ῑ³⁹ῑ⁴⁰ῑ⁴¹ῑ⁴²ῑ⁴³ῑ⁴⁴ῑ⁴⁵ῑ⁴⁶ῑ⁴⁷ῑ⁴⁸ῑ⁴⁹ῑ⁵⁰ῑ⁵¹ῑ⁵²ῑ⁵³ῑ⁵⁴ῑ⁵⁵ῑ⁵⁶ῑ⁵⁷ῑ⁵⁸ῑ⁵⁹ῑ⁶⁰ῑ⁶¹ῑ⁶²ῑ⁶³ῑ⁶⁴ῑ⁶⁵ῑ⁶⁶ῑ⁶⁷ῑ⁶⁸ῑ⁶⁹ῑ⁷⁰ῑ⁷¹ῑ⁷²ῑ⁷³ῑ⁷⁴ῑ⁷⁵ῑ⁷⁶ῑ⁷⁷ῑ⁷⁸ῑ⁷⁹ῑ⁸⁰ῑ⁸¹ῑ⁸²ῑ⁸³ῑ⁸⁴ῑ⁸⁵ῑ⁸⁶ῑ⁸⁷ῑ⁸⁸ῑ⁸⁹ῑ⁹⁰ῑ⁹¹ῑ⁹²ῑ⁹³ῑ⁹⁴ῑ⁹⁵ῑ⁹⁶ῑ⁹⁷ῑ⁹⁸ῑ⁹⁹ῑ¹⁰⁰ῑ¹⁰¹ῑ¹⁰²ῑ¹⁰³ῑ¹⁰⁴ῑ¹⁰⁵ῑ¹⁰⁶ῑ¹⁰⁷ῑ¹⁰⁸ῑ¹⁰⁹ῑ¹¹⁰ῑ¹¹¹ῑ¹¹²ῑ¹¹³ῑ¹¹⁴ῑ¹¹⁵ῑ¹¹⁶ῑ¹¹⁷ῑ¹¹⁸ῑ¹¹⁹ῑ¹²⁰ῑ¹²¹ῑ¹²²ῑ¹²³ῑ¹²⁴ῑ¹²⁵ῑ¹²⁶ῑ¹²⁷ῑ¹²⁸ῑ¹²⁹ῑ¹³⁰ῑ¹³¹ῑ¹³²ῑ¹³³ῑ¹³⁴ῑ¹³⁵ῑ¹³⁶ῑ¹³⁷ῑ¹³⁸ῑ¹³⁹ῑ¹⁴⁰ῑ¹⁴¹ῑ¹⁴²ῑ¹⁴³ῑ¹⁴⁴ῑ¹⁴⁵ῑ¹⁴⁶ῑ¹⁴⁷ῑ¹⁴⁸ῑ¹⁴⁹ῑ¹⁵⁰ῑ¹⁵¹ῑ¹⁵²ῑ¹⁵³ῑ¹⁵⁴ῑ¹⁵⁵ῑ¹⁵⁶ῑ¹⁵⁷ῑ¹⁵⁸ῑ¹⁵⁹ῑ¹⁶⁰ῑ¹⁶¹ῑ¹⁶²ῑ¹⁶³ῑ¹⁶⁴ῑ¹⁶⁵ῑ¹⁶⁶ῑ¹⁶⁷ῑ¹⁶⁸ῑ¹⁶⁹ῑ¹⁷⁰ῑ¹⁷¹ῑ¹⁷²ῑ¹⁷³ῑ¹⁷⁴ῑ¹⁷⁵ῑ¹⁷⁶ῑ¹⁷⁷ῑ¹⁷⁸ῑ¹⁷⁹ῑ¹⁸⁰ῑ¹⁸¹ῑ¹⁸²ῑ¹⁸³ῑ¹⁸⁴ῑ¹⁸⁵ῑ¹⁸⁶ῑ¹⁸⁷ῑ¹⁸⁸ῑ¹⁸⁹ῑ¹⁹⁰ῑ¹⁹¹ῑ¹⁹²ῑ¹⁹³ῑ¹⁹⁴ῑ¹⁹⁵ῑ¹⁹⁶ῑ¹⁹⁷ῑ¹⁹⁸ῑ¹⁹⁹ῑ²⁰⁰ῑ²⁰¹ῑ²⁰²ῑ²⁰³ῑ²⁰⁴ῑ²⁰⁵ῑ²⁰⁶ῑ²⁰⁷ῑ²⁰⁸ῑ²⁰⁹ῑ²¹⁰ῑ²¹¹ῑ²¹²ῑ²¹³ῑ²¹⁴ῑ²¹⁵ῑ²¹⁶ῑ²¹⁷ῑ²¹⁸ῑ²¹⁹ῑ²²⁰ῑ²²¹ῑ²²²ῑ²²³ῑ²²⁴ῑ²²⁵ῑ²²⁶ῑ²²⁷ῑ²²⁸ῑ²²⁹ῑ²³⁰ῑ²³¹ῑ²³²ῑ²³³ῑ²³⁴ῑ²³⁵ῑ²³⁶ῑ²³⁷ῑ²³⁸ῑ²³⁹ῑ²⁴⁰ῑ²⁴¹ῑ²⁴²ῑ²⁴³ῑ²⁴⁴ῑ²⁴⁵ῑ²⁴⁶ῑ²⁴⁷ῑ²⁴⁸ῑ²⁴⁹ῑ²⁵⁰ῑ²⁵¹ῑ²⁵²ῑ²⁵³ῑ²⁵⁴ῑ²⁵⁵ῑ²⁵⁶ῑ²⁵⁷ῑ²⁵⁸ῑ²⁵⁹ῑ²⁶⁰ῑ²⁶¹ῑ²⁶²ῑ²⁶³ῑ²⁶⁴ῑ²⁶⁵ῑ²⁶⁶ῑ²⁶⁷ῑ²⁶⁸ῑ²⁶⁹ῑ²⁷⁰ῑ²⁷¹ῑ²⁷²ῑ²⁷³ῑ²⁷⁴ῑ²⁷⁵ῑ²⁷⁶ῑ²⁷⁷ῑ²⁷⁸ῑ²⁷⁹ῑ²⁸⁰ῑ²⁸¹ῑ²⁸²ῑ²⁸³ῑ²⁸⁴ῑ²⁸⁵ῑ²⁸⁶ῑ²⁸⁷ῑ²⁸⁸ῑ²⁸⁹ῑ²⁹⁰ῑ²⁹¹ῑ²⁹²ῑ²⁹³ῑ²⁹⁴ῑ²⁹⁵ῑ²⁹⁶ῑ²⁹⁷ῑ²⁹⁸ῑ²⁹⁹ῑ³⁰⁰ῑ³⁰¹ῑ³⁰²ῑ³⁰³ῑ³⁰⁴ῑ³⁰⁵ῑ³⁰⁶ῑ³⁰⁷ῑ³⁰⁸ῑ³⁰⁹ῑ³¹⁰ῑ³¹¹ῑ³¹²ῑ³¹³ῑ³¹⁴ῑ³¹⁵ῑ³¹⁶ῑ³¹⁷ῑ³¹⁸ῑ³¹⁹ῑ³²⁰ῑ³²¹ῑ³²²ῑ³²³ῑ³²⁴ῑ³²⁵ῑ³²⁶ῑ³²⁷ῑ³²⁸ῑ³²⁹ῑ³³⁰ῑ³³¹ῑ³³²ῑ³³³ῑ³³⁴ῑ³³⁵ῑ³³⁶ῑ³³⁷ῑ³³⁸ῑ³³⁹ῑ³⁴⁰ῑ³⁴¹ῑ³⁴²ῑ³⁴³ῑ³⁴⁴ῑ³⁴⁵ῑ³⁴⁶ῑ³⁴⁷ῑ³⁴⁸ῑ³⁴⁹ῑ³⁵⁰ῑ³⁵¹ῑ³⁵²ῑ**



TERRESTRIAL ENVIRONMENT MONITORING መግቢያ ማረጋገጫ



- Haul Road Shutdown animation/ visual
- መከላከያ ማረጋገጫ/የመከላከያ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 53

TERRESTRIAL ENVIRONMENT MONITORING መግቢያ ማረጋገጫ



- 4 min – video/ clip – Caribou matter.



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 54

DUST MONITORING AND MITIGATION

ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ



- Active monitoring at Whale Tail Pit and Meadowbank
- Passive Dustfall monitoring on the Whale Tail Pit haul
 - At km 18, 36, and 54 - dustfall monitoring location transects on haul road
 - At each transect - five dustfall monitoring locations at the following distances perpendicular to the haul road: 30 m (upwind); 30 m (downwind); 100 m (downwind); 300 m (downwind); and 1000 m (downwind).
- Continued Dustfall monitoring on AWAR



- ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ
- ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ
 - 18, 36, 54 km - ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ
 - ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ
- ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 55

DUST MONITORING AND MITIGATION

ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ



Agnico Eagle's adaptive management plan for mitigation of haul road dust along the Whale Tail Pit and Haul Road can be summarized in general as follows:

- Low silt esker material is the preferred road top-dressing material used in construction.
- After construction, problem areas will be identified and reported by Agnico Eagle staff (e.g., haul truck drivers), and top dressed with low silt esker material.
- Initially, road watering will be applied to control problem areas.
- Where dust problems persist, a chemical suppressant (e.g., TETRA Flake $[CaCl_2]$) will be used.

ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ


- ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ
- ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ
- ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ
- ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ ᐱᓐᓂᓐ

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 56

WHALE TAIL PIT – SITE WIDE WATER QUALITY MONITORING
 WHALE TAIL ሙዊር ልጋጋኤ/ሊኖ - ልወጥጥር ልሊጅ ኤጳጳሙኤሌ
 ንጉሥጥጥርጥርጥር



- Site wide monitoring
- During operation
 Agnico Eagle proposes
 15 monitoring stations
 - Pit
 - Sumps or Ponds
 - Channels
 - Attenuation Pond
- Various stations within
 the receiving
 environment that will
 be monitored in
 addition to CREMP
 stations
- Freshwater source for
 Camp is Nemo Lake
- Appendix 8- B. 3 -
 Whale Tail Pit Water
 Quality and Flow
 Monitoring Plan




AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 57

WHALE TAIL PIT – SITE WIDE WATER QUALITY MONITORING
 WHALE TAIL ሙዊር ልጋጋኤ/ሊኖ - ልወጥጥር ልሊጅ ኤጳጳሙኤሌ
 ንጉሥጥጥርጥርጥር



- ልወጥጥርጥርጥር
 ንጉሥጥጥርጥርጥር
- ልወጥጥርጥርጥር ልወጥጥርጥር
 15-ጥ ንጉሥጥጥርጥርጥር
 ልወጥጥርጥርጥር
 ጋጥጥርጥርጥርጥርጥር
 - ሙዊር ልጋጋኤ/ሊኖ
 - ልጥጥርጥር ልጥጥር ልጥጥር
 - ልጥጥር
 - ልጥጥርጥርጥርጥርጥርጥር
 ልጥጥር
- ንጉሥጥጥርጥር ልወጥጥር ልጥጥር
 ልጥጥር
 ንጉሥጥጥርጥርጥርጥርጥርጥር
 ልጥጥርጥርጥርጥርጥርጥር
 ልወጥጥርጥር
- Nemo ልጥጥር
 ልጥጥርጥርጥርጥርጥርጥር
 ሙዊርጥጥር
- ጥጥርጥር ልጥጥርጥር 8- B. 3 –
 Whale Tail ሙዊር
 ልጋጋኤ/ሊኖ ልጥጥር
 ኤጳጳሙኤሌ ልጥጥር ልጥጥር
 ንጉሥጥጥርጥርጥርጥርጥርጥር



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 58

DIKE CONSTRUCTION MONITORING AND MANAGEMENT ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል




- Whale Tail Dike is similar in design as East Dike and Bay Goose Dike at Meadowbank
- Construction monitoring and mitigation is the same and applies lessons learned
- Stations are proposed to be located on the exterior of the Whale Tail Dike turbidity curtains to protect water quality and fish
- Whale Tail-ግን ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል
- ከሰላሳውቱ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል
- ልሊግኑ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 59

DIKE CONSTRUCTION MONITORING ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል



- Adaptive Management Strategy for Dike Construction
 - If monitoring results exceed license limits and TSS triggers at monitoring stations.
- Mitigation:
 1. Slow down or alter construction practices;
 2. Increase monitoring frequency;
 3. Install additional turbidity curtains;
 4. Pumping in trench and treating water; and
 5. Stop dike construction.
- ልሊግኑ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል
- ከሰላሳውቱ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል
- TSS-ግን ለሰላሳውቱ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል
- ልሊግኑ ስራ ላይ ማስተፋከርና ማስተካከል ልሊግኑ ከባህሪ ልዩ ስራ ላይ ማስተፋከርና ማስተካከል



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 60



AGNICO EAGLE

32

AGNICO EAGLE



AGNICO EAGLE
AGNICO EAGLE

[illegible]

35

AGNICO EAGLE

- Nunavut platform can be a cornerstone for Agnico Eagle for several decades.
- Meadowbank's lessons and success can be leveraged in new Agnico projects in Nunavut
- The Whale Tail Pit project will extend the life of Meadowbank; Amaruq is the future of the Meadowbank Division
- Meliadine remains a significant potential catalyst for AEM's growth in Nunavut
- **Having our mines managed by Inuit**



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 73

AGNICO EAGLE

[illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 74



Trading Symbol:
AEM on TSX & NYSE

Investor Relations:
416-847-8665
info@agnicoeagle.com

agnicoeagle.com

