



Part 3 – Waste Disposal and Management

Final Hearing – September
2017

የኢህአዴግ ምክር ቤት የብርሃን መርሆች -
ጋለል 2017


AGNICO EAGLE

i) ኖቆልጋሚ ነጥልጋዊ ጋኖፊኖሃሊዳል (ልረቀኛ ቅድመ ስራ)

- | | |
|---|---|
| <ul style="list-style-type: none"> Overview of the history of the Meadowbank Tailings Storage Facility (TSF) <ul style="list-style-type: none"> - NWB Type A 2AM MEA1525 Whale Tail Pit requires continuation of the use of the Meadowbank TSF Closure concept of Meadowbank TSF Whale Tail Waste Rock Storage Facility (including proposed thermal instrumentation) Whale Tail Waste Rock Management | <ul style="list-style-type: none"> ንዋርክፓንብርናው ለመምረጥና ለማስተካከል የሚያስፈልጉት መረጃዎች (TSF) <ul style="list-style-type: none"> - ወይንቢፒ ለፖርታላንት Type A 2AM MEA1525 Whale Tail ወሬድ ለመጨመርና ለመቆየት የሚያስፈልጉት መረጃዎች (TSF-FC) የወሬድ ለመጨመርና ለመቆየት የሚያስፈልጉት መረጃዎች (TSF) Whale Tail-FC ንዋርክፓንብርናው ለማስተካከል (ለፖርታላንት) የሚያስፈልጉት መረጃዎች <p>i</p> |
|---|---|

[illegible]

- | | |
|---|--|
| ➤ North Cell TSF reached maximum capacity in September 2021 with 16.2 Mm³ stored; | ➤ ሰሜን የፖርታክል ትናንሽ መዋቅር በስተመብቀውበት ዓመት ከጠባይ 98% እየሞላለች ነች፡ |
| ➤ South Cell TSF reached maximum capacity in January 2022 – with 13.8Mm³ stored. | ➤ ምዕራቢያ የፖርታክል ትናንሽ መዋቅር በስተመብቀውበት ዓመት ከጠባይ 75% እየሞላለች ነች፡ |




AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 3

$\Delta \triangleright^{\text{fb}} \Pi^{\text{a}} \dot{\cup}^{\text{fb}} \Gamma^{\text{c}} \rho \text{L}^{\text{b}} \Pi^{\text{c}} \omega^{\text{c}} \triangleright^{\text{fb}} \delta^{\text{fb}} \gamma \gamma \text{L}^{\text{e}} \Delta^{\text{b}}$



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 4



[illegible][illegible]

3

AGNICO EAGLE



South Cell TSF

- The figure on the right depicts the geometry of the North Cell before resuming the deposition in October 2019. All structure (Central Dike, SD3, 4 & 5 and Stormwater Dike) will be at elevation 150m.
- Most of the deposition will occurred from the Central Dike in order to reclaim water from the west end of the TSF.

[illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 7

AGNICO EAGLE

[illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 8

መደፍ ለጥራትና ለፍጥነት ምርት ማረጋገጥ



- [illegible]

Tailing	Average Sulphur %	Average Buffering Capacity (NP) ^a	Average Net Potential Ratio ^b	Average Total Arsenic (mg/kg)	Average Leachable Arsenic (mg/L)
Amaruq	3.5	60	0.6	940	0.86
Meadowbank	2.5	30	0.5	139	0.002

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 9

መደፍ ለጥቅም ላይ የዋለው የጥናት ዓላማ



- [illegible]

e.g. slab 2F/T before



Slab #	Mass loss (%)	Slab #	Mass loss (%)
1F/T	0.032	1W/D	0.070
2F/T	0.050	2W/D	0.085
3F/T	0.021	3W/D	0.029
4F/T	0.043	4W/D	0.042
5F/T	0.036	5W/D	0.592

e.g. slab 2F/T after



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 10

ፌዴራል ሊቀመንበሪ ጉረኤም ለገሰ



➤ $\Delta^b d\Gamma^b \Delta^b \sigma^b$

- [illegible]



e.g. slab 2F/T after

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 11

[illegible]

North Cell TSF Closure Landform

-
- A map of the 3rd Portage Lake Watershed, showing flow paths and outlet locations. The map includes a legend with three shades of green representing different land cover types. Blue arrows indicate the flow direction from various points within the watershed towards two designated outlets: Outlet #1 and Outlet #2. Outlet #1 is located at the bottom of the watershed, and Outlet #2 is located on the left side, near 3rd Portage Lake. The map also shows topographic features like roads and water bodies.

- ወደ ሳንዋዘን ሲሄድ ለፍጥነት ምሳሌ
 - ርዕሰ ጉዞው
- ለፍጥነት ምሳሌ ሲሄድ ወደ ሳንዋዘን ሲሄድ
 - ርዕሰ ጉዞው ለፍጥነት ምሳሌ
- ለፍጥነት ምሳሌ ሲሄድ ለፍጥነት ምሳሌ
 - ርዕሰ ጉዞው ለፍጥነት ምሳሌ

[illegible]

- North Cell TSF Closure Landform

- Thermal cover consisting of NPAG rock placed over both the North and South Cells with a min thickness of 2.0 m (more than 90% of surface >4 m);

- መፅሐፍ መልክሙስ ሲሂረው መፅሔገ፣
ካቴጋሮች በጥንቃቄ ሲፈቀዱ፣ ለሀገሩ
ልማትና ስሜት ሲረዱ፣

[illegible]

ፌዴራል ሊቀመንበሪ ጽሕፈት




➤ ማረጋገጫ ምን ያህል ጊዜ ይደረጋል?



[illegible]

- | | |
|---|---|
| <p> North Cell TSF reached maximum capacity in September 2021 with 16.2 Mm³ stored;</p> <p> South Cell TSF reached maximum capacity in January 2022 – with 13.8Mm³ stored.</p> <p> Submitted a stand-alone Tailings Management Plan (TMP) to NWB on January 25th, 2017.</p> <p> As a NWB condition, TMP will be updated prior to operations.</p> | <p> ፖላቲኒየም ታይልስ ሽፍን በዓመት የጥሬ ምርት መጠን 16.2 Mm³ ይጨምራል።</p> <p> ሰላማዊ ታይልስ ሽፍን በዓመት የጥሬ ምርት መጠን 13.8 Mm³ ይጨምራል።</p> <p> ንድፍ አገልግሎት ለውጤት ማረጋገጫ (TMP) ወደ ኃይለማርያም ሙሉ ሚኒስቴር ባለቤትነት ሪፖርት በጥቅምት 25፣ 2017 ላይ ቀርቧል።</p> <p> ወደ ኃይለማርያም ሙሉ ሚኒስቴር ባለቤትነት ሪፖርት በጥቅምት 25፣ 2017 ላይ ቀርቧል።</p> |
|---|---|



PRESENTATION| 15

[illegible]

L^aQD^bR^cS^dT^eU^fV^gW^hXⁱY^jZ^k

[illegible]

- Waste rock cover being placed over the north and east portions of the north cell TSF
- ᐃᑭᓕᒋᔪᑦ ᐅጥᖁᐃᑦ ᖃᗲ Δᑕ፡ᇉᏈᑦေኼᄂᑦ ᐅᑎᑦᑲᗴᏈᑦ ᐳᓚᐣᑦᑲᗴᏈᑦ ᐳᑕᖃᓯᑦᑲᗴᏈᑦ ᐅᑎᑦᑲᗴᏈᑦေኼᄂᑦ TSF



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 16


TAILINGS STORAGE FACILITY CLOSURE

የቦታውን ማጠናቀቅና የጥበቃ ማረጋገጫ



UNIVERSITY RESEARCH ON MEADOWBANK TAILINGS
ሥራ ምርጫና የጥበቃ ማረጋገጫ ለጥናት ተቃራኒ የሆኑትን የቦታውን ማጠናቀቅ

- Verify achievement of closure objectives with various cover thicknesses and cover designs
- ወደፊት ለሚገኝ የጥበቃ ማረጋገጫ ለጥናት ተቃራኒ የሆኑትን የቦታውን ማጠናቀቅ ለማረጋገጥ የሚያስፈልጉትን የጥናት ዓላማዎች



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 17

WHALE TAIL PIT - WASTE ROCK STORAGE FACILITY – ALTERNATIVES ASSESSMENT

WHALE TAIL ወጪ ለጥናት ማረጋገጫ ለጥናት ተቃራኒ የሆኑትን የቦታውን ማጠናቀቅ




Consideration for:


- Proximity to the pit
- Waste Rock Storage Facility (WRSF) drainage controls
- Site wide water management

ለጥናት ማረጋገጫ ለጥናት ተቃራኒ የሆኑትን የቦታውን ማጠናቀቅ

- ለጥናት ማረጋገጫ ለጥናት ተቃራኒ የሆኑትን የቦታውን ማጠናቀቅ
- ለጥናት ማረጋገጫ ለጥናት ተቃራኒ የሆኑትን የቦታውን ማጠናቀቅ
- ለጥናት ማረጋገጫ ለጥናት ተቃራኒ የሆኑትን የቦታውን ማጠናቀቅ
- ለጥናት ማረጋገጫ ለጥናት ተቃራኒ የሆኑትን የቦታውን ማጠናቀቅ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 18

[illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 19




Table 1: Proportions of Waste Rock and Overburden to be Mined from the Whale Tail Pit

Lithology	Chemical Code	Rock Code	Waste (t)	Waste %
Ultramafic	V4a	0a	7,839,953	17%
Transitional Ultramafic	V3-V4	0b	6,292,816	14%
		Sum of Ultramafic	14,132,769	31%
Greywacke		S3C	3,167,882	7%
		S3S	9,707,441	21%
		Sum of Greywacke	12,875,323	28%
Chert	3b	S10	9,069,203	20%
Iron Formation	3b	S10	7,080,011	15%
Mafic Volcanic	V3	1b	2,324,150	5%
Intermediate Intrusive	I2	8b	622,937	1%
		Sub Total	46,104,394	100%
Overburden			5,618,359	-
		Total	51,722,752	-

Note: ^a Individual tonnages may not sum to the total due to rounding.
Source: Agrico Eagle, personal communication, February 2016.

Source: Agnico Eagle, personal communication, February 2016.

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 20

AGNICO EAGLE

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 23

AGNICO EAGLE

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 24

$\Delta^b C d^{j_{\text{sb}}} C \triangleright r^c \triangleright s^{b_b} \Delta^c s^{b_m} \Delta c \triangleright s^{a_r} r^c$. ካሁኛው ልዩነት $s^{b_b} \Delta^c$



- | | |
|--|---|
| <p>➤ Construction material includes rock types:</p> <ul style="list-style-type: none"> - Intermediate Intrusive - Southern Greywacke - Mafic volcanic rock (away from greywacke and ultramafic units) <p>➤ Construction material will consist of non-PAG and low-leaching material mainly from the south portion of the pit</p> <p>➤ Continue to evaluate the capping (2- 4m) requirements for closure of WRSF</p> <p>➤ Recent analysis suggests 3.3 m active thaw depth, plan for 3.8 m cover thickness</p> <p>➤ Ample extra amount of NPAG - low ML waste rock from the open pit to cover entire WRSF and to adjust to greater thickness if required.</p> <p>➤ South pit wall push back can be additional source of NPAG – low ML rock if needed.</p> | <p>➤ ກໍ່ສ້າງວັດຖຸກໍ່ສ້າງປະກອບມີ:</p> <ul style="list-style-type: none"> - ວັດຖຸກໍ່ສ້າງກາງລະຫວ່າງ - ເຄິດໃຕ້ພາກໃຕ້ - ເຄິດໂຮມພາກເທິງ <p>➤ ຈະນຳໃຊ້ວັດຖຸກໍ່ສ້າງທີ່ບໍ່ມີປະສົບການແລະວັດຖຸກໍ່ສ້າງຈາກສ່ວນໃຕ້ຂອງຝັ່ງ</p> <p>➤ ຕໍ່ຄາດຄະເນຕໍ່ການປິດປະຕິບັດ (2- 4 ມ) ຄວາມຕ້ອງການການປິດປະຕິບັດຂອງ WRSF</p> <p>➤ ລະຫວ່າງການວິភານ ສະແດງໃຫ້ເຫັນວ່າ ມີຄວາມເລິກຂອງການເຢັນຕາມລະດັບ 3.3 ມ ດັ່ງນັ້ນ ຈຶ່ງຕ້ອງການມີຄວາມເລິກຂອງການປິດປະຕິບັດ 3.8 ມ</p> <p>➤ ມີການປະກອບມີ NPAG - ພາກໃຕ້ ທີ່ມີປະສົບການ ຈາກການເກັບກຳ ໃນການປິດປະຕິບັດ ເພື່ອໃຫ້ມີພຽງພໍ ເພື່ອປິດປະຕິບັດ WRSF ແລະ ປັບປຸງຄວາມເລິກຂອງການປິດປະຕິບັດ ຫາກຕ້ອງການ.</p> <p>➤ ສູນຝັ່ງໃຕ້ ການປັບປຸງ ອາດຈະເປັນແຫຼ່ງມາຂອງ NPAG - ພາກໃຕ້ ທີ່ມີປະສົບການ ຫາກຕ້ອງການ.</p> |
|--|---|

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 25

WHALE TAIL $\text{ba}^{\text{c}} \Delta \text{ɔ}^{\text{c}} \text{ɔ}^{\text{b}} \text{ɾ}^{\text{c}} \text{ɾ}^{\text{b}} - \text{ɔ}^{\text{b}} \text{C}^{\text{d}} \text{ɔ}^{\text{b}} \text{C}^{\text{d}} \text{ɾ}^{\text{c}} \text{ɾ}^{\text{b}} \text{b}^{\text{b}} \text{σ}^{\text{b}} \text{ɔ}^{\text{b}} \text{C}^{\text{d}} \text{ɔ}^{\text{b}}$



- ## Define Quantity /Timing of Waste Rock Availability and Define Uses
- The mine waste rock production sequence is determined for every mine plan;
 - The material balance is completed for each year of production;
 - This balance indicates the distribution within the following categories of materials by rock type:
 - Mine rock for construction;
 - Mine rock for dams construction;
 - Mine rock for closure capping;
 - Mine rock to WRSF.
- ## Non PAG/ Non ML waste rock produced by mining activities is used for construction of the remaining mine infrastructures and for closure requirements
- 



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 26

- At baseline stage: identification of waste rock types and use categories by lithology
 - Open Pit Mining Plan pre-populated with lithologies by mining bench
- Verification sampling of blast holes, analysis of reject by on-site Leco furnace:
 - Total sulphur and inorganic carbon to determine acid rock drainage potential
 - Arsenic on subset of selected lithologies
 - Gold value by assay,
- Define ARD potential by comparison of results against previously established Whale Tail specific criteria
- The mine geologist completes daily assessment of categories of rock types mined and transfer of information to shift boss, shovel and truck operators
 - Waste PAG or ML: to WRSF
 - Waste non-PAG, non-ML: to cover pile, for construction or WRSF
 - Ore: to ore stockpile
- The mine surveyor uses this information to delineate the dig limits within the blasted rock pile to guide the shovel and loader operators, direct where rock is to be taken

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 27

AGNICO EAGLE

[illegible]

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 28

- Example of segregation by location
South Wall Rock (cover) **North Wall UM**

Waste Type	Sampling Frequency	
	ARD Potential	ML Potential ¹
North Wall Ultramafic	No sampling – confirmed ARD/ML	
South Wall Ultramafic	No sampling – confirmed ARD/ML	
Greywacke Central	Every 4 th hole	Every 16 th hole
Greywacke South	Every 4 th hole	Every 16 th hole
Chert	No sampling – confirmed ARD/ML	
Iron Formation	No sampling – confirmed ARD/ML	
Mafic Volcanic	Every 16 th hole	Every 4 th hole
Intermediate Intrusive	No sampling – confirmed NPAG / not leachable and suitable for construction	



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 29

AGNICO EAGLE

[illegible]

Waste Type	Sampling Frequency	
	ARD Potential	ML Potential ¹
North Wall Ultramafic	No sampling – confirmed ARD/ML	
South Wall Ultramafic	No sampling – confirmed ARD/ML	
Greywacke Central	Every 4 th dhole	Every 16 th hole
Greywacke South	Every 4 th hole	Every 16 th hole
Chert	No sampling – confirmed ARD/ML	
Iron Formation	No sampling – confirmed ARD/ML	
Mafic Volcanic	Every 16 th hole	Every 4 th hole
Intermediate Intrusive	No sampling – confirmed NPAG / not leachable and suitable for construction	



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 30

AGNICO EAGLE

-



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 31


AGNICO EAGLE

^ab_oΔc▷^bc<°c◁ō°c WHALE TAIL-Γ° ◁°bdj°bC▷°c▷°b°bσ°b◁▷c°nσ°j°c

-




AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 32

[illegible]

- Drill holes are sampled in accordance with the frequency set out in writing by the Geology Superintendent. The default sampling frequency is the sampling of every fourth drill hole in each drill hole pattern;
- Each sample should weigh no less than 1 kg;
- The sample is labeled using a convention that is readily traceable back to the production drill hole numbers;
- Composite samples are not to be used because they confuse the data and render it more difficult for use in model creation or comparison.

➤ ወደገር ስለሚገኝ ልዩ ልዩ ስራ
 ለሚገኝ ልዩ ልዩ ስራ ለሚገኝ ልዩ ልዩ ስራ
 ለሚገኝ ልዩ ልዩ ስራ ለሚገኝ ልዩ ልዩ ስራ



- [illegible]

[illegible]

ስድስት ሚሊዮን የግብርና ሚኒስቴር ገብረ ገብረ
 ስላሴ ለጋራ ጥያቄ አቅርበዋል፡፡ የግብርና ሚኒስቴር
 ገብረ ገብረ ስላሴ ለጋራ ጥያቄ አቅርበዋል፡፡ የግብርና
 ሚኒስቴር ገብረ ገብረ ስላሴ ለጋራ ጥያቄ አቅርበዋል፡፡

- The mine geologist completes daily assessment of categories of rock types mined and transfer of information to shift boss, shovel and truck operators
 - Waste PAG or ML: to WRSF
 - Waste non-PAG, non-ML: to cover pile, for construction or WRSF
 - Ore: to ore stockpile
- Production mapping daily and bi-monthly: waste rock by classification and deposition location

Daily map



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 35

AGNICO EAGLE



[illegible]

- [illegible]

[illegible]

ለፕላንቢንግ ማረጋገጫ ማረጋገጫ ማረጋገጫ
ለዚህ ማረጋገጫ

ᄒᆞᆫ ᄇᆡᆯᆫ ᄂᆞᆫ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 36

-

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 37


AGNICO EAGLE

A detailed map of the Shih-kuo area, showing various land parcels and their corresponding soil types. The map includes a legend on the left side, a north arrow at the top right, and a scale bar at the bottom. The legend is organized into two columns: 'Soil colors' and 'Soil types'. The 'Soil colors' column lists six categories: Blue-green, Green, Yellow-green, Yellow, Reddish, and Brown/Orange. The 'Soil types' column lists six categories: Blue-green, Green, Yellow-green, Yellow, Reddish, and Brown/Orange. The map itself shows a large area with various colored regions, each labeled with a number (e.g., 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1380, 1381, 1382, 1383, 1384, 1385, 1386, 1387, 1388, 1389, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1400, 1401, 1402, 1403, 1404, 1405, 1406, 1407, 1408, 1409, 1410, 1411, 1412, 1413, 1414, 1415, 1416, 1417, 1418, 1419, 1420, 1421, 1422, 1423, 1424, 1425, 1426, 1427, 1428, 1429, 1430, 1431, 1432, 1433, 1434, 1435, 1436, 1437, 1438, 1439, 1440, 1441, 1442, 1443, 1444, 1445, 1446, 1447, 1448, 1449, 1450, 1451, 1452, 1453, 1454, 1455, 1456, 1457, 1458, 1459, 1460, 1461, 1462, 1463, 1464, 1465, 1466, 1467, 1468, 1469, 1470, 1471, 1472, 1473, 1474, 1475, 1476, 1477, 1478, 1479, 1480, 1481, 1482, 1483, 1484, 1485, 1486, 1487, 1488, 1489, 1490, 1491, 1492, 1493, 1494, 1495, 1496, 1497, 1498, 1499, 1500, 1501, 1502, 1503, 1504, 1505, 1506, 1507, 1508, 1509, 1510, 1511, 1512, 1513, 1514, 1515, 1516, 1517, 1518, 1519, 1520, 1521, 1522, 1523, 1524, 1525, 1526, 1527, 1528, 1529, 1530, 1531, 1532, 1533, 1534, 1535, 1536, 1537, 1538, 1539, 1540, 1541, 1542, 1543, 1544, 1545, 1546, 1547, 1548, 1549, 1550, 1551, 1552, 1553, 1554, 1555, 1556, 1557, 1558, 1559, 1560, 1561, 1562, 1563, 1564, 1565, 1566, 1567, 1568, 1569, 1570, 1571, 1572, 1573, 1574, 1575, 1576, 1577, 1578, 1579, 1580, 1581, 1582, 1583, 1584, 1585, 1586, 1587, 1588, 1589, 1590, 1591, 1592, 1593, 1594, 1595, 1596, 1597, 1598, 1599, 1600, 1601, 1602, 1603, 1604, 1605, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1613, 1614, 1615, 1616, 1617, 1618, 1619, 1620, 1621, 1622, 1623, 1624, 1625, 1626, 1627, 1628, 1629, 1630, 1631, 1632, 1633, 1634, 1635, 1636, 1637, 1638, 1639, 1640, 1641, 1642, 1643, 1644, 1645, 1646, 1647, 1648, 1649, 1650, 1651, 1652, 1653, 1654, 1655,

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 38

- Photo 1 and 2 illustrates the sampling of the drill holes and the delimitation of the packets in the blasted rock material. Figure 1 presents a schematic view of the packet stakeout in the field.

- [illegible]





AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 39

AGNICO EAGLE

[illegible]

- The mine surveyor uses this information to delineate the dig limits within the blasted rock pile to guide the shovel and loader operators, direct where rock is to be taken
- ፡ሁኔታዊ ምርመራና የተለያዩ ዓይነት ቅንውነቶች በማስተካከል አስተያየት መስጠትና የአገልግሎት ክልል እና የምርመራ ሂደት ማስቀመጥ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 40

AGNICO EAGLE

⁵b⁶mΔc▷⁵b<^cc◁◊^c WHALE TAIL-Γ^c ◁^bCd⁵bC▷^c▷⁵b⁶bσ^b ◁▷c^cΠσ^cJ^c

- Dispatch of truck to the appropriate location according to material classification
- Monitoring (periodic sampling) of waste rock material in the pile and contact water quality to verify/document effectiveness of waste rock management plan.
- ፎክላንዲጅ ወይም ሙያዊ የውሃ ምርመራ ቢሮ ንብረት ድጋፍ ለማስፈጸም/ለማሳካት
- የአጠቃላይ የውሃ ምርመራ (የውሃ ምርመራ) የውሃ ምርመራ ማስፈጸም/የውሃ ምርመራ ማስፈጸም ለውሃ ምርመራ ማስፈጸም/ለውሃ ምርመራ ማስፈጸም



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 41

WHALE TAIL ᠮᠤᠩᠭ᠎ᠠ ᠲᠠᠢ ᠰᠣᠨᠪᠡᠳᠦ ᠶ᠋᠜ᠠᠵᠤ ᠴᠢᠷᠠᠨᠠᠭᠤᠯᠤᠰ

- Agnico Eagle will adhere to the effective operational practices adopted from Meadowbank and will follow site specific monitoring plans including:
- ARD/ ML Sampling
 - Waste Rock Storage Facility Management Plan
 - Water Quality and Flow Management Plan
- Agnico believes that closure of the Waste Rock Storage Facility will be controlled
- Ongoing research on the effectiveness of the cover and thickness requirements








Figure 11 : Trois des contours des températures d'une étude réalisée à Digne

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 42

[illegible]

- [illegible]

WATER QUALITY PREDICTIONS



- [illegible]



Trading Symbol:
AEM on TSX & NYSE

Investor Relations:
416-847-8665
info@agnicoeagle.com

agnicoeagle.com

