AGNICO EAGLE



WHALE TAIL PIT

WHALE TAIL ᓄᓇᒥᑦᐃᓗᕐᑦᑐᕐᓯᒪᔪᖅ

THE FUTURE OF THE MEADOWBANK DIVISION

ᓯᕗᓂᒃᓴᖓ ᐊᐳᕐᑎᓈᕐᑐᑦ

Community Information Session - Introduction and overview

ᓄᓇᓕᖕᒥᑦ ᑐᑭᓯᒪᒃᓴᑎᓄᑦ ᑲᑎᒪᓂᑦ

ᑐᑭᓯᑎᑦᑎᓂᖅ ᐊᒻᒪᓗ ᖁᒥᕐᕈᓂᖅ

Final Hearing – September 2017

ᑭᒍᓪᓕᕐᐸᖅ ᑐᓴᐅᑎᑦᑎᓂᖅ - ᓯᑎᐱᕆ 2017

SUMMARY OF THE PRESENTATION

ᓇᐃᓴᕐᓯᒪᖅ ᑕᑯᓴᕐᓈᕐᑕᐅᔪᒃᓴᐅᑦ

AGNICO EAGLE

- Introduce the Agnico Eagle Team
- Agnico Eagle Operations globally and in Nunavut
- A brief regulatory history of the Whale Tail Pit – Meadowbank Division project
- A summary of the Whale Tail Pit Project – the future of the Meadowbank Division located on the Amaruq Exploration Property (Jamie Quesnel)
- Overview of the construction and operations at Whale Tail Pit
- Continued use of the Meadowbank Mine Facilities
- Environmental Monitoring and Mitigation (Ryan Vanengen)
- Highlight the continued success of training and development of our skilled Nunavut work force

- ᑐᑭᓯᑎᑦᑎᓂᖅ ᐊᒐᓂᑯᒃᑯᓐᓂᙵᕐᑐᓂᒃ
- ᐊᒐᓂᑯᒃᑯᑦ ᐊᐅᓚᕐᑎᑦᑎᓂᖓᑦ ᓄᓇᕋᐊᕐᒥᑦ ᐊᒻᒪᓗ ᓄᓇᕗᒻᒥᑦ
- ᒪᓕᒐᓕᕆᓂᐅᕐᑲᑦᑕᕐᓯᒪᔪᑦ Whale Tail ᓄᓇᒥᑦ ᐃᓗᕐᑐᕐᓯᒪᔫᑉ ᒥᒃᓵᓄᑦ - ᐊᐳᕐᑎᓈᕐᑐᒥᑦ ᐱᓕᕆᐊᖅ
- ᓇᐃᓴᕐᓯᒪᖅ Whale Tail ᓄᓇᒥᑦ ᐃᓗᕐᑐᕐᓯᒪᔫᑉ ᒥᒃᓵᓄᑦ - ᓯᕗᓂᒃᓴᖓ ᐊᐳᕐᑎᓈᕐᑐᒥᑦ ᐅᔭᕐᑲᑕᐊᑉ ᐊᒪᕈᖅ-ᒥᑦ ᕿᓂᖅᓴᐃᖏᐅᔪᒥᑦ
- ᖁᒥᕐᕈᓂᖅ ᓴᓇᔭᐅᓂᖓᓂᒃ ᐊᒻᒪᓗ ᐊᐅᓚᕐᑎᑦᑎᓂᕐᓂᑦ Whale Tail ᓄᓇᒥᑦ ᐃᓗᕐᑐᕐᓯᒪᔪᒥᑦ
- ᐊᐳᕐᑎᓈᕐᑐᒥᑦ ᐱᕐᑯᑏᑦ ᐊᑐᕐᑕᐅᖏᓐᓇᕐᓂᐊᕐᑐᑦ
- ᐊᕙᑎᒥᒃ ᖃᐅᔨᒋᐊᕐᑲᑦᑕᕐᓂᖅ ᐊᒻᒪᓗ ᐊᖏᓗᐊᖏᒋᐊᕐᑎᑦᑎᓂᖅ
- ᑕᑯᒃᓴᐅᑎᓪᓗᒍ ᐱᐊᓂᕐᑎᐊᕐᐸᓪᓕᐊᓂᕆᓐᓇᕐᑕᖓᑦ ᐊᔪᕈᓐᖏᓐᓴᐃᓂᕐᒥᑦ ᐊᒻᒪᓗ ᐱᕙᓪᓕᓂᐊᓂᖏᑦᑕ ᐊᔪᖏᓐᓂᕐᑲᕐᑑᑎᑦᑕ ᓄᓇᕗᒻᒥ ᐱᓕᕆᐅᔾᔪᑦ

NUNAVUT WATER BOARD
Date: September 26 2017
Exhibit No.: 15

OVERVIEW OF AGNICO EAGLE
ᕿᒥᕐᕈᓂᖅ ᐊᒃᓃᑯᒃᑯᓐᓂᑦ

AGNICO EAGLE



60
1957 - 2017

Canadian-based company:

- Celebrating 60 years of success in 2017
- Nine (9) operating mines in Nunavut, Quebec, Finland and Mexico;
- More than 7,500 employees;
- Produced 1,662,888 ounces of gold in 2016
- One of Canada's Top 50 Corporate Responsible Companies

ᑲᓇᑕᒥᑦ ᑳᐸᓂᐅᔪᖅ:

- ᖁᕕᐊᓱᒋᑦᑲᖅᑐᑦ ᐅᑭᐅᑦ 60-ᓂᒃ ᐱᐊᓂᒃᓯᒪᓕᕐᓂᖏᓐᓄᑦ 2017-ᒥᑦ
- ᕿᑦᑐᐃᑦ ᐊᐅᓚᔪᑦ ᐅᔭᕆᐊᓕᐊᕐᕕᑦ ᓄᓇᕗᒻᒥᑦ, ᑯᐯᒃᒥᑦ, ᕕᓚᓐᒥᑦ ᐊᒻᒪ ᒦᒃᓯᑯᒥᑦ;
- ᐅᖓᑖᓄᑦ 7500 ᐱᓕᕆᔩᑦ;
- 1,662,888 ᐊᐅᓯᓂᒃ ᒎᓗᓕᐅᖅᓯᒪᔪᑦ 2016-ᒥᑦ
- ᐃᓚᖓᔪᐅᕐᑲᑕᐅᔪᖅ ᑲᓇᑕᒥ ᓯᕗᓪᓕᖅᐸᐅᔪᓂᑦ ᑳᐸᓂᖃᕐᓂᖏᑦ ᐱᔾᔪᑎᖃᕐᓂᖏᓐᓄᑦ

AEM HISTORY & FUTURE IN NUNAVUT
ᐊᒃᓃᑯᑦ ᐱᒋᐊᖅᓯᒪᓂᖓᓂᑦ ᐊᒻᒪ ᓯᕗᓂᖓᒍᑦ ᓄᓇᕗᒻᒥᑦ

AGNICO EAGLE

Why Nunavut?

- Politically attractive and stable jurisdiction
- Enormous geological potential
- Meadowbank's success and infrastructure should be leverage
- Operating experience on Inuit Owned Land

ᓱᖅ ᓄᓇᕗᑦ?

- ᒐᕙᒪᐅᔪᓄᑦ ᐱᐅᔪᖅ ᐊᒻᒪ ᖃᓄᐃᓐᖏᑦᑐᒥᑦ ᐃᓂᐅᔪᒥᒃᑯᑎᒃ
- ᐊᓯᔪᒪᓇᖏᒃ ᐅᔭᕐᑲᓕᕆᓂᖃᕐᓇᖅᑐᑦ
- ᐊᑉᐸᖅᑎᕐᓈᖅᑐᑦ ᐱᐊᓂᒃᓯᒪᓂᖓ ᐊᒻᒪ ᐱᖁᑎᖏᑦ ᐃᑲᔪᖅᑎᒋᓗᒋᐅᖅᑐᒃ
- ᐊᐅᓚᖅᑎᑦᑎᓂᖃᖅᑐᑦ ᐃᓄᐃᑦ ᓄᓇᖁᑎᖓᓂᒃ

NUNAVUT WATER BOARD
Date:
Exhibit No.:


AMARUQ EXPLORATION - Aerial view of the project
ᐊᒪᕈᖅ ᕿᓂᖅᓯᐅᓂᖅ - ᑕᒃᐸᖕᒋᑦ ᑕᐅᑐᒃᓱᒍ ᐱᓕᕆᐊᖅ
AGNICO EAGLE
Whale Tail pit
Quarry and road
Actual Exploration Camp
Meadowbank +- 74Km
by access road
AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 5


WHALE TAIL PIT
THE FUTURE OF THE MEADOWBANK MINE
Whale Tail ᓄᓇᒥᑦ ᐃᓗᕐᑐᖅᓯᒪᔪᖅ
ᓯᕗᓂᒃᓴᖓ ᐊᐳᖅᑎᓐᓇᖅᑐᒥᑦ ᐅᔭᖅᑕᕆᐊᑦ
AGNICO EAGLE
60
AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 6

AGNICO'S INDIGENEOUS PEOPLE ENGAGEMENT COMMITMENT

ᐊᒡᓃᑯᒃᑯᑦ ᓄᓇᖃᖅᑳᖅᑐᑦ ᐃᓚᐅᖃᑕᐅᓂᖏᓐᓄᑦ ᐱᓂᐊᕐᓂᖓᑦ

AGNICO EAGLE

AEM will work in partnership with Indigenous People to establish a mutually beneficial, cooperative and productive relationship. Our approach will be characterized by effective two-way communication, consultation and partnering.

ᐊᒡᓃᑯᒃᑯᑦ ᐱᓕᕆᖃᑎᖃᕐᓂᐊᖅᑐᑦ ᓄᓇᖃᖅᑳᖅᑐᓂ ᐊᑦᔨᖓᐅᓯᒪᖃᑎᒌᑦᑐᑦ ᐃᑲᔪᖅᑐᐃᓂᕐᒥᒃ, ᐱᓕᕆᖃᑎᒌᓐᓂᕐᒧᑦ ᐊᒻᒪ ᐱᓕᕆᐅᖅᑕᐅᓂᐊᕐᓂᕐᒧᑦ. ᐊᑐᖅᑕᐅᑦ ᐋᖅᑭᒃᓯᒪᓂᐊᖅᑐᖅ ᐃᒪᓐᓇᐊᖅᑐᑦ ᒪᕐᕉᐃᓐᓇᕐᒥᒃ ᐅᖃᖃᑎᖃᖃᑦᑕᕐᓂᒃᑯᑦ, ᐅᖃᖃᑎᒋᓂᖏᑦ ᐊᒻᒪ ᐱᓕᕆᖃᑎᒌᓐᓂᖏᑦ.

AGNICO'S PUBLIC ENGAGEMENT APPROACH

ᐊᒡᓃᑯᒃᑯᑦ ᐃᓄᓕᒫᓄᑦ ᐃᓚᐅᑎᑦᓯᓂᖏᓐᓄᑦ ᐊᑐᖅᑕᖏᑦ

AGNICO EAGLE

Plan ᐸᕐᓇᐅᑎ

- Sustainable Development Policy
- Towards Sustainable Mining
- ICMM Sustainable Development Framework
- NIRB requirements
- IIBAs

- ᐊᑐᖅᑕᐅᓯᓐᓇᖅᑐᒥᒃ ᐱᕙᓪᓕᐊᓂᕐᒥᒃ ᐊᑐᐊᒐᖅ
- ᐊᑐᖅᑕᐅᓯᓐᓇᖅᑐᒧᑦ ᐅᔭᕋᖕᓂᐊᕐᓂᖅ
- ICMM ᐊᑐᖅᑕᐅᓯᓐᓇᖅᑐᒥᒃ ᐱᕙᓪᓕᐊᓂᕐᒥᒃ ᐋᖅᑭᒃᓯᒪᔪᖅ
- ᐊᕙᑎᓕᕆᔨᒃᑯᓐᓄᑦ ᐱᔭᕇᕐᓇᖅᑎᑕᐅᔪᑦ
- IIBA

Do ᐱᓂᐊᖅᑐᑦ

- Community Coordinators
- Open Houses/Public Meetings
- Consultations
- Community Initiative Funds
- Hamlet Agreements
- Community Liaison Committees
- HTO meetings

- ᓄᓇᓕᖕᓂ ᑐᑭᒧᐊᑦᑎᔩᑦ
- ᐅᒃᑯᐃᖓᓂᐅᔪᑦ ᐃᓄᖕᓄᑦ/ᐃᓄᓕᒫᓄᑦ ᑲᑎᒪᓂᐅᔪᑦ
- ᐅᖃᖅᑎᖅᑯᓂᖅ
- ᓄᓇᓕᖕᓄᑦ ᐱᓕᕆᐊᖑᓂᒃ ᑮᓇᐅᔭᐃᑦ
- ᕼᐋᒻᓚᒃᑯᓐᓂ ᐊᖏᖅᑎᕆᓂᖏᑦ
- ᓄᓇᓕᖕᓂ ᑲᒪᔨᓂᒃ ᑲᑎᒪᔨᕋᓛᑦ
- ᑲᒥᐅᑎᓯᐊᕋᓛᖑᓂᒃ ᑲᑎᒪᔨᓂᒃ

Check ᖃᐅᔨᓯᐊᕐᓗᒋᑦ

- Tussajugut (We're Listening)
- IIBA committees
- Monitoring
- External reporting (KIA/GN/SEMC, etc.)
- Company performance indicators and sustainability reporting

- ᑐᓴᔪᒍᑦ
- IIBA-ᒧᑦ ᑲᑎᒪᔨᕋᓛᑦ
- ᖃᐅᔨᓯᐊᖃᑦᑕᕐᓂᖅ
- ᓯᓚᑖᓄᑦ ᐅᓂᒃᑳᓂ (ᑮᕙᐃᕝᕕᒃ/ᓄᓇᕗᑦ ᒐᕙᒪᒃᑯᑦ/SEMC-ᒃ ᐊᓯᖏᓪᓗ)
- ᑎᑎᕋᓂᒃ ᖃᓄᐃᑦᑑᓂᖏᑦ ᓇᓗᓇᐃᖅᓯᔩᑦ ᐊᑐᖅᑕᐅᓯᓐᓇᖅᑐᓂᒃ ᐅᓂᒃᑳᓂ

Act ᐱᓕᕆᐊᕆᓗᒋᑦ

- Management review
- External review (KIA, corporate stakeholder advisory committee)

- ᐊᐅᓚᑦᑎᓂᕐᒥ ᕿᒥᕐᕈᓂᖅ
- ᓯᓚᑖᓂ ᕿᒥᕐᕈᓂᖅ (ᑮᕙᐃᕝᕕᒃ, ᐃᓱᒪᒋᔭᐅᔪᑦ ᐃᓚᐅᖃᑕᐅᔪᓂ ᐅᖃᐅᔾᔨᓂᕐᒧᑦ ᑲᑎᒪᔨᕋᓛᑦ)

MEADOWBANK MINE - WHALE TAIL PIT
ᐊᐳᖅᑎᓐᓈᖅᑐᒥᑦ ᐅᔭᕋᖅᑕᕆᐊᖅ - WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᑐᖅᓯᒪᔪᖅ

AGNICO EAGLE

Whale Tail Pit Project Schedule:

- 2017 -2018 - Construction:
  - Dikes, Site Pads, Site and Haul Road
- 2018- 2022 - Operation (3-4 years),
  - Over 800 jobs
  - Whale Tail Pit
  - Haul to Meadowbank Mill
  - Whale Tail Pit Camp
  - Use of Meadowbank Camp/ infrastructure
- 2022 - 2025 closure

Whale Tail ᓄᓇᒥᑦ ᐃᓗᑐᖅᓯᒪᔪᕐᒧᑦ ᖃᐊᒃᑰᕐᒪᔪᖅ:

- 2017 -2018 - ᓴᓇᔭᐅᓂᖓ
  - ᐃᒪᕐᒥᒃ ᑲᑎᖅᓯᐃᔾᔮᑦ, ᐃᓂᒧᑦ ᑐᖓᔮᑦ, ᐃᓂᐅᔪᖅ ᐊᒻᒪᓗ ᐅᓯᑲᑦᑕᖓᓂᕐᒧᑦ ᐊᖅᑯᑎ
- 2018 -2022 - ᐊᐅᓚᖅᑎᑦᑎᓂᖅ (3-4 ᐅᑭᐅᕋ),
  - 800 ᐱᓕᕆᔾᔪᑦ
  - Whale Tail ᓄᓇᒥᑦ ᐃᓗᑐᖅᓯᒪᔪᖅ
  - ᐊᔭᖅᑐᐃᓗᓂ ᐊᐳᖅᑎᓐᓈᖅᑐᒥᑦ ᓯᕗᓪᓕᖅᑎᓐᓂᐊᕐᒧᑦ
  - Whale Tail ᓄᓇᒥᑦ ᐃᓗᑐᖅᓯᒪᔪᕐᒥᑦ ᓄᓇᓕᐊᓚᖅ
  - ᐊᑐᖅᑕᐅᓂᖓ ᐊᐳᖅᑎᓐᓈᖅᑐᒥᑦ ᓄᓇᓕᐊᓚᖅ/ᐱᕐᖁᑎᖏᑦ
- 2022-2025 ᐅᒃᑯᐊᖅᐸᓪᓕᐊᓂᖅ



MEADOWBANK AND WHALE TAIL PIT PRODUCTION HIGHLIGHTS
ᐊᐳᖅᑎᓐᓈᖅᑐᒥᑦ ᐊᒻᒪᓗ WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᑐᖅᓯᒪᔪᕐᒥᑦ ᐱᓕᐅᕆᐊᖕᓕᐊᓂᕐᒧᑦ ᒥᒃᓴᓃᖓᔪᑦ

AGNICO EAGLE

- Meadowbank will continue to operate at 11,000 TPD until Q3 2018
- Production gap between Q3 2018 and Q3 2019
- Whale Tail Pit is proposed to operate up to 11,000 TPD
  - 9,500 tonnes per day beginning in Q3 2019
  - Up to 11,000 tonnes per day beginning in 2020 to 2023
- 8,279,144 Mt of ore mined until 2022*
- Total gold resource for Whale Tail Pit will extend the life of Mine

- ᐊᐳᖅᑎᓐᓈᖅᑐᖅ ᐊᐅᓚᑦᑎᓂᐊᖅᑐᖅ 11,000 TPD-ᒃᑦ ᑎᑭᖦᖢᒍ Q3 2018-ᒧᑦ
- ᐱᓕᐅᕆᓂᖅᑕᖃᙱᓐᓂᖅ ᐊᑯᓐᓂᖓᓃᑦ Q3 2018 ᐊᒻᒪᓗ Q3 2019
- Whale Tail ᓄᓇᒥᑦ ᐃᓗᑐᖅᓯᒪᔪᖅ ᐊᐅᓚᖅᑎᑕᐅᔪᒪᔪᖅ 11,000 TPD-ᒃᑦ
  - 9,500 ᑖᓐ ᐅᑉᓗᑕᒫᑦ ᐱᒋᐊᖑᑎᒃ Q3 2019-ᒥᑦ
  - ᑎᑭᓪᓗᒍ 11,000 ᑖᓐ ᐅᑉᓗᑕᒪᖅ ᐱᒋᐊᖑᓂ 2020-ᒥᑦ 2023-ᒧᑦ
- 8,279,144 Mt ᐅᔭᕋᖅᑕᕆᐊᖅᑕᐅᔪᑦ ᑎᑭᓪᓗᒍ 2022 *-ᒧᑦ
- ᑲᑎᓪᓗᒃᑖᖅᓗᒍ ᒎᓗᐃᑦ Whale Tail ᓄᓇᒥᑦ ᐃᓗᑐᖅᓯᒪᔪᕐᒧᑦ ᐅᐃᒍᕆᐊᖅᓯᓂᐊᖅᑐᖅ ᐊᐅᓚᓐᓂᖓᓂᒃ ᐅᔭᕋᖅᑕᕆᐊᖅ

Table 1.2-1: Summary of Mine Life Materials Balance

Year	Ore Mined (t)	Waste Rock Excavated (t)	Overburden Excavated (t)	Ore Stockpile Balance (t)
2018	160,020	1,481,594	1,418,878	160,020
2019	2,288,978	13,797,483	4,118,981	807,495
2020	3,352,314	21,504,494	81,300	674,809
2021	2,478,834	9,320,843	0	66,844
2022*	0	0	0	0
Total	8,279,144	46,104,394	5,618,359	-

*Preliminary economics do not include ore mined in 2022.

MEADOWBANK AND WHALE TAIL PIT HAUL ROAD
ᐊᐳᓐᑎᓐᓈᓐᑐᒥᑦ ᐊᒻᒪᓗ WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕋᖅᓯᒪᕙᒥᑦ ᐅᓯᒃᑕᖅᑐᕐᒧᑦ ᐊᖅᑯᑎ

AGNICO EAGLE

Summary of Traffic along the Haul Road

- 18 Long Haul Trucks
  - Transporting ore from Whale Tail Pit to Meadowbank and the trucks will return to Whale Tail Pit empty
  - operating 24 hours/ day
  - 2.5 cycles/ day or 5 trips/day/ per long haul truck
  - An average of 154 trips on the road
  - Approximately 28 days of "possible closure
- Explosives/ Fuel/ Pick up / Cargo/ Bus
  - Use of haul road but in lower frequency

ᓇᐃᓈᖅᓯᒪᕙᖅ ᐃᓯᖕᒋᓴᔭᐅᔪᑦ ᐅᓯᒃᑕᖅᑐᕐᒧᑦ ᐊᖅᑯᑎᒥᑦ

- 18 ᐅᖓᓯᒃᑐᒧᑦ ᐅᓯᒃᑕᐅᑏᑦ ᓄᓇᒃᑯᐱᑏᑦ
  - ᐊᔾᔭᖅᑐᐃᓗᑎᒃ ᐅᔭᖅᑲᓂᒃ Whale Tail ᓄᓇᒥᑦ ᐃᓗᕋᖅᓯᒪᕙᒥᑦ ᐊᐳᓐᑎᓐᓈᖅᑐᒧᑦ ᐊᒻᒪᓗ ᐅᓯᒃᑲᓐᖏᓪᓗᑎᒃ ᓄᓇᒃᑯᐱᑏᑦ ᐅᑎᖅᓗᑎᒃ
  - ᐊᐅᓚᖅᓗᑎᒃ 24-ᓂᑦ ᐃᑲᕐᕆᓂᑦ ᐅᓪᓗᑕᒫᖅ
  - 2.5 ᐊᐅᓚᓂᖅ/ᐅᓪᓗᑕᒫᑦ ᐅᐊᔾᔪᓐᓂᑦ 5-ᓯᕗᖅᑕᖅᓗᑎᒃ/ᐅᓪᓗᑕᒫᑦ ᐅᖓᓯᒃᑐᒧᑦ ᐅᓯᒃᑕᐅᑎᒧᑦ ᐊᑕᐅᓯᖅ
  - ᐅᓪᓗᒥᑦ 154-ᓯᕗᖅᑕᖅᓗᑎᒃ ᐊᖅᑯᑎᒥᑦ
  - 28-ᓗᐊᑦ ᐅᓪᓗᐃᑦ "ᐅᒃᑯᐊᖅᓯᒪᓪᓗᐃᓐᓇᕆᐊᖃᕐᓂᖓ
- ᖃᖅᑕᖅᑐᐃᑦ/ᐅᖅᓱᐊᓗᐃᑦ/ᐃᔭᐅᔪᑦ/ᐱᖁᑎᖏᑦ/ᐸᓯ
  - ᐊᑐᖅᑕᐅᓂᖓ ᐅᓯᒃᑕᖅᑐᕐᒧᑦ ᐊᖅᑯᑎ ᑭᓯᐊᓂ ᐊᒥᓱᐃᖅᑕᕐᓂᖅᓴᐅᓗᓂ

FEIS Appendix - Table 4-B-15: Daily Vehicle Traffic on the Haul Road (trips on the road)

Category	Lower 5%	Average	Upper 95%
Approximate mill throughput	5,000 tpd	9,748 tpd	13,000 tpd
Long haul	64	154	173
Explosives	2	4	5
Fuel	1	2	4
Cargo	4	7	10
Pickup	12	20	26
Bus	0	2	4
Oversize	0	1	4
Maintenance	0	2	4

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 11

WHALE TAIL PIT ORE HAULING TRUCKS (OHTS)
WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕋᖅᓯᒪᕙᒥᑦ ᐅᔭᖅᑲᓇᐅᖅᑕᐅᕙᓂᒃ ᐅᓯᒃᑕᐅᑏᑦ ᓄᓇᒃᑯᐱᑏᑦ

AGNICO EAGLE

First trial: Kenworth C500/C540 (6x6 AWD)



Second trial: Dramis D150T / Kenworth C540 (10x10 AWD)



- ✓ **Engine: Engine:** Cummins ISX15, 605hp @ 2050lbs/tq, Tier4 EPA2017
- ✓ **Net payload:** 150mt
- ✓ **Truck-Trailer length:** ~84 feet

- ✓ ᐃᑯᒪ: ᐃᑯᒪ: Cummins ISX15, 605hp @ 2050lbs/tq, Tier4 EPA2017
- ✓ ᐱᖓᓯᖅᑲᐅᖅᑲᖅᑎᓪᓗᒍ ᐃᓯᔭᐅᕙᒃ: 150mt
- ✓ ᓄᓇᒃᑯᐱᑎ-ᐅᓯᔭᐅᕙᒃ ᑕᑭᓂᖓ: ~84 ᐃᑎᒪᐃᑦ

AGNICO EAGLE | WHALE General manager meeting Q1 2017 12

WHALE TAIL PIT - HAUL ROAD
WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕋᖅᓯᒪᔪᕐᒥᑦ - ᐅᓯᑲᑦᑕᖕᓂᕐᒧᑦ ᐊᖅᑯᑎ

AGNICO EAGLE



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 13

WHALE TAIL PIT – DIGITAL RENDERING VIDEO OF PREDEVELOPMENT, OPERATIONS, CLOSURE
WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕋᖅᓯᒪᔪᖅ - ᖃᕆᑕᐅᔭᒃᑯᑦ ᑕᑯᔭᒃᓴᖅ ᑕᕐᕆᔭᐅᓯᐊᖅ ᐱᕙᖕᓕᐊᓂᐊᓵᖅᑎᓪᓗᒍ, ᐊᐅᓚᖅᑎᑦᑎᓂᑦ, ᐅᒃᑯᐊᖅᐸᓪᓕᐊᓂᖅ

AGNICO EAGLE



- Digital rendering of 3 Stages
  - Whale Tail Pit: Predevelopment (present day)
  - Whale Tail Pit: During operations
  - Whale Tail Pit: Closure
- ᖃᕆᑕᐅᔭᒃᑯᑦ ᑕᑯᔭᒃᓴᖅ ᑕᕐᕆᔭᐅᓯᐊᖅ ᐱᖓᓱᐃᓕᖓᔪᖅ
  - Whale Tail ᓄᓇᒥᑦ ᐃᓗᕋᖅᓯᒪᔪᖅ: ᐱᕙᖕᓕᐊᓂᐊᓵᖅᑎᓪᓗᒍ (ᐅᓪᓗᒥᐅᔪᖅ)
  - Whale Tail ᓄᓇᒥᑦ ᐃᓗᕋᖅᓯᒪᔪᖅ: ᐊᐅᓚᓂᖃᖅᑎᓪᓗᒍ
  - Whale Tail ᓄᓇᒥᑦ ᐃᓗᕋᖅᓯᒪᔪᖅ: ᐅᒃᑯᐊᖅᑎᓪᓗᒍ

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 14

2017 – 2018 – WHALE TAIL PIT CONSTRUCTION

2017 – 2018 – WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕝᕙᓯᒪᔪᖅ ᓴᓇᔭᐅᓂᖓ

AGNICO EAGLE



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 15

WHALE TAIL PIT – SITE AND INFRASTRUCTURE

WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕝᕙᓯᒪᔪᖅ - ᐃᓂᐅᔪᖅ ᐊᒻᒪ ᐱᕐᑯᑎᑦ

AGNICO EAGLE

- Operation: 2019 to 2023
- ᐊᐅᓚᕐᓂᖅ: 2019-ᒥᑦ 2023-ᒧᑦ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 16

WHALE TAIL PIT – CAMP
WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕐᑐᖅᓯᒪᔪᖅ - ᓄᓇᓕᐊᓛᖅ

AGNICO EAGLE

- 8 wings to accommodate 210 workers
- Kitchen, mine dry and office space
- 440 persons will stay at Meadowbank
- STP (eg Bionest) discharge into attenuation pond
- Freshwater use for Whale Tail Camp

  118,625m3/day
- Exploration site area will need to move

- 8-ᓂᒃ ᐃᓴᕈᖅᑲᖅᑐᒥᒃ ᑐᔪᕐᒥᕕᒃ 210 ᐱᓕᕆᔨᓄᑦ
- ᐃᒐᕝᕕᒃ, ᐸᓂᖅᑐᓄᑦ ᐊᒻᒪᓗ ᑎᑎᕋᕝᕕᖕᒍᑦ ᐃᓂᐅᔪᑦ
- 440 ᐃᓄᐃᑦ ᐊᐳᖅᑎᒃᓈᖅᑐᒦᓂᐊᖅᑐᑦ
- STP ᑯᕕᔪᑦ ᐱᐅᓯᕐᑐᓂᒃ ᐂᔾᔭᐃᕝᕕᖕᒍᑦ ᑕᓯᕋᔾᔭᖕᒍᑦ
- ᐃᒪᕐᑎᐊᕐᕖᑦᑐᕐᓂᖅ Whale Tail ᓄᓇᒥᑦ ᐃᓗᕐᑐᖅᓯᒪᔪᕐᒥᑦ ᓄᓇᓕᐊᓛᒥᑦ ᐊᑐᖅᑕᐅᓂᕐᒧᑦ

  118,625m3/ᐅᓪᓗᑕᒫᑦ
- ᕿᓂᖅᓯᐃᓂᕐᒧᑦ ᐃᓂᐅᔪᖅ ᓅᑦᑕᕆᐊᖃᕐᓂᐊᖅᑐᖅ

Eg – Meliadine Camp

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 17

WHALE TAIL PIT CLOSURE – 2023 TO 2025
WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕐᑐᖅᓯᒪᔪᖅ ᐅᒃᑯᐊᖅᑎᕐᓗᒍ - 2023-ᒥᑦ 2025-ᒧᑦ

AGNICO EAGLE



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 18

WHALE TAIL PIT POST CLOSURE – 2025 TO 2029

WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕆᖅᓯᒪᔪᖅ ᐅᒃᑯᐊᖅᑎᓪᓗᒍ - 2025-ᒥᑦ 2029-ᒧᑦ

AGNICO EAGLE



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 19

AGNICO EAGLE

Continued use of Meadowbank Camp, Mill and TSF

ᐊᐳᖅᑎᓐᓂᖅᑐᖅ ᐊᑐᖅᑕᐅᐃᓐᓇᕐᓗᓂ, ᓱᖃᓪᓚᑎᓇᖕᕕᒃ ᐊᒻᒪᓗ TSF

60

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 20

CONTINUED USE OF MEADOWBANK CAMP, MILL AND TSF
ᐊᐳᖅᑎᓐᓈᖅᑐᖅ ᐊᑐᖅᑕᐅᐃᓐᓇᕐᓗᓂ, ᓱᕐᑲᓪᓚᑎᑦᑎᕝᕕᒃ ᐊᒻᒪᓗ TSF

AGNICO EAGLE

21

MEADOWBANK TAILINGS STORAGE FACILITY WILL BE USED FOR WHALE TAIL PIT – WITHIN THE SAME FOOTPRINT OF APPROVED TSF
ᐊᐳᖅᑎᓐᓈᖅᑐᒥᑦ ᕿᒪᒃᑎᕆᔪᓂᑦ ᑐᖅᑯᖅᓯᓯᒪᕝᕕᒃ ᐊᑐᖅᑕᐅᓂᐊᖅᑐᖅ WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕿᖅᓯᒪᔪᕐᒧᑦ - ᖃᓄᐃᓕᐅᕐᓂᖓᑕ ᐃᓗᐊᓂᑦ ᓈᒻᒪᒋᔭᐅᓯᒪᔪᖅ TSF-ᒧᑦ

AGNICO EAGLE

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 22

MEADOWBANK TAILINGS STORAGE FACILITY WILL BE USED FOR WHALE TAIL PIT – SOUTH CELL

ᐊᐳᖅᑎᓐᓈᖅᑐᒥᑦ ᕿᒪᒃᑎᑦᑐᓄᑦ ᑐᖅᑯᖅᓯᓯᒪᕝᕕᒃ ᐊᑐᖅᑕᐅᓂᐊᖅᑐᖅ WHALE TAIL ᓗᓇᒥᑦ ᐃᓗᕆᖅᓯᒪᔪᕐᒧᑦ - ᓂᒋᐊᓂᑦ ᐃᓂᐅᔪᖅ

AGNICO EAGLE

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 23

MEADOWBANK TAILINGS STORAGE FACILITY WILL BE USED FOR WHALE TAIL PIT – NORTH CELL RAISE

ᐊᐳᖅᑎᓐᓈᖅᑐᒥᑦ ᕿᒪᒃᑎᑦᑐᓄᑦ ᑐᖅᑯᖅᓯᓯᒪᕝᕕᒃ ᐊᑐᖅᑕᐅᓂᐊᖅᑐᖅ WHALE TAIL ᓗᓇᒥᑦ ᐃᓗᕆᖅᓯᒪᔪᕐᒧᑦ - ᓂᒋᐊᓂᑦ ᐃᓂᐅᔪᖅ - ᐅᐊᓐᓇᖓᓂᑦ ᐃᓂᐅᔪᖅ ᖁᑦᑎᒃᓯᓯᒪᔪᖅ

AGNICO EAGLE

24

AGNICO EAGLE

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 25

AGNICO EAGLE

MINE SITE AND ROAD ENVIRONMENTAL MONITORING

Terrestrial (Wildlife and Vegetation), Site Water Quality, Aquatic Monitoring, Air Quality (i.e. Dust)



Figure is Adapted from AREVA- Kiggavik project

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 26

AGNICO EAGLE

ᐅᔭᕐᓂᐊᕐᕕᐅᑉ ᐃᓂᖓᓂ ᐊᕐᑰᑎᒥᒃᑯ ᖃᐅᔨᓯᐊᖃᑦᑕᕐᓂᖅ

ᓄᓇ ᐊᒻᒪ ᓄᓇᒥᐅᑕᐃᑦ ᓂᕐᔪᑏᑦ, ᐃᓂᐅᔪᒥᑦ ᐃᒪᐅᑉ ᖃᓄᐃᓐᓂᖓ, ᐃᒪᕐᒥᐅᑕᓂᒃ ᖃᐅᔨᓯᐊᖃᑦᑕᕐᓂᖅ, ᐊᓂᕐᖃᕐᑐᕐᑕᑉᑕ ᖃᓄᐃᓐᓂᖓ (ᓱᕐᓗ ᐳᔪᖃᑦᑖᖅ)



TRADITIONAL KNOWLEDGE AND INUIT QAUJIMAJATUQANGIT

AGNICO EAGLE

2005 to 2016 TK and IQ Data:

- TK workshops held in December 2014
- 2015 baseline studies were guided by TK information
- Various site visits with HTO, CLARC, Elders in 2015
- February 2016, follow-up TK workshop with Elders, Women, Youth and meetings with HTO and CLARC
- Consultation with Regulators and Kivalliq Stakeholders throughout 2016 and 2017

TRANSLATED ON NEXT SLIDE

ᐱᖅᑯᓯᒃᑯᑦ ᖃᐅᔨᒪᓂᖅ ᐊᒻᒪᓗ ᐃᓄᐃᑦ ᖃᐅᔨᒪᔭᑐᖃᖏᑦ

AGNICO EAGLE

2005-ᒥᑦ 2016-ᒧᑦ ᐱᖅᑯᓯᖅᑯᑦ ᖃᐅᔨᒪᓂᖅ ᐊᒻᒪᓗ ᐃᓄᐃᑦ ᖃᐅᔨᒪᔭᑐᖃᖏᓐᓄᑦ ᓈᓴᐅᑏᑦ/ᑎᑎᖅᑲᐃᑦ:

- ᐱᖅᑯᓯᒃᑯᑦ ᖃᐅᔨᒪᓂᕐᒧᑦ ᑲᑎᒪᓃᑦ ᑎᓯᐱᓐ 2014-ᒥᑦ
- 2015-ᒥᑦ ᕿᒡᓕᐅᕙᓄᑦ ᖃᐅᔨᓴᐃᓃᑦ ᐊᑐᖅᓯᑎᐅᓚᐅᖅᑐᖅ ᐱᖅᑯᓯᖅᑯᑦ ᖃᐅᔨᒪᓂᕐᒥᑦ ᑐᑭᓯᐅᒪᔾᔭᑎᓂᒃ
- ᐋᕿᐅᕆᑦ ᐃᓂᐅᕙᓗᖕᒐᐊᓂᖏᑦ ᐆᒪᔪᓕᕆᔨᐊᓛᒃᑯᑦ, CLARC-ᑯᑦ, ᐃᓅᓇᕐᔪᐅᔭᑦ 2015-ᒥᑦ
- ᕕᕝᕗᐊᕆ 2016, ᖃᐅᔨᕆᐊᕐᓂᖅ ᐱᖅᑯᓯᒃᑯᑦ ᖃᐅᔨᒪᓂᕐᒧᑦ ᑲᑎᒪᓂᕐᓂᑦ ᐃᓅᓇᕐᔪᐅᔭᓂᑦ, ᐊᕐᓇᓂᑦ, ᒪᒃᑯᒃᑐᓂᑦ ᐊᒻᒪᓗ ᑲᑎᒪᖃᑎᖃᕐᓃᑦ ᐆᒪᔪᓕᕆᔨᐊᓛᒃᑯᓐᓂᑦ ᐊᒻᒪᓗ CLARC-ᑯᓐᓂᑦ
- ᐅᖃᖃᑎᖃᕐᓂᖅ ᒪᓕᒐᓕᕆᔨᓂᒃ ᐊᒻᒪᓗ ᑭᕙᓪᓕᕐᒥᑦ ᐱᖃᖅᑎᐅᔭᓂᒃ 2016-ᒥᑦ

TRADITIONAL KNOWLEDGE AND INUIT QAUJIMAJATUQANGIT
ᐱᖅᑯᓯᕐᔪᐅᔭᒃᑯᑦ ᖃᐅᔨᒪᓃᑦ ᐊᒻᒪᓗ ᐃᓄᐃᑦ ᖃᐅᔨᒪᔭᑐᖃᖏᑦ

AGNICO EAGLE

- Harvesting Sites
- Wildlife and Fisheries IQ
- Concerns raised during workshops:
  - Loss of vegetation and wildlife habitat
  - caribou crossing the haul road safely
  - changes to caribou and impacts to harvest
- ᒪᖃᐃᖅᕕᐅᖃᑦᑕᖅᑐᑦ
- ᓂᕐᔪᑏᑦ ᐊᒻᒪᓗ ᐃᖃᓗᓕᕆᓂᕐᒧᑦ ᐃᓄᐃᑦ ᖃᐅᔨᒪᔭᑐᖃᖏᑦ
- ᐃᓱᒪᓘᑕᐅᔪᑦ ᓴᖅᑭᑕᐅᔪᑦ ᑲᑎᒪᓂᕐᓂᑦ:
  - ᐊᓯᐅᔨᓂᖅ ᐱᕈᖅᑐᓂᒃ ᐊᒻᒪᓗ ᓂᕐᔪᑏᑦ ᐃᓂᒋᔭᖏᓐᓂᑦ
  - ᑐᒃᑐᐃᑦ ᐃᑲᕐᕋᑦ ᐅᓯᒃᑕᕐᕕᓕᕐᒧᑦ ᐊᖁᑎᒥᑦ ᐊᑕᔪᖅᑐᖃᖏᓐᓂᒃ
  - ᐊᓯᐊᙳᖅᓯᓂᑦ ᑐᒃᑐᓄᑦ ᐊᒻᒪᓗ ᐊᑐᕐᓯᓂᐅᔪᑦ ᒪᖃᐃᓂᕐᒧᑦ



DUST MONITORING AND MITIGATION
ᐳᕙᒃᑖᒥᒃ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᖅ ᐊᒻᒪᓗ ᐊᖏᕈᐊᕐᒋᒋᐊᖅᑎᑦᑎᓂᖅ

AGNICO EAGLE

- Active monitoring at Whale Tail Pit and Meadowbank
- Passive Dustfall monitoring on the Whale Tail Pit haul
  - At km 18, 36, and 54 - dustfall monitoring location transects on haul road
  - At each transect - five dustfall monitoring locations at the following distances perpendicular to the haul road: 30 m (upwind); 30 m (downwind); 100 m (downwind); 300 m (downwind); and 1000 m (downwind).
- Continued Dustfall monitoring on AWAR



- ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᖅ Whale Tail ᓄᓇᒥᑦ ᐃᓗᕖᖅᓯᒪᔪᕐᒥᑦ ᐊᒻᒪᓗ ᐊᐳᖅᑎᓈᖅᑐᒥᑦ
- ᓄᖅᑲᖓᔪᓂᑦ ᐳᕙᒃᑖᒥᒃ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᖅ Whale Tail ᓄᓇᒥᑦ ᐃᓗᕖᖅᓯᒪᔪᕐᒥᑦ ᐅᓯᑲᑦᑕᖅᓂᕐᒧᑦ
  - 18, 36, ᐊᒻᒪᓗ 54-ᒥᑦ - ᐳᕙᒃᑖᕐᒥ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᕐᒧᑦ ᐃᓂᐅᔪᑦ ᑲᑎᖓᓂᕐᒥᑦ ᐊᖁᑎᒥᑦ
  - ᐊᑐᓂ ᑲᑎᖓᓂᐅᔪᓂᑦ - ᑕᓪᓕᒪᐃᑦ ᐳᕙᒃᑖᒥ ᖃᐅᔨᒋᐊᕐᕖᑦ ᐅᖓᓯᒋᓐᓂᖏᓂᑦ ᐊᖁᑎᒥᑦ: 30 ᒥᑕ (ᐊᓄᖅᓄᓂ); 30 ᒥᑕ (ᐅᖅᑯᒥ); 100 ᒥᑕ (ᐅᖅᑯᒥ); 300 ᒥᑕ (ᐅᖅᑯᒥ); 1000 ᒥᑕ (ᐅᖅᑯᒥ);
- ᑲᔪᓯᔪᖅ ᐳᕙᒃᑖᕐᒥᑦ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᖅ ᐅᑭᐅᓗᒃᑖᖅ ᐊᖁᑎᒥᑦ

DUST MONITORING AND MITIGATION
ᐳᕙᒃᑖᒥᒃ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᖅ ᐊᒻᒪᓗ ᐊᖏᕈᐊᕐᒋᒋᐊᖅᑎᑦᑎᓂᖅ

AGNICO EAGLE

Agnico Eagle's adaptive management plan for mitigation of haul road dust along the Whale Tail Pit and Haul Road can be summarized in general as follows:

- Low silt esker material is the preferred road top-dressing material used in construction.
- After construction, problem areas will be identified and reported by Agnico Eagle staff (e.g., haul truck drivers), and top dressed with low silt esker material.
- Initially, road watering will be applied to control problem areas.
- Where dust problems persist, a chemical suppressant (e.g., TETRA Flake [$CaCl_2$]) will be used.

ᐊᒍᓃᑯ ᐊᑐᓕᖅᑎᑦᑎᓂᕐᒧᑦ ᐊᐅᓚᑦᑎᓂᕐᒥ ᐸᕐᓇᐅᑎᖓ ᐊᖏᕈᐊᕐᒋᒋᐊᖅᑎᑦᑎᓂᕐᒧᑦ ᐅᓯᑲᑦᑕᖅᓂᕐᒧᑦ ᐊᖁᑎᒥᑦ ᐳᕙᒃᑖᕐᒥᑦ Whale Tail ᓄᓇᒥᑦ ᐃᓗᕖᖅᓯᒪᔪᕐᒥᑦ ᐊᒻᒪᓗ ᐊᖁᑎᒥᑦ ᓇᐃᓈᖅᑐᓕᐊᕚᔭᖅᓇᖅᑐᖅ ᐃᒪᓐᓇ:

- ᒪᕋᖃᓗᐊᖏᑦᑐᒥᑦ ᓄᓇᒥᑦ ᐱᔭᐅᒐᓱᒋᒪᔭᖅ ᐊᖁᑎᐅᑉ ᖃᖓᓄᑦ ᓴᓇᔭᐅᑎᓪᓗᒍ.
- ᓴᓇᔭᐅᕋᓂᒃᐸᑦ, ᐃᓗᐃᓗᑕᐃᑦ ᐃᓂᐅᔪᑦ ᐃᓕᑕᕆᔭᐅᓂᐊᖅᑐᑦ ᐅᖃᐅᓯᐅᓗᑎᓪᓗ ᐊᒍᓃᑯ ᐱᓕᕆᔨᖏᓐᓄᑦ (ᐆᑦᑐ, ᓄᓇᒃᑯᕈᑎᓂᒃ ᐊᖁᒃᑏᑦ), ᖃᖓᓗ ᐃᓯᓕᕆᓗᒍ ᒪᕋᖃᓗᐊᖏᑦᑐᒥ.
- ᐊᖁᑎᒥ ᐃᒥᖅᑐᐃᖃᑦᑕᖅᑑᓗᐊᑦ ᐳᕙᒃᑖᖃᓗᐊᖅᑐᓂᑦ.
- ᐳᕙᒃᑖᖃᓗᐊᖅᑐᓂᑦ, ᐳᕙᒃᑖᖃᓗᐊᖅᑕᐃᓕᔾᔪᑎᓂᒃ ᐊᑐᕐᓗᓂ (ᐆᑦᑐ, TETRA Flake [$CaCl_2$]) ᐊᑐᖅᑕᐅᓂᐊᖅᑐᖅ.

WHALE TAIL PIT – WASTE ROCK MANAGEMENT
WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕐᕈᕐᓯᒪᔪᖅ - ᐊᒃᑕᑯᖕᑕᐅᔪᑦ ᐅᔭᖅᑲᓂᒃ ᐊᐅᓚᕐᑎᓂᖅ

AGNICO EAGLE

- Define Quantity /Timing of Waste Rock Availability and Define Uses
  - The mine waste rock production sequence is determined for every mine plan;
  - The material balance is completed for each year of production;
  - This balance indicates the distribution within the following categories of materials by rock type:
    - Mine rock for construction;
    - Mine rock for dams construction;
    - Mine rock for closure capping;
    - Mine rock to WRSF.
- Non PAG/ Non ML waste rock produced by mining activities is used for construction of the remaining mine infrastructures and for closure requirements

- ᑐᑭᓕᐅᕐᓗᒋᑦ ᖃᓄᐃᓐᓂᖏᑦ/ᖃᖓᒎᖅᑦ ᐊᒃᑕᑯᖕᑕᐅᔪᑦ ᐅᔭᖅᑲᐃᑦ ᒪᓂᒪᕐᖃᑦᑕᕐᓂᖏᑦ ᐊᒻᒪᓗ ᑐᑭᓕᐅᕐᓗᒋᑦ ᐊᑐᖅᑕᐅᓂᖏᑦ
  - ᐅᔭᕋᖕᑕᕆᐊᕐᒥᑦ ᐊᒃᑕᑯᖕᑕᐅᔪᓄᑦ ᐅᔭᖅᑲᓂᒃ ᐊᒃᑕᑯᒐᓚᒃᑕᐅᖃᑦᑕᕐᓂᖅ ᖃᐅᔨᔭᐅᖃᑦᑕᖅᑐᖅ ᐅᔭᕐᖕᓂᐊᕐᓂᕐᒧᑦ ᐸᕐᓇᐅᑎᓗᒃᑖᓂᒃ;
  - ᐊᑐᖅᑕᐅᔪᑦ ᐃᓚᒃᑎᖕᑐᐃᓂᖅ ᐱᐊᓂᒃᑕᐅᓯᒪᔪᖅ ᐊᑐᓂ ᐅᑭᐅᓂᑦ ᐱᓕᐅᕆᓂᐅᔪᓂᑦ;
  - ᑖᓐᓇ ᐃᓚᒃᑎᖕᑐᐃᓂᖅ ᓇᓗᓇᐃᖅᓯᔪᖅ ᓇᒧᖓᐅᓂᖏᑦ ᖃᓄᐃᓐᖑᓂᐅᔪᑦ ᐊᑐᖅᑕᐅᔪᓂᑦ ᐅᔭᖅᑲᐃᑦ ᖃᓄᐃᓐᖑᓂᖏᓐᓄᑦ:
    - ᐅᔭᕋᖕᑕᐅᔪᑦ ᐅᔭᖅᑲᐃᑦ ᓴᓇᓂᐊᕐᓗᑎᒃ ᐊᑐᖅᑕᐅᔪᑦ;
    - ᐅᔭᕋᖕᑕᐅᔪᑦ ᐅᔭᖅᑲᐃᑦ ᐃᒪᓕᕆᓂᕐᒧᑦ ᓴᓇᑎᒃᓗᒋᑦ;
    - ᐅᔭᕋᖕᑕᐅᔪᑦ ᐅᔭᖅᑲᐃᑦ ᐅᒃᑯᐊᖅᑎᒃᓗᒋᑦ ᖃᓕᖅᑐᐃᓂᕐᒧᑦ;
    - ᐅᔭᕋᖕᑕᐅᔪᑦ ᐅᔭᖅᑲᐃᑦ ᐊᒃᑕᑯᖕᑕᐅᔪᑦ ᐅᔭᖅᑲᓄᑦ ᑐᖅᑯᖅᓯᒪᕝᕕᖕᒧᑦ (WRSF).
- PAG-ᖃᖕᒋᑦᑐᑦ/ML-ᖃᖕᒋᑦᑐᑦ ᐊᒃᑕᑯᖕᑕᐅᔪᑦ ᐅᔭᖅᑲᐃᑦ ᐅᔭᕋᖕᑕᐅᔪᓂᑦ ᐱᔪᑦ ᐊᑐᖅᑕᐅᖃᑦᑕᖅᑐᑦ ᓴᓇᕝᕕᓕᐊᖅᑎᓗᒋᑦ ᐃᒥᐊᒃᑯᓯᒪᓂᑦ ᐅᔭᕋᖕᑕᐊᕐᒧᑦ ᐱᖅᑯᑎᓄᑦ ᐊᒻᒪᓗ ᐅᒃᑯᐊᕐᓂᕐᒧᑦ ᐱᔭᐅᔭᕆᐊᖃᖅᑐᓄᑦ

WHALE TAIL PIT – SITE WIDE WATER QUALITY MONITORING
WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕐᕈᕐᓯᒪᔪᖅ - ᐃᓂᐅᔪᓗᒃᑖᒥᑦ ᐃᒪᐅᑉ ᖃᓄᐃᓐᓂᖓᓂᒃ ᖃᐅᔨᓯᒪᐊᖃᑦᑕᕐᓂᖅ

AGNICO EAGLE

- Site wide monitoring
- During operation Agnico Eagle proposes 15 monitoring stations
  - Pit
  - Sumps or Ponds
  - Channels
  - Attenuation Pond
- Various stations within the receiving environment that will be monitored in addition to CREMP stations
- Freshwater source for Camp is Nemo Lake
- Appendix 8- B. 3 - Whale Tail Pit Water Quality and Flow Monitoring Plan



WHALE TAIL PIT – SITE WIDE WATER QUALITY MONITORING
WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕆᖅᓯᒪᔪᖅ - ᐃᓂᐅᔪᓗᒃᑖᒥᑦ ᐃᒪᐅᑉ ᖃᓄᐃᖓᓂᖓᓂᒃ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᖅ

AGNICO EAGLE

- ᐃᓂᐅᔪᓗᒃᑖᒥᑦ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᖅ
- ᐊᐅᓚᖅᑎᑦᑎᓂᕐᒥᑦ ᐊᒻᓂᑯᒃᑯᑦ 15-ᓂᒃ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᕐᒧᑦ ᐃᓂᓕᐅᕆᓂᕐᒧᑦ ᑐᒃᓯᕋᐅᓯᐅᓚᐅᖅᑐᑦ
  - ᓄᓇᒥᑦ ᐃᓗᕆᖅᓯᒪᔪᖅ
  - ᐃᒪᖅᑳᑦ ᐊᒻᒪᓗ ᑕᓯᕐᐱᐃᑦ
  - ᓯᒃᑯᐃᑦ
  - ᐊᕐᒥᓗᐊᕐᔨᕆᐊᖅᑎᑦᑎᔾᔪᑎ ᑕᓯᕐᐲ
- ᖃᓯᐊᕐᔪᐃᑦ ᐃᓂᐅᔪᑦ ᐊᕙᑎᒥᑦ ᐱᔪᒥᑦ ᖃᐅᔨᒋᐊᖅᑕᐅᖃᑦᑕᕐᓂᐊᖅᑐᑦ ᐃᓚᒋᔭᐅᓗᓂ CREMP-ᒧᑦ ᐃᓂᐅᔪᓄᑦ
- Nemo ᑕᓯᕐᒥᑦ ᐃᒪᕐᑎᐊᕙᒃᑖᖃᑦᑕᖅᑐᑦ ᓄᓇᓕᐊᓚᖅ
- ᑎᑎᖅᑲᖅ ᐃᓚᒋᔭᐅᔪᖅ 8- B. 3 – Whale Tail ᓄᓇᒥᑦ ᐃᓗᕆᖅᓯᒪᔪᕐᒥᑦ ᐃᒪᐅᑉ ᖃᓄᐃᖓᓂᖓ ᐊᒻᒪᓗ ᑯᐱᔪᒥᒃ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᕐᒧᑦ ᐸᕐᓇᐅᑎ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 35

SITE WIDE WATER QUALITY MONITORING AND MANAGEMENT
ᐃᓂᐅᔪᓗᒃᑖᒧᑦ ᐃᒪᐅᑉ ᖃᓄᐃᖓᓂᖓᓂᒃ ᖃᐅᔨᒋᐊᖃᑦᑕᕐᓂᖅ ᐊᒻᒪᓗ ᐊᐅᓚᑦᑎᓂᖅ

AGNICO EAGLE

Proposed Effluent Water Quality Criteria (EQC)

- Effluent Quality Criteria are being developed through discussions with Environment and Climate Change Canada for Whale Tail as part of the Nunavut Water Board Process
  - * values defined with ECCC during meetings on June 7th, 2017 and August correspondence.

ᖁᕕᐊᓱᒻᒪᕆᒃᑐᖅ ᐱᓕᕆᐊᖑᓯᒪᔪᖅ ᐃᒪᐅᑉ ᖃᓄᐃᖓᓂᖓᓄᑦ ᐱᓕᕆᐊᖑᔪᒪᔪᖅ

- ᖁᕕᐊᓱᒻᒪᕆᒃᑐᖅ ᐱᓕᕆᐊᖑᓯᒪᔪᖅ ᐃᒪᐅᑉ ᖃᓄᐃᖓᓂᖓᓄᑦ ᐊᑐᕐᓂᐊᖅᑐᓕᐅᖅᑐᑦ ᐅᖃᖃᑎᒋᔭᕐᒥᑦ ᑲᓇᑕᒥᑦ ᐊᕙᑎᒥᒃ ᐊᒻᒪᓗ ᓯᓚᐅᑉ ᐊᓯᔾᔨᖅᐸᓪᓕᐊᓂᖓᓂᑦ ᐊᐅᓚᑦᑎᔨᖏᑦ Whale Tail-ᒧᑦ ᐃᓚᒋᔭᐅᓗᓂ ᓄᓇᕗᒻᒥ ᐃᒪᓕᕆᔨᑦ ᐱᓕᕆᐊᖏᓐᓄᑦ

Constituent	Proposed EQC	
	Mean	Maximum
pH	6 - 9.5	6 - 9.5
Total Suspended Solids	15	30
Total Dissolved Solids	1,400	1,400
Total Phosphorus	0.3	0.6
Total Ammonia	16	32
Total Aluminum	0.5	1.0
Total Arsenic	0.1	0.2
Total Cadmium	0.0002	0.0004
Total Chromium	0.02	0.04
Total Copper	0.1	0.2
Total Iron	1.0	2.0
Total Lead	0.05	0.1
Total Mercury	For further discussion	
Total Nickel	0.25	0.5
Total Zinc	0.1	0.2
Total Petroleum Hydrocarbons	3.0	6.0

- Units: none for pH; mg-P/L for phosphorus; mg-N/L for ammonia; mg/L for all other constituents.

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 36

AQUATIC ECOSYSTEM MONITORING PROGRAM (AEMP) AND CORE RECEIVING ENVIRONMENTAL MONITORING PLAN (CREMP)

ᐃᒪᕐᕆᐅᑕᐃᑦ ᐱᕈᕐᕋᒃᑎᒥᓐᓂᖏᓐᓂ ᖃᐅᔨᓴᖅᑕᕐᓂᕐᒧᑦ ᑐᕌᖓᔪᖅ (AEMP) ᐊᒻᒪᓗ ᓯᓚᒥ ᐱᔪᖅ ᐊᕙᑎᓕᕆᓂᕐᒧᑦ ᖃᐅᔨᓴᖅᑕᕐᓂᕐᒧᑦ ᐸᕐᓇᐅᑎ (CREMP)

AGNICO EAGLE

- Volume 8 – Appendix 8-E.2 Core Receiving Environmental Monitoring Plan
- Whale Tail Pit Project CREMP is an extension of the Meadowbank CREMP
- Meadowbank reference lakes (Innug, PDL) methods, thresholds, and triggers that have been developed since 2010 and applied at Meadowbank are proposed for Whale Tail Pit site
- Baseline Data collected from 2014 - 2017

- ᐅᖃᓕᒫᒐᖅ 8 - ᑎᑎᖅᑲᖅ ᐃᓚᒋᔭᐅᔪᖅ 8-E.2 ᓯᓚᒥ ᐱᔪᖅ ᐊᕙᑎᓕᕆᓂᕐᒧᑦ ᖃᐅᔨᓴᖅᑕᕐᓂᕐᒧᑦ ᐸᕐᓇᐅᑎ (CREMP)
- Whale Tail ᓄᓇᒥᑦ ᐃᓗᓕᖅᓯᒪᔪᖅ CREMP ᐅᐃᒍᕆᐊᕐᓂᐅᔪᖅ ᐊᐳᖅᑎᖅᑖᖅᑐᒧᑦ CREMP-ᒥᑦ
- ᐊᐳᖅᑎᖅᑖᖅᑐᒥᑦ ᐅᕐᕿᐅᓯᐅᔪᑦ ᑕᓯᑦ (ᐃᖅᓈᒃ, PDL) ᐋᖅᑭᐅᒪᔪᑦ, ᐱᒋᐊᕐᕕᐅᔪᑦ, ᐊᒻᒪᓗ ᐱᒋᐊᖅᑎᑦᑎᔾᔪᑎᓂᒃ ᐱᕙᓪᓕᐊᓯᒪᔪᑦ ᑕᐃᒪᙵᓂᑦ 2010-ᒥᑦ ᐊᑐᖅᑕᐅᑦᑐᑎᓪᓗ ᐊᐳᖅᑎᖅᑖᖅᑐᒥᑦ Whale Tail ᓄᓇᒥᑦ ᐃᓗᓕᖅᓯᒪᔪᓕᐊᖑᔪᒪᔪᑦ ᐃᓂᖓᓄᑦ
- ᑮᓪᓕᕐᔨᐅᔪᓄᑦ ᓈᓴᐅᑏᑦ/ᑎᑎᖅᑲᐃᑦ ᑲᑎᑕᐅᔪᑦ 2014-ᒥᑦ 2017-ᒧᑦ



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 37

DIKE CONSTRUCTION MONITORING AND MANAGEMENT

ᐃᒪᕐᒥ ᑲᑎᖅᓱᐃᖏᑉ ᓴᓇᔨᐅᑎᖓᓄᑦ ᖃᐅᔨᓴᖅᑕᕐᓂᖅ ᐊᒻᒪᓗ ᐊᐅᓚᑦᑎᓂᖅ

AGNICO EAGLE

- Whale Tail Dike is similar in design as East Dike and Bay Goose Dike at Meadowbank
- Construction monitoring and mitigation is the same and applies lessons learned
- Stations are proposed to be located on the exterior of the Whale Tail Dike turbidity curtains to protect water quality and fish

- Whale Tail-ᒥᑦ ᐃᒪᕐᒥ ᑲᑎᖅᓱᐃᖏᑉ ᐋᔾᔨᒋᓕᖓᓗ ᖃᓄᐃᓕᖓᓂᖓᑕ ᑲᓇᖕᓇᖓᓂ ᐃᒪᕐᒥ ᑲᑎᖅᓱᐃᖏᐅᑉ ᐊᒻᒪᓗ Goose ᐃᒪᕐᒥ ᑲᑎᖅᓱᐃᖏᐅᑉ ᐊᐳᖅᑎᖅᑖᖅᑐᒥᑦ
- ᓴᓇᔨᐅᓂᖓᓄᑦ ᖃᐅᔨᓴᖅᑕᕐᓂᖅ ᐊᒻᒪᓗ ᐊᖏᕈᐊᖅᑭᕆᐊᖅᑎᑦᑎᓂᖅ ᐋᔾᔨᒋᓗ ᐊᒻᒪᓗ ᐊᑐᖅᖃᓗᑎᒃ ᐃᓕᑕᐅᓯᒪᔪᓂᒃ
- ᐃᓂᐅᔪᑦ ᓯᓚᑖᓂᑦᑕᐅᔪᒪᔪᑦ Whale Tail ᐃᒪᕐᒥ ᖃᑎᖅᓱᐃᖏᓐᒧᑦ ᑕᖅᐅᖃᓗᐊᖅᑕᐃᓕᑎᑦᑎᓂᕐᒧᑦ ᑕᒧᐃᑦ ᒥᐊᓂᖅᓯᓂᕐᒧᑦ ᖃᓄᐃᓐᓂᖓ ᐃᒪᐅᑉ ᐊᒻᒪᓗ ᐃᖃᓗᐃᑦ

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 38

DIKE CONSTRUCTION MONITORING
ᐃᒪᕐᒥᒃ ᑲᑎᖅᓱᐃᕝᕕᐅᓪᓗᓂ ᓴᓇᔭᐅᑎᓪᓗᒍ ᖃᐅᔨᓯᐊᖃᑦᑕᕐᓂᖅ

AGNICO EAGLE

- Adaptive Management Strategy for Dike Construction
  - If monitoring results exceed license limits and TSS triggers at monitoring stations.

  Mitigation:
  1. Slow down or alter construction practices;
  2. Increase monitoring frequency;
  3. Install additional turbidity curtains;
  4. Pumping in trench and treating water; and
  5. Stop dike construction.



- ᐊᑐᓕᖅᑎᑦᑎᓂᕐᒧᑦ ᐊᐅᓚᑦᑎᓂᕐᒧᑦ ᖃᓄᖅᑑᕈᑎ ᐃᒪᕐᒥᒃ ᑲᑎᖅᓱᐃᕝᕕᒃ ᓴᓇᔭᐅᑎᓪᓗᒍ
  - ᖃᐅᔨᓯᐊᖃᑦᑕᕐᓂᕐᒧᑦ ᖃᓄᐃᓕᓂᐅᔪᑦ ᐅᖓᑕᐅᑎᒃᐸᑕ ᓚᐃᓴᓐᓯᒧᑦ ᑭᒡᓕᖏᔭᐅᔪᓂᑦ ᐊᒻᒪ TSS-ᒥᑦ ᐱᒋᐊᖅᑎᑦᑎᔾᔪᑎᑦ ᖃᐅᔨᓯᐊᖅᑕᕝᕕᖕᓂᑦ.

  ᐊᖏᓗᐊᖏᒋᐊᖅᑎᑦᑎᓂᖅ:
  1. ᓄᖅᑲᖅᑲᕆᑎᓪᓗᒋᑦ ᐅᕙᓘᓐᓂᑦ ᐊᔪᐊᕐᕈᑦᓗᒍ ᓴᓇᑎᓪᓗᒋᑦ;
  2. ᐊᖏᒡᓕᒋᐊᕐᓗᒋᑦ ᖃᐅᔨᓯᐊᖃᑦᑕᕐᓂᕐᒧᑦ ᖃᑉᓱᖅᑕᕐᓂᐅᔪᑦ;
  3. ᐃᓕᓯᖅᑲᓐᓂᕐᓗᓂ ᑕᕆᐅᖃᓗᐊᖅᑕᐃᓕᑎᑦᑎᓂᕐᒧᑦ ᑕᓗᓂᒃ;
  4. ᐃᒪᐃᔭᐃᓗᓂ ᐃᓗᕐᑐᖅᓯᒪᔪᓄᑦ ᐊᒻᒪᓗ ᐃᒪᖅ ᐱᓕᕆᐊᕆᓗᒍ; ᐊᒻᒪᓗ
  5. ᓄᖅᑲᖅᑎᓪᓗᒍ ᐃᒪᕐᒥᒃ ᑲᑎᖅᓱᐃᕝᕕᓕᐅᕆᓂᖅ.

AGNICO EAGLE

Whale Tail ᓄᓇᒥᑦ ᐃᓗᕐᑐᖅᓯᒪᔪᖅ
ᓯᕗᓂᐅᓴᖓ ᐊᑉᐸᖅᑎᓈᖅᑐᒥᑦ ᐅᔭᕋᖅᑕᕆᐊᑦ

60

FUTURE IN NUNAVUT AND SOCIO ECONOMICS

AGNICO EAGLE

The production start up at Whale Tail's satellite operation will extend the life of the Meadowbank mine. This project relies on the use of the existing main infrastructures of Meadowbank and therefore the team in place works to advance and put in place a plan to develop the new discovery as a satellite site.

This represents:

- Maintaining current jobs at the Meadowbank mine (over 800);
- **Adding just over 150 jobs** to full production (~75 Inuit jobs) (by 2020);
- Create many opportunities for Inuit to benefit through training, jobs and contracts.

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 41

ᓯᕗᓂᒃᓴᖅ ᓄᓇᕗᒻᒥ ᐊᒻᒪᓗ ᐃᓄᐃᑦᐱᕈᖅᐸᒃᓯᓕᐊᔾᑦ

AGNICO EAGLE

ᐱᓕᕆᐊᕐᓕᐊᓂᕐᒧᑦ ᐱᒋᐊᕐᓂᖓ Whale Tail-ᒥᑦ ᐊᐅᓚᖅᑎᑦᑎᓂᖅ ᐅᐃᒍᓇᕐᕙᓯᓂᐊᕐᒪᑦ ᐊᐅᓚᕐᓂᓇᓱᖓᓂᒃ ᐊᐳᖅᑎᖅᑳᕐᒥᑦ ᐅᔾᔨᕐᑕᓇᐃ. ᐱᓕᕆᐊᖅ ᐊᑐᕐᑲᑦᑕᕐᒪ ᑕᐃᒪᐅᔪᒥᒃ ᐱᕐᑯᑎᒋᔭᐅᓗᐊᕐᒪᓂᒃ ᐊᐳᖅᑎᖅᑳᕐᒥᑦ ᐊᒻᒪᓗ ᐱᓕᕆᔾᔪᑦ ᓯᕗᓪᓕᕈᑎᐊᕐᓂᕐᒧᑦ ᐱᓕᕆᕐᓗᑎᒃ ᐊᒻᒪᓗ ᐋᖅᑭᒃᓯᓂᕐᒧᑦ ᐸᕐᓇᐅᑎᒥᑦ ᐱᕙᓪᓕᐊᓂᕐᒧᑦ ᓄᑖᒥᒃ ᓇᓂᔭᐅᓯᓂᑦ ᐊᓚᕈᖅᒥᑦ.

ᑖᓇ ᑕᑯᓐᓴᐅᑎᑦᑎᔪᖅ:

- ᐱᓕᕆᓂᖅᓇᕐᓗᑎᒃ ᒫᓐᓇᐅᔪᖅ ᐱᓕᕆᔾᔪᑦ ᐊᐳᖅᑎᖅᑳᕐᒥᑦ (800 ᐅᖓᑖᓄᑦ);
- ᐃᓚᓕᓗᓂ 150 ᐱᓕᕆᐊᑦ ᐅᖓᑎᐊᕐᔪᐊᓄᑦ ᐱᓕᕆᐊᕐᓕᐊᓗᒃᑖᕐᓂᕐᒧᑦ (~75 ᐃᓅᔪᓄᑦ ᐱᓕᕆᐊᖑᐃᑦ) (ᐅᑭᐅᖅ 2020-ᒥᑦ)
- ᓴᖅᑭᑎᓗᓂ ᐊᒥᓱᓂᒃ ᐱᕕᖅᑲᕐᓂᐅᔪᓂᒃ ᐃᓅᔪᓄᑦ ᐊᔪᕆᖅᓯᓐᓂᖅᓴᐃᓂᒃᑯᑦ ᐱᓕᕆᐊᖅᑲᕐᓂᕐᒧᑦ ᐊᒻᒪᓗ ᑳᓐᑐᕌᓂᒃ.



AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 42

THE WHALE TAIL PIT INUIT IMPACT BENEFIT AGREEMENT

AGNICO EAGLE

Summary of Whale Tail IIBA:

- Signed June 15, 2017 between Agnico and KIA
- Ensures Inuit benefit from the development of the project through training, jobs, and contracts
- Employment & Training:
  - 50% Inuit Employment target
  - Maintain minimum $3.6M spend in training + additional $1 million/year on initiatives to achieve employment target (half of which given to KIA to spend)
- Business Opportunities with preference for NTI registered companies
- Study on Inuit Workforce Barriers
- Study on Socio-Economic Impact and Benefits

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 43

WHALE TAIL ᓄᓇᒥᑦ ᐃᓗᕐᑐᖅᓯᒪᔪᕐᒧᑦ ᐃᓄᐃᑦ ᐊᒃᑐᖅᑕᐅᓂᖏᓐᓄᑦ ᐃᑲᔫᑎᒧᑦ ᐊᖏᕐᑲᑎᒌᒍᑎ

AGNICO EAGLE

ᓇᐃᓈᖅᓯᒪᔪᖅ Whale Tail-ᒧᑦ IIBA:

- ᐊᑎᓕᐅᖅᑕᐅᔪᖅ ᔪᓂ 15, 2017-ᒥᑦ ᐊᒡᓂᑰᒃᑯᓐᓄᑦ ᐊᒻᒪ ᑮᕙᐃᒃᑯᓐᓄᑦ
- ᐃᓅᔪᓂᒃ ᐃᑲᔫᓯᐊᖅᑎᑦᑎᔪᖅ ᐱᕙᓪᓕᐊᓂᖓᓂᑦ ᐱᓕᕆᐊᖅ ᐊᔪᕆᓐᖏᓐᓂᖅᓴᐃᓂᒃᑯᑦ, ᐱᓕᕆᐊᕐᓴᒃᑯᑦ, ᐊᒻᒪ ᑳᓐᑐᕌᒃᑎᑦᑎᓂᒃᑯ
- ᐱᓕᕆᑎᑦᑎᓂᖅ ᐊᒻᒪ ᐊᔪᕆᓐᖏᓐᓂᖅᓴᐃᓂᖅ:
  - 50% ᐃᓅᔪᓂᒃ ᐱᓕᕆᑎᑕᐅᓂᖏᓐᓄᑦ ᑎᑭᐅᑎᔭᐅᓂᐊᖅᑐ
  - ᒥᑭᓛᒃᑯᑦ $3.6 ᒥᓕᔭᓐ-ᓂᒃ ᑮᓇᐅᔭᓂᒃ ᐊᑐᕐᓗᑎᒃ ᐊᔪᕆᓐᖏᓐᓂᖅᓴᐃᓂᕐᒧᑦ ᐃᓚᖅᑲᕐᓗᒍ $1 ᒥᓕᔭᓐ-ᓂᒃ/ᐅᑭᐅᑕᒫᑦ ᐱᓕᕆᐊᒃᓴᓄᑦ ᑎᑭᐅᑎᓂᐊᕐᓗᑎᒃ ᐱᓕᕆᐊᖅᑖᕐᓂᕐᒧᑦ (ᓇᑉᐸᖓ ᑐᓂᔭᐅᓗᓂ ᑮᕙᐃᒃᑯᓐᓄᑦ ᐊᑐᕐᓂᐊᕐᓗᓂᐅᔪᖅ)
- ᓇᖕᒥᕐᑲᕐᓂᕐᒧᑦ ᐱᕚᕐᑲᕐᓂᐅᔪᑦ ᐱᔭᐅᖕᒫᕈᒪᓗᑎᒃ ᑐᖕᒐᕕᒃᑯᓐᓂ ᐊᑎᓕᐅᖅᓯᒪᔪᑦ ᑲᒻᐸᓂᐅᔪᑦ
- ᖃᐅᔨᓴᐃᓂᖅ ᐃᓅᔪᓂᒃ ᐱᓕᕆᓂᕐᒧᑦ ᑐᓱᖅᑕᕈᑏᑦ
- ᖃᐅᔨᓴᐃᓂᖅ ᐃᓄᐃᓐᐱᕈᖅᐸᓪᓕᐊᓂᕐᒧᑦ ᐊᒃᑐᖅᑕᐅᓂᖏᑦ ᐊᒻᒪ ᐃᑲᔫᑏᑦ

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 44

EXAMPLE OF SUCCESS

AGNICO EAGLE

- Devon Killulark from Baker Lake graduated as a journeyman Heavy Duty Equipment Technician in April. He joined Meadowbank in 2011 and is the 4th Inuk to achieve a skilled trade at Meadowbank.
- At the end of 2016 there were 12 apprentices and 1 pre apprentices at Meadowbank (Welders, Plumbers, Carpenters, Heavy Duty Equipment Technicians, Cooks, Millwrights)
- Agnico is one of Nunavut's largest employer for Inuit apprentices.
- ᑎᐊᕕᓐ ᕿᓪᓗᓛᖅ ᖃᒪᓂᑦᑐᐊᕐᒥᐅᑕᖅ ᐱᐊᓂᓚᐅᖅᑐᖅ ᐆᐸᕆᒥᑦ ᐊᓕᓚᔪᑎᑖᕐᔪᓂ ᓄᓇᒃᑯᕈᑎᖃᐊᓕᕆᓂᕐᒧᑦ. ᐃᓚᐅᓕᓚᐅᖅᑐᖅ ᐊᐳᕐᑎᓐᓈᖅᑐᒧᑦ 2011-ᒥᑦ ᐊᒻᒪ ᓱᑕᒪᕐᔫᕗᖅ ᐃᓅᔪᓂᑦ ᑎᑭᐅᑎᓂᕐᒧᑦ ᐊᔪᙳᓐᓂᖃᕐᓂᕐᒥ ᐱᓕᕆᐊᕐᒧᑦ ᐊᐳᕐᑎᓐᓈᖅᑐᒥᑦ.
- ᒫᓐᓇᐅᔪᖅ 12-ᖏᔪᑦ ᐃᓕᓐᓂᐊᖅᑐᑎᒃ ᐱᓕᕆᐊᖅᑖᖅᐸᓪᓕᐊᔪᑦ ᐊᒻᒪ ᑕᓪᓕᒪᐃᑦ ᐃᓕᓐᓂᐊᖅᐸᓪᓕᐊᓂᐊᕆᖅᑐᑦ ᐊᐳᕐᑎᓐᓈᖅᑐᒥᑦ (ᓂᐱᐅᓯᖅᑐᐃᔾᔪᑦ, ᓯᕐᓗᓕᕆᔾᔪᑦ, ᕿᔪᐊᕐᓕᕆᔾᔪᑦ, ᓄᓇᒃᑯᕈᑎᖃᐊᓕᕆᔾᔪᑦ, ᐃᒐᔾᔪᑦ, ᐊᒻᒪ ᓱᕐᑲᓪᓕᑎᕆᓐᐃᓕᕆᔾᔪᑦ)
- ᐊᒃᓂᑰ ᐃᓚᒋᔭᐅᔪᑦ ᓄᓇᕗᒻᒥᑦ ᐊᖏᓛᖑᔪᓂᒃ ᐱᓕᕆᑎᑦᑎᔨᐅᓂᕐᒧᑦ ᐃᓅᔪᓂᒃ ᐃᓕᓐᓂᐊᖅᑐᑎᒃ ᐱᓕᕆᐊᖅᑖᖅᐸᓪᓕᐊᓂᕐᒧᑦ



Langway Putulik
Millwright

Norman Eecherk
Welder



Nathaniel Kusugak
Heavy Duty Equipment Technician

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 45

AGNICO EAGLE'S VISION

AGNICO EAGLE

Being in Nunavut for decades:

- Nunavut platform can be a cornerstone for Agnico Eagle for several decades.
- Meadowbank's lessons and success can be leveraged in new Agnico projects in Nunavut
- The Whale Tail Pit project will extend the life of Meadowbank; Amaruq is the future of the Meadowbank Division
- Meliadine remains a significant potential catalyst for AEM's growth in Nunavut
- **Having our mines managed by Inuit**

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION| 46

ᐊᒃᓃᑯᒃᑯᑦ ᑕᐅᑐᒪᓐᒪᑦ

AGNICO EAGLE

ᓄᓇᕗᒦᓐᓂᐊᕐᓂᖕᒋᓐᓄᑦ ᐅᑭᐅᓄᑦ ᐊᒥᓱᑲᓪᓚᖕᓄᑦ:

- ᓄᓇᕗᒻᒥ ᐱᓕᕆᐊᖕᒪᑦ ᑐᙵᕕᐅᔪᓐᓇᖅᑐᖅ ᐊᒃᓃᑯᒃᑯᓐᓄᑦ ᐊᒥᓱᓄᑦ ᐅᑭᐅᓄᑦ.
- ᐊᐳᖅᑎᓐᓈᖅᑐᒥᑦ ᐃᓕᑦᑎᓂᐅᔪᑦ ᐊᒻᒪᓗ ᐱᐊᓂᑦᑎᐊᕐᓂᐅᔪᑦ ᐊᑐᖅᑕᐅᓂᐊᖅᑐᑦ ᓄᑖᓄ ᐊᒃᓃᑯᒃᑯᑦ ᐱᓕᕆᐊᖕᒋᓐᓄᑦ ᓄᓇᕗᒻᒥᑦ
- Whale Tail ᓄᓇᒥᑦ ᐃᓗᑦᑐᖅᓯᒪᔪᖅ ᐅᐃᒍᕆᐊᖅᓯᓂᐊᖅᑐᖅ; ᐊᒪᕈᖅ ᓯᕗᓂᖅᓴᐅᔪᖅ ᐊᐳᖅᑎᓐᓈᖅᑐᒧᑦ
- ᑕᓯᕐᔪᐊᖅ ᐊᖏᔪᒥᒃ ᐱᕆᐊᖅᑎᑦᑎᓂᖅᑲᕈᓐᓇᖅᑐᖅ ᐊᒃᓃᑯᒃᑯᑦ ᐱᕈᖅᐸᓪᓕᐊᓂᖓᓄᑦ ᓄᓇᕗᒻᒥᑦ
- ᐅᔾᔨᖅᑕᕆᐊᖅᐸᑦ ᐊᐅᓚᑕᐅᔪᑎᒃ ᐃᓅᔪᓄᑦ

AGNICO EAGLE | WHALE TAIL PIT REGULATORY PRESENTATION | 47

AGNICO EAGLE

Trading Symbol:
AEM on TSX & NYSE

Investor Relations:
416-947-8665
info@agnicoeagle.com

agnicoeagle.com

WORLD GOLD COUNCIL