



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-WTP1826 Updated Water Quality and Flow Monitoring Plan, Water Management Plan and Waste Rock Management Plan

Richard Dwyer <richard.dwyer@nwb-oen.ca>
To: Manon Turmel <manon.turmel@agnicoeagle.com>
Cc: Licensing Department <licensing@nwb-oen.ca>
Bcc: Distro Meadow Bank <distro-2am-mea@nwb-oen.ca>

Mon, Jan 21, 2019 at 1:05 PM

Good afternoon,

Please see attached approval for 2AM-WTP1826 Updated Water Quality and Flow Monitoring Plan, Water Management Plan and Waste Rock Management Plan.

Regards,

Richard

Richard Dwyer- $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{D} \Delta \mathcal{C}$

Manager of Licensing - Responsable des Permis ᐃᑦᓴᓂᐱᓄᓐ ᐅᓴᓂᐱᓄᓐ Maniyaauyuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓄᓐᑦ ᑲᑎᓕᓐᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၂၀၁၄ ခုနှစ် အတွက်
ပုံနှိပ်မှု နှင့် ပုံနှိပ်မှု X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



190121 2AM-WTP1826 Updated WQFMP, WMP, WRMP-OKKE.pdf
458K