



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-WTP1826 Operational ARD/ML Sampling and Testing Plan, Groundwater Monitoring Plan

Richard Dwyer <richard.dwyer@nwb-oen.ca>
To: Manon Turmel <manon.turmel@agnicoeagle.com>
Cc: Licensing Department <licensing@nwb-oen.ca>
Bcc: Distro Meadow Bank <distro-2am-mea@nwb-oen.ca>

Mon, Jan 28, 2019 at 10:11 AM

Good morning,

Please see attached approval for Operational ARD/ML Sampling and Testing Plan.

The NWB advises the Licensee that an approval of the Groundwater Monitoring Plan as submitted will be withheld at this time and the Licensee is requested to revise the plan and re-submit for approval within the 2018 Annual Report, taking into consideration the results of parties review. More particularly, Agnico Eagle should provide options for the monitoring of Westbay Multiport Well System or potential additional monitoring well and discuss thermal analysis associated with the concerns of metal leaching around the pit's north wall area. Agnico Eagle is encouraged to continue to work directly with parties to address these issues within the revised plan.

Regards,

Richard

Richard Dwyer- $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$ [illegible]

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓄᓐᑦ ᑲᑎᓕᓐᑦ - NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၀၈၄ ဖေ့ အဖွဲ့
ပုံနှိပ်မှု ဌာန၊ ရန်ကုန် X013 110

Titigaqavua 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



190128 2AM-WTP1826 Updated ARD-ML Plan, GWMP-OKKE.pdf
458K