



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

CREMP Addendum Mercury Monitoring Plan for Whale Tail South Area

Richard Dwyer <richard.dwyer@nwb-oen.ca>
To: Manon Turmel <manon.turmel@agnicoeagle.com>
Cc: licensing@nwb-oen.ca
Bcc: distro-2am-mea@nwb-oen.ca

Fri, Nov 9, 2018 at 8:40 AM

Good morning,

Attached is the approval for 2AM-WTP1826 CREMP Addendum Mercury Monitoring Plan for Whale Tail South Area.

Regards,

Richard

Richard Dwyer- $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$

Manager of Licensing - Responsable des Permis ᐃᑦᑐᓂᔭᒃᕈᓄᓇᑦ Maniyaauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓂᐱᑦ ᑲᑎᓕᐱᑦᑎ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገና ማረጋገጫ
የገና ማረጋገጫ ምዕራፍ X013.130

Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



181109 2AM-WTP1826 Mercury Monitorin Plan-OKKE.pdf
506K