



## NWB Tools

**Richard Dwyer** <[richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca)>

## 2AM-WTP1826 Design Report Arsenic Water Treatment Plant

**Richard Dwyer** <[richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca)>

Fri, Dec 21, 2018 at 1:21 PM

To: david.zhong@canada.ca, "Parsons, Ian (AADNC/AANDC)" <ian.parsons@canada.ca>, "Mike, Margaret (AADNC/AANDC)" <margaret.mike@canada.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board requests confirmation by January 7, 2019, whether or not AEM response addresses CIRNAC comments.

Regards,

Richard

Richard Dwyer-  $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$ 

Manager of Licensing - Responsable des Permis ᐃᑭᓕᓴᓂᓪᓗ ᐅᐱᙵᓂᓪᓗ Maniyaauyuq  
Laislaginiimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT  
ᓄᓇᑭᑦ ᐃᓚᓕᓴᑦ ᑲᑎᓚᓴᑦ- NUNAVUT IMALIRIYIN  
KATIMAYINGI

P.O. Box 119  
Gjøa Haven, NU X0B 1J0

C.P. 119  
Gjoa Haven, NU X0B 1J0

၂၀၁၄ ခုနှစ် အတွက်  
ပုံနှိပ်မှု နှင့် ပုံနှိပ်မှု X013 110

Titigaqavua 119  
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐱᑦᓴᐅᑕ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᑦᓴᐅᑕ / Fax-kut: (867) 360-6369  
Toll Free / Sans / ᐱᑦᓴᐅᑕᐱᑦᓴᐅᑕᐱᑦᓴᐅᑕ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



181221 2AM-WTP1826 Design Report Arsenic WTP AEM Response to Comments-IMLE.pdf  
305K