

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-WTP1826 Design Report Fresh Water Intake

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Thu, Jul 19, 2018 at 9:25 AM

To: Manon Turmel <manon.turmel@agnicoeagle.com>
Cc: Licensing Department licensing@nwb-oen.ca>
Bcc: Distro Meadow Bank <distro-2am-mea@nwb-oen.ca>

Good morning,

The Nunavut Water Board acknowledges receipt of design report for freshwater intake it has been saved to the public registry and uploaded to the ftp site at the link below.

ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-WTP1826% 20Agnico/3%20TECH/D%20CONSTRUCTION/D1,%20D2/Freshwater%20Intake/

Any parties wishing to provide comments please do so by August 2, 2018.

Regards,

Richard



NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT LOLDE BOLDE BOL

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

 Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ぱぺ⊁♪Ć / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ぺЬ⊀゚ժ゚ / Fax-kut: (867) 360-6369

Toll Free / Sans / ◁РˤЬゥՐ⊂⊃ˤь / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

4

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email