



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-WTP1826 Design Report Freshwater Intake

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, Aug 27, 2018 at 11:02 AM

To: "D'Aguiar, Mark (Mark.D'Aguiar@dfo-mpo.gc.ca)" <Mark.D'Aguiar@dfo-mpo.gc.ca>, "Wong, Sally" <sally.wong@dfo-mpo.gc.ca>, Ian Parsons <Ian.Parsons@aandc-aadnc.gc.ca>, "Blade, Michelle (AADNC/AANDC)" <michelle.blade@canada.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>, Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Good morning,

The Nunavut Water Board request response by **September 4, 2018** whether or not the attached response to comments address parties concerns.

Regards,

Richard

Richard Dwyer- $\mathcal{L}^{\mathcal{C}}\mathcal{J}^{\mathcal{G}} \supset \triangleleft \Delta \mathcal{K}^{\mathcal{G}}$

Manager of Licensing - Responsable des Permis ᐱᓕᑦᑎᓪᓴᓂᓄᓐ ᐃᔭᑦᑲᓂᓐᓇᒃᑐᑦ Maniyaauyuq
Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၂၀၁၄ ခုနှစ် အတွက်
ပုံနှိပ်မှု နှင့် ပုံနှိပ်မှု X013 110

Titigaqavua 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



180827 2AM-WTP1826 Design Freshwater Intake AEM Response-IMLE.pdf
2900K