NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-WTP1826 Design Report for Fuel Storage Tank and Containment Facilities

Richard Dwyer <richard.dwyer@nwb-oen.ca> Thu, Sep 6, 2018 at 3:08 PM
To: Manon Turmel <manon.turmel@agnicoeagle.com>
Cc: Licensing Department <licensing@nwb-oen.ca>
Bcc: Distro Meadow Bank <distro-2am-mea@nwb-oen.ca>

Good afternoon,

Please see attached letter of acceptance for 2AM-WTP1826 Design Report for Fuel Storage Tank and Containment Facilities.

Regards,

Richard

Richard Dwyer- ᑎᑦᓱᕋᑦ ᑐᐊᐃᔪᕐ
Manager of Licensing - Responsable des Permis ᐊᐅᓚᑦᑎᔨ ᓚᐃᓴᓕᓂᓂᖅᒧᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᓂᔨᑦ ᑲᑎᒪᔨᖏᑦ- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᑎᑎᕋᖅᑲᑦ ᕕᖓ
ᐅᖃᓱᖅᑑᖅ, ᓄᓇᕗᑦ X0B 1J0

Titigaqaqvia 119
Uqhuqhuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

180906 2AM-WTP1826 Design Fuel Storage Tank-OKKE.pdf
506K