



Whale Tail construction summary report for IVR Diversion Channel for water licence 2AM-WTP1830

Tue, Feb 23, 2021 at 12:59 PM

Good afternoon


The Nunavut Water Board acknowledges receipt February 18, 2021 of construction summary report for IVR Diversion Channel, it has been saved to the public registry and can be found at the link below.

<ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-WTP1830%20Agnico/3%20TECH/D%20CONSTRUCTION/D16/IVR%20Diverison%20Channel/>

This submission is distributed for information only.

Regards,

Richard



Manager of Licensing - Responsable des Permis ᐃᑭᓕᓴᓂᓄᓇ ᐅᐱᓕᓴᓂᓄᓇ Maniyaauyuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓕᓴᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገናኘው ልጄ
ድህረ ምረቃ ምዕረፍ X013.110

Titigauqvia 119
Uqhuqtunq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email