

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-WTP1826 comment period extended

Richard Dwyer < richard.dwyer@nwb-oen.ca>

Thu, Aug 2, 2018 at 1:16 PM

To: Manon Turmel <manon.turmel@agnicoeagle.com>, Michel Groleau <michel.groleau@agnicoeagle.com>

Cc: Licensing Department < licensing@nwb-oen.ca>

Bcc: Distro Meadow Bank <distro-2am-mea@nwb-oen.ca>

Good afternoon.

CIRNAC has requested extension to submit comments for 2AM-WTP1826, the following:

- Design Report Fresh Water Intake
- Design Report of North East Dike
- Amaruq Stage 1 WRSF, Ore Stockpile 1 and Starter Pit Design Report and Drawings

the comment period is now extended to August 17, 2018.

Regards,

Richard



Richard Dwyer- へ^cんっc コロムイっ

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT OQP ALCAP BOLP - NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

 Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ۲ペナレĆ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / μυτός / Fax-kut: (867) 360-6369 Toll Free / Sans / Δρίος Γορίο / Ακiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

4

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email