



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-WTP1826 Water Quality and Flow Monitoring Plan

Richard Dwyer <richard.dwyer@nwb-oen.ca>
To: Manon Turmel <manon.turmel@agnicoeagle.com>
Cc: Licensing Department <licensing@nwb-oen.ca>
Bcc: Distro Meadow Bank <distro-2am-mea@nwb-oen.ca>

Wed, Dec 12, 2018 at 9:56 AM

Good morning,

Please see attached approval of Type "A" Water Licence No. 2AM-WTP1826, Whale Tail Pit Project; Agnico Eagle Mines Limited; Modification of Schedule I: Conditions Applying to General and Aquatic Effects Monitoring.

Regards,

Richard

Richard Dwyer- $\Omega^{\infty}\mathcal{P}^{\infty}\mathbb{R} \rightarrow \mathbb{R}$

Laisiginiimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓄᐱᑦ ᑲᑎᓕᓄᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገናኙል ልጄ
ገናኙል ገናኙል ገናኙል X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᑦᓴᐅᑕ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᑦᓴᐅᑕ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᑦᓴᐅᑕᐱᑦᓴᐅᑕᐱᑦᓴᐅᑕ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]



181212 2AM-WTP1826 Modification Schedule I-OKKE.pdf
403K