



HOPE BAY MINING LTD
ATTN: SR.ENV CO-ORDINATOR
300 - 889 Harbourside Drive
North Vancouver BC V7P 3S1

Date Received: 24-JUN-11
Report Date: 05-JUL-11 16:43 (MT)
Version: FINAL

Client Phone: 604-985-2572

Certificate of Analysis

Lab Work Order #: L1023104
Project P.O. #: CED24A
Job Reference: COMPLIANCE WATER SAMPLES
Legal Site Desc:
C of C Numbers: 1

Jessica Spira
Senior Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 9936-67 Avenue, Edmonton, AB T6E 0P5 Canada | Phone: +1 780 413 5227 | Fax: +1 780 437 2311
ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L1023104-1 HOP6-23JUNE11								
Sampled By: J. KADLUN on 23-JUN-11 @ 17:40								
Matrix: WATER								
Total Metals - CCME								
Mercury (Hg) - Total								
Mercury (Hg)-Total		<0.00010		0.00010	mg/L		30-JUN-11	R2212184
Total Metals in Water by ICPMS (Low)								
Aluminum (Al)-Total		0.252		0.010	mg/L		29-JUN-11	R2212200
Antimony (Sb)-Total		<0.00040		0.00040	mg/L		29-JUN-11	R2212200
Arsenic (As)-Total		0.00086		0.00040	mg/L		29-JUN-11	R2212200
Barium (Ba)-Total		0.0121		0.0030	mg/L		29-JUN-11	R2212200
Beryllium (Be)-Total		<0.0010		0.0010	mg/L		29-JUN-11	R2212200
Boron (B)-Total		<0.050		0.050	mg/L		29-JUN-11	R2212200
Cadmium (Cd)-Total		<0.000050		0.000050	mg/L		29-JUN-11	R2212200
Chromium (Cr)-Total		<0.0050		0.0050	mg/L		29-JUN-11	R2212200
Cobalt (Co)-Total		<0.0020		0.0020	mg/L		29-JUN-11	R2212200
Copper (Cu)-Total		0.0030		0.0010	mg/L		29-JUN-11	R2212200
Lead (Pb)-Total		0.00027		0.00010	mg/L		29-JUN-11	R2212200
Lithium (Li)-Total		<0.010		0.010	mg/L		29-JUN-11	R2212200
Molybdenum (Mo)-Total		<0.0050		0.0050	mg/L		29-JUN-11	R2212200
Nickel (Ni)-Total		<0.0020		0.0020	mg/L		29-JUN-11	R2212200
Selenium (Se)-Total		<0.00040		0.00040	mg/L		29-JUN-11	R2212200
Silver (Ag)-Total		<0.00010		0.00010	mg/L		29-JUN-11	R2212200
Thallium (Tl)-Total		<0.00010		0.00010	mg/L		29-JUN-11	R2212200
Tin (Sn)-Total		<0.050		0.050	mg/L		29-JUN-11	R2212200
Titanium (Ti)-Total		0.0097		0.0010	mg/L		29-JUN-11	R2212200
Uranium (U)-Total		0.00055		0.00010	mg/L		29-JUN-11	R2212200
Vanadium (V)-Total		<0.0010		0.0010	mg/L		29-JUN-11	R2212200
Zinc (Zn)-Total		<0.0040		0.0040	mg/L		29-JUN-11	R2212200
Total Metals in Water by ICPOES (Low)								
Calcium (Ca)-Total		16.5		0.50	mg/L		30-JUN-11	R2212159
Iron (Fe)-Total		0.456		0.010	mg/L		30-JUN-11	R2212159
Magnesium (Mg)-Total		6.29		0.10	mg/L		30-JUN-11	R2212159
Manganese (Mn)-Total		0.0136		0.0020	mg/L		30-JUN-11	R2212159
Potassium (K)-Total		2.31		0.10	mg/L		30-JUN-11	R2212159
Sodium (Na)-Total		11.2		1.0	mg/L		30-JUN-11	R2212159
Miscellaneous Parameters								
Ammonia (as N)		0.0099		0.0050	mg/L		04-JUL-11	R2213269
Oil And Grease (Visible Sheen)		NO VISIBLE SHEEN					30-JUN-11	R2212067
Oil and Grease		<1.0		1.0	mg/L		30-JUN-11	R2212098
Phenols (4AAP)		0.0018	RRV	0.0010	mg/L		05-JUL-11	R2213706
Total Kjeldahl Nitrogen		0.606		0.050	mg/L	04-JUL-11	04-JUL-11	R2212953
Phosphorus (P)-Total		0.0439		0.0010	mg/L		05-JUL-11	R2213919
Total Suspended Solids		<3.0		3.0	mg/L		28-JUN-11	R2210811
BTEX and F1 (C6-C10)								
Benzene		<0.00050	RWHS	0.00050	mg/L		27-JUN-11	R2210283
Toluene		<0.00050	RWHS	0.00050	mg/L		27-JUN-11	R2210283
Ethylbenzene		<0.00050	RWHS	0.00050	mg/L		27-JUN-11	R2210283
o-Xylene		<0.00050	RWHS	0.00050	mg/L		27-JUN-11	R2210283
m+p-Xylene		<0.00050	RWHS	0.00050	mg/L		27-JUN-11	R2210283
F1(C6-C10)		<0.10	RWHS	0.10	mg/L		27-JUN-11	R2210283
F1-BTEX		<0.10		0.10	mg/L		27-JUN-11	R2210283
Xylenes		<0.00071		0.00071	mg/L		27-JUN-11	R2210283
F2, F3, F4								

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L1023104-1 HOP6-23JUNE11								
Sampled By: J. KADLUN on 23-JUN-11 @ 17:40								
Matrix: WATER								
F2, F3, F4								
F2 (>C10-C16)		<0.25		0.25	mg/L	29-JUN-11	29-JUN-11	R2212269
F3 (C16-C34)		<0.25		0.25	mg/L	29-JUN-11	29-JUN-11	R2212269
F4 (C34-C50)		<0.25		0.25	mg/L	29-JUN-11	29-JUN-11	R2212269
TPH		<0.25		0.25	mg/L	29-JUN-11	29-JUN-11	R2212269
CCME PAHs								
Naphthalene		<0.000050		0.000050	mg/L	04-JUL-11	04-JUL-11	R2213429
Quinoline		<0.000020		0.000020	mg/L	04-JUL-11	04-JUL-11	R2213429
Acenaphthene		0.000022		0.000020	mg/L	04-JUL-11	04-JUL-11	R2213429
Fluorene		0.000036		0.000030	mg/L	04-JUL-11	04-JUL-11	R2213429
Phenanthrene		0.000084		0.000050	mg/L	04-JUL-11	04-JUL-11	R2213429
Anthracene		<0.000010		0.000010	mg/L	04-JUL-11	04-JUL-11	R2213429
Acridine		<0.000020		0.000020	mg/L	04-JUL-11	04-JUL-11	R2213429
Fluoranthene		<0.000020		0.000020	mg/L	04-JUL-11	04-JUL-11	R2213429
Pyrene		<0.000010		0.000010	mg/L	04-JUL-11	04-JUL-11	R2213429
Benzo(a)anthracene		<0.000010		0.000010	mg/L	04-JUL-11	04-JUL-11	R2213429
Chrysene		<0.000020		0.000020	mg/L	04-JUL-11	04-JUL-11	R2213429
Benzo(b&j)fluoranthene		<0.000010		0.000010	mg/L	04-JUL-11	04-JUL-11	R2213429
Benzo(k)fluoranthene		<0.000010		0.000010	mg/L	04-JUL-11	04-JUL-11	R2213429
Benzo(a)pyrene		<0.0000050		0.0000050	mg/L	04-JUL-11	04-JUL-11	R2213429
Indeno(1,2,3-cd)pyrene		<0.000010		0.000010	mg/L	04-JUL-11	04-JUL-11	R2213429
Dibenzo(a,h)anthracene		<0.0000050		0.0000050	mg/L	04-JUL-11	04-JUL-11	R2213429
Benzo(g,h,i)perylene		<0.000020		0.000020	mg/L	04-JUL-11	04-JUL-11	R2213429
B(A)P Total Potency Equivalent		<0.000010		0.000010	mg/L	04-JUL-11	04-JUL-11	R2213429
Surrogate: Nitrobenzene d5		81		40-130	%	04-JUL-11	04-JUL-11	R2213429
Surrogate: 2-Fluorobiphenyl		86		40-130	%	04-JUL-11	04-JUL-11	R2213429
Surrogate: p-Terphenyl d14		116		40-130	%	04-JUL-11	04-JUL-11	R2213429
Total Nitrogen								
Total Nitrogen (Calculation)								
Total Nitrogen		0.606		0.087	mg/L		04-JUL-11	
Routine Water Analysis								
Chloride by IC								
Chloride (Cl)		17.4		0.50	mg/L		27-JUN-11	R2210511
Dissolved Metals in Water by ICPOES								
Calcium (Ca)-Dissolved		14.8		0.50	mg/L		30-JUN-11	R2212161
Magnesium (Mg)-Dissolved		4.98		0.10	mg/L		30-JUN-11	R2212161
Potassium (K)-Dissolved		1.86		0.50	mg/L		30-JUN-11	R2212161
Sodium (Na)-Dissolved		9.5		1.0	mg/L		30-JUN-11	R2212161
Ion Balance Calculation								
Ion Balance		94.4			%		04-JUL-11	
TDS (Calculated)		86.5			mg/L		04-JUL-11	
Hardness (as CaCO3)		57.5			mg/L		04-JUL-11	
Nitrate as N by IC								
Nitrate (as N)		<0.050		0.050	mg/L		27-JUN-11	R2210511
Nitrate+Nitrite								
Nitrate and Nitrite (as N)		<0.071		0.071	mg/L		29-JUN-11	
Nitrite as N by IC								
Nitrite (as N)		<0.050		0.050	mg/L		27-JUN-11	R2210511
Sulfate by IC								
Sulfate (SO4)		3.91		0.50	mg/L		27-JUN-11	R2210511
pH, Conductivity and Total Alkalinity								
pH		8.00		0.10	pH		27-JUN-11	R2210120
Conductivity (EC)		176		0.20	uS/cm		27-JUN-11	R2210120

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L1023104-1	HOP6-23JUNE11							
Sampled By: J. KADLUN on 23-JUN-11 @ 17:40								
Matrix: WATER								
pH, Conductivity and Total Alkalinity								
Bicarbonate (HCO3)		69.2		5.0	mg/L		27-JUN-11	R2210120
Carbonate (CO3)		<5.0		5.0	mg/L		27-JUN-11	R2210120
Hydroxide (OH)		<5.0		5.0	mg/L		27-JUN-11	R2210120
Alkalinity, Total (as CaCO3)		56.7		5.0	mg/L		27-JUN-11	R2210120
L1023104-2	BOSP-23JUNE11							
Sampled By: J. KADLUN on 23-JUN-11 @ 14:50								
Matrix: WATER								
Total Metals - CCME								
Mercury (Hg) - Total								
Mercury (Hg)-Total		<0.00010		0.00010	mg/L		30-JUN-11	R2212184
Total Metals in Water by ICPMS (Low)								
Aluminum (Al)-Total		0.270		0.010	mg/L		29-JUN-11	R2212200
Antimony (Sb)-Total		0.00106		0.00040	mg/L		29-JUN-11	R2212200
Arsenic (As)-Total		0.0285		0.00040	mg/L		29-JUN-11	R2212200
Barium (Ba)-Total		<0.0030		0.0030	mg/L		29-JUN-11	R2212200
Beryllium (Be)-Total		<0.0010		0.0010	mg/L		29-JUN-11	R2212200
Boron (B)-Total		<0.050		0.050	mg/L		29-JUN-11	R2212200
Cadmium (Cd)-Total		<0.000050		0.000050	mg/L		29-JUN-11	R2212200
Chromium (Cr)-Total		<0.0050		0.0050	mg/L		29-JUN-11	R2212200
Cobalt (Co)-Total		0.0054		0.0020	mg/L		29-JUN-11	R2212200
Copper (Cu)-Total		0.0025		0.0010	mg/L		29-JUN-11	R2212200
Lead (Pb)-Total		0.00062		0.00010	mg/L		29-JUN-11	R2212200
Lithium (Li)-Total		<0.010		0.010	mg/L		29-JUN-11	R2212200
Molybdenum (Mo)-Total		<0.0050		0.0050	mg/L		29-JUN-11	R2212200
Nickel (Ni)-Total		0.0134		0.0020	mg/L		29-JUN-11	R2212200
Selenium (Se)-Total		<0.00040		0.00040	mg/L		29-JUN-11	R2212200
Silver (Ag)-Total		<0.00010		0.00010	mg/L		29-JUN-11	R2212200
Thallium (Tl)-Total		<0.00010		0.00010	mg/L		29-JUN-11	R2212200
Tin (Sn)-Total		<0.050		0.050	mg/L		29-JUN-11	R2212200
Titanium (Ti)-Total		0.0018		0.0010	mg/L		29-JUN-11	R2212200
Uranium (U)-Total		<0.00010		0.00010	mg/L		29-JUN-11	R2212200
Vanadium (V)-Total		0.0012		0.0010	mg/L		29-JUN-11	R2212200
Zinc (Zn)-Total		0.0052		0.0040	mg/L		29-JUN-11	R2212200
Total Metals in Water by ICPOES (Low)								
Calcium (Ca)-Total		9.53		0.50	mg/L		30-JUN-11	R2212159
Iron (Fe)-Total		0.746		0.010	mg/L		30-JUN-11	R2212159
Magnesium (Mg)-Total		3.55		0.10	mg/L		30-JUN-11	R2212159
Manganese (Mn)-Total		0.0268		0.0020	mg/L		30-JUN-11	R2212159
Potassium (K)-Total		0.62		0.10	mg/L		30-JUN-11	R2212159
Sodium (Na)-Total		2.9		1.0	mg/L		30-JUN-11	R2212159
Miscellaneous Parameters								
Oil And Grease (Visible Sheen)		NO VISIBLE SHEEN					30-JUN-11	R2212067
Oil and Grease		<1.0		1.0	mg/L		30-JUN-11	R2212098
Total Suspended Solids		<3.0		3.0	mg/L		28-JUN-11	R2210811
Routine Water Analysis								
Chloride by IC								
Chloride (Cl)		9.35		0.50	mg/L		27-JUN-11	R2210511
Dissolved Metals in Water by ICPOES								
Calcium (Ca)-Dissolved		8.50		0.50	mg/L		30-JUN-11	R2212161
Magnesium (Mg)-Dissolved		2.80		0.10	mg/L		30-JUN-11	R2212161

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L1023104-2	BOSP-23JUNE11							
Sampled By:	J. KADLUN on 23-JUN-11 @ 14:50							
Matrix:	WATER							
Dissolved Metals in Water by ICPOES								
Potassium (K)-Dissolved		<0.50		0.50	mg/L		30-JUN-11	R2212161
Sodium (Na)-Dissolved		2.4		1.0	mg/L		30-JUN-11	R2212161
Ion Balance Calculation								
Ion Balance		Low EC			%		02-JUL-11	
TDS (Calculated)		44.0			mg/L		02-JUL-11	
Hardness (as CaCO3)		32.8			mg/L		02-JUL-11	
Nitrate as N by IC								
Nitrate (as N)		0.095		0.050	mg/L		27-JUN-11	R2210511
Nitrate+Nitrite								
Nitrate and Nitrite (as N)		0.095		0.071	mg/L		29-JUN-11	
Nitrite as N by IC								
Nitrite (as N)		<0.050		0.050	mg/L		27-JUN-11	R2210511
Sulfate by IC								
Sulfate (SO4)		13.4		0.50	mg/L		27-JUN-11	R2210511
pH, Conductivity and Total Alkalinity								
pH		7.46		0.10	pH		27-JUN-11	R2210120
Conductivity (EC)		91.1		0.20	uS/cm		27-JUN-11	R2210120
Bicarbonate (HCO3)		14.5		5.0	mg/L		27-JUN-11	R2210120
Carbonate (CO3)		<5.0		5.0	mg/L		27-JUN-11	R2210120
Hydroxide (OH)		<5.0		5.0	mg/L		27-JUN-11	R2210120
Alkalinity, Total (as CaCO3)		11.9		5.0	mg/L		27-JUN-11	R2210120

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

Reference Information

Sample Parameter Qualifier Key:

Qualifier	Description
E	Matrix Spike recovery outside ALS DQO due to analyte background in sample.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RRV	Reported Result Verified By Repeat Analysis
RWHS	Samples Received With Headspace

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
BTX,F1-ED	Water	BTEX and F1 (C6-C10)	EPA 5021/8015&8260 GC-MS & FID
CL-IC-ED	Water	Chloride by IC	APHA 4110 B-ION CHROMATOGRAPHY
F2,F3,F4-ED	Water	F2, F3, F4	EPA 3510/CCME PHC CWS-GC-FID
HG-T-CVAA-ED	Water	Mercury (Hg) - Total	EPA 245.7 / EPA 245.1
IONBALANCE-ED	Water	Ion Balance Calculation	APHA 1030E
MET-D-ICP-ED	Water	Dissolved Metals in Water by ICPOES	APHA 3120 B-ICP-OES
MET-T-L-ICP-ED	Water	Total Metals in Water by ICPOES (Low)	APHA 3120 B-ICP-OES
MET-T-L-MS-ED	Water	Total Metals in Water by ICPMS (Low)	SW 846 - 6020-ICPMS
N-T-CALC-ED	Water	Total Nitrogen (Calculation)	APHA 4500 N-Calculated
Total Nitrogen is a calculated parameter. Total Nitrogen = Total Kjeldahl Nitrogen + [Nitrate and Nitrite (as N)]			
NH3-L-CFA-ED	Water	Ammonia in Water by Colour	APHA 4500 NH3-NITROGEN (AMMONIA)
This analysis is carried out using procedures adapted from APHA Method 4500 NH3 "NITROGEN (AMMONIA)". Ammonia is determined using the automated phenate colourimetric method.			
NO2+NO3-CALC-ED	Water	Nitrate+Nitrite	CALCULATION
NO2-IC-ED	Water	Nitrite as N by IC	APHA 4110 B-ION CHROMATOGRAPHY
NO3-IC-ED	Water	Nitrate as N by IC	APHA 4110 B-ION CHROMATOGRAPHY
OGG-ED	Water	Oil and Grease-Gravimetric	APHA 5520 G HEXANE MTBE EXT. GRAVIME
OGG-VISIBLE-SHEEN-ED	Water	Oil and Grease - Visible Sheen	Alberta Environment Regs. (Ind. Runoff)
P-T-L-COL-ED	Water	Total P in Water by Colour	APHA 4500-P PHOSPHORUS
This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.			
PAH-CCME-ED	Water	CCME PAHs	EPA 3510/8270-GC/MS
PH/EC/ALK-ED	Water	pH, Conductivity and Total Alkalinity	APHA 4500-H, 2510, 2320
All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed)			
PHENOLS-4AAP-ED	Water	Phenols (4AAP)	AB ENV.06537-COLORIMETRIC
SO4-IC-ED	Water	Sulfate by IC	APHA 4110 B-ION CHROMATOGRAPHY
SOLIDS-TOTSUS-ED	Water	Total Suspended Solids	APHA 2540 D-Gravimetric
TKN-L-CFA-ED	Water	TKN in Water by Colour	APHA 4500-NORG (TKN)
This analysis is carried out using procedures adapted from APHA Method 4500-Norg "Nitrogen (Organic)". Total Kjeldahl Nitrogen is determined by sample digestion at 380 celcius with analysis using an automated colourimetric finish.			

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
ED	ALS ENVIRONMENTAL - EDMONTON, ALBERTA, CANADA

Chain of Custody Numbers:

Reference Information

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
---------------	--------	------------------	--------------------

1

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample
mg/kg wwwt - milligrams per kilogram based on wet weight of sample
mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight
mg/L - unit of concentration based on volume, parts per million.


< - Less than.
D.L. - The reporting limit.
N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.
UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.
Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Hydrocarbon Distribution Report



ALS Sample ID: L1023104-1
Client ID: HOP6-23JUNE11



<-----nC10-----nC16-----nC34-----nC50>
<-----Gasoline-----> <-----Heavy Oils----->
|-----Diesel-----|

The Canada Wide Standard Hydrocarbon Distribution Report is intended to assist you in characterizing hydrocarbon products that may be present in your sample. The scale at the bottom of the chromatogram indicates the approximate retention times of common petroleum products as well as a number of specified n-alkane hydrocarbon marker compounds. Comparison of this report with those of reference standards may also assist in characterizing hydrocarbons present in the sample.

Peak heights in this report are a function of the sample concentration, the sample amount extracted, the sample dilution factor, and the scale at left.

Note: This chromatogram was produced with a high temperature GC method that is specific to the Canada-Wide Standard method (December 2007 version). Note that retention times and distribution profiles from reports produced using different GC programs will differ.



L1023104

SEND REPORT TO:

CHAIN OF CUSTODY FORM

PAGE 1 OF 1

COMPANY: Hope Bay Mining Limited		ATTN: Sr. Env. Co-ordinator		ANALYSIS REQUESTED:																						
ADDRESS: 300-889 Habourside Drive																										
CITY: North Vancouver	PROV: British Columbia																	POSTAL CODE: V7P 3S1								
TEL: 1-604-985-2572	FAX: 1-604-980-0731																	SAMPLER: J.Kadlun								
PROJECT NAME AND NO.: Compliance Water Samples																		QUOTE NO:								
PO NO.: CED24A	ALS CONTACT: Sean Whitaker																									
REPORT FORMAT:		☐ HARDCOPY ☒ EMAIL - ADDRESS: hbesr.data@Newmont.com ☐ FAX ☒ EXCEL ☒ PDF ☐ OTHER:																								
FOR LAB USE ONLY	WO#	SAMPLE IDENTIFICATION		DATE / TIME COLLECTED		MATRIX	PAH	TPH	ROUTINE, TSS, pH	NUTRIENTS	PHENOLS	Oil and Grease (mg/L and vis)	BTEX	CCME - Total Metals												NOTES (sample specific comments, due dates, etc.)
		HOP6-23June11	2010-07-05	17:40	water	X																				
		HOP6-23June11	2010-07-05	17:40	water		X																			
		HOP6-23June11	2010-07-05	17:40	water			X										pres. 2mL H2SO4								
		HOP6-23June11	2010-07-05	17:40	water				X									pres. 1mL H2SO4								
		HOP6-23June11	2010-07-05	17:40	water																					
		HOP6-23June11	2010-07-05	17:40	water							X						pres. 1mL HCl								
		HOP6-23June11	2010-07-05	17:40	water							X						precharged								
		HOP6-23June11	2010-07-05	17:40	water								X					pres. 5mL HNO3								
		BOSP-23June11	2011-06-23	14:50				X																		
		BOSP-23June11	2011-06-23	14:50								X						2mL HCL								
		BOSP-23June11	2011-06-23	14:50									X					5 mL HNO3								
TURN AROUND REQUIRED:		☒ ROUTINE ☐ RUSH SPECIFY DATE: _____ (surcharge may apply)				RELINQUISHED BY: J.KADLUN		DATE: June 23/11 10:00		RECEIVED BY: RVS		DATE: 24 June 11 5:30 PM														
SEND INVOICE TO:		☒ SAME AS REPORT ☒ DIFFERENT FROM REPORT (provide details below)				RELINQUISHED BY:		DATE:		RECEIVED BY:		DATE:														
INVOICE FORMAT:		☒ HARDCOPY ☒ PDF ☐ FAX				RELINQUISHED BY:		DATE:		RECEIVED BY:		DATE:														
SPECIAL INSTRUCTIONS: Please send invoice to Attention: HBML Accounting Section using the above address: Please quote this PO #: H00288 Electronic results to: Jill.Turk@Newmont.com and MHBLEnvironmental@Newmont.com						FOR LAB USE ONLY																				
						Cooler Seal Intact?		Sample Temperature: 4°C		Cooling Method?																
						Yes ___ No ___ N/A		Frozen? Yes ___ No ___		Icepacks ___ Ice ___ None ___																