



95 Wellington Street West  
Suite 1010, P. Box 44  
Toronto Dominion Centre  
Toronto, Ontario M5J 2N7  
416-628-0216

April 29, 2016

Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU  
X0B 1J0

Kelli Gillard  
Nunavut Impact Review Board  
P.O. Box 1360  
Cambridge Bay, NU  
X0B 0C0

**Re: Revised Hope Bay Project Spill Contingency Plan for Project Certificate 003 (file 05MN047) and Water Licences 2AM-DOH1323, 2BE-HOP1222 and 2BB-BOS1217**

---

Hello,

Please find enclosed a revised Spill Contingency Plan (the Plan) for the Hope Bay Belt Project, applicable to Water Licences 2AM-DOH1323, 2BE-HOP1222, and 2BB-BOS1217 and Project Certificate 003.

This Plan replaces the 2014 Spill Contingency Plan.

This Plan has been revised in consideration of comments received on the 2014 Plan as well as those received during the recent Amendment Application proceedings. The structure has been converted into a modularized format that will better accommodate any future licence or permit changes. Revision were also made to reflect an Incident Command System response structure, current site spill response organization, and current contact information. The Plan has also been revised to include consideration of the operations phase at Doris, for both the currently permitted project and the proposed project amendments. Product-specific spill response plans have also been added for Ammonium Nitrate and Sodium cyanide.

Please let me know if you have any questions concerning this submission.

Sincerely,

Katsky Venter  
TMAC Resources Inc.