



95 Wellington Street W
Suite 1010
P.O. Box 44
Toronto, Ontario
M5J 2N7
416-628-0216

Sent by Email

May 31, 2018

Licensing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU
X0B 1J0

Re: April 2018 – Monthly Monitoring Report for Water Licence 2BB-BOS1727

This report is comprised of monitoring requirements as set out in Part J of water licence 2BB-BOS1727. Boston Camp is used to support seasonal surface exploration programs. Boston Camp was shutdown for the winter season on September 12, 2017 and remains inactive at this time. A winter track was established during April in an effort to resupply exploration materials and backhaul waste generated during the 2017 exploration program. Due to equipment malfunctions, waste could not be backhauled over the winter track.

Part J Item 2: Water Use Volumes

No water was used as the camp was not operational.

Part J Item 3: Minewater Discharge Volumes

Minewater was not pumped from underground during this period.

Part J Items 4 and 5: Sewage Disposal Facility Daily Effluent Discharge and Sewage Sludge

Effluent was not discharged at BOS-3 and no sludge was removed from the sewage disposal facility. The camp was not operational.

Part J Items 5: Daily Quantities of Effluent Discharged – Containment Pond, Bulk Fuel Storage and Landfarm

No water was discharged from the Containment Pond (BOS-2), the Bulk Fuel Storage Facility (BOS-5), the Landfarm (BOS-6), or the Portal Decline (BOS-9) this month.

Part J Items 6 and 7: Water Source and Waste Disposal Coordinates

GPS coordinates of locations of water sources and waste associated with camp and drilling activities are kept on file. No water sources were utilized to support domestic water use or drilling activities this month.

Part J Items 8, 11 and 12 (also Part D Items 6, 17 and 19): Sampling at Containment Pond, Minewater, Bulk Fuel Storage, and Landfarm

No samples were taken from the Containment Pond (BOS-2), the Bulk Fuel Storage facility (BOS-5), the Landfarm facility (BOS-6), or the Portal Decline (BOS-9) during the month of April.

Part J Item 9: Sewage Disposal Facility Effluent

No samples were taken at monitoring station BOS-3 as the camp was not operational.

No samples were taken at monitoring station BOS-4 as there was no observable flow into Aimaokatalok Lake at this station.

Part J Item 11: Seepage Monitoring

Seepage at Boston (BOS-8) is monitored seasonally when water is available to sample. No seepage was observed during the month of April at BOS-8; therefore, these monitoring stations were not sampled.

Part J Item 14 (also Part F Item 7): Under-Ice Water Quality Sampling

Not applicable as on-ice drilling did not occur pertaining to licence 2BB-BOS1727.

Incident Reporting

No incidents pertaining to this license occurred during the month of April.

Should there be any questions regarding this monthly report, please contact enviro@tmacresources.com.

Yours sincerely,



Sarah Warnock
Environmental Supervisor
Hope Bay Project
(867) 988-6882 ext. 102

cc. Eva Paul, Water Resources Officer, INAC
Jonathan Mesher, Resource Management Officer, INAC

Figure 1. 2BB-BOS1217 SNP Monitoring Locations

