



95 Wellington Street W  
Suite 1010  
P.O. Box 44  
Toronto, Ontario  
M5J 2N7  
416-628-0216

Sent by Email

November 29, 2017

Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU  
X0B 1J0

**Re: October 2017 – Monthly Monitoring Report for Water Licence 2BB-MAE1727**

This report is comprised of monitoring requirements as set out in Part J of water licence 2BB-MAE1727 for the Madrid Advanced Exploration Program (MAEP). Currently there is no activity occurring under this licence at this time. It is anticipated that work on this site will commence in 2018.

**Part J Item 2 Water Use Volumes**

No water used for domestic, drilling and all other purposes from all sources at this time.

**Table 1. Water Usage**

Month	Windy Lake (MAE-01)		Patch Lake (MAE-02)		Total Usage
	Domestic Water(m <sup>3</sup> )	Industrial Usage (m <sup>3</sup> )	Domestic Water(m <sup>3</sup> )	Industrial Usage(m <sup>3</sup> )	
January	0	0	0	0	0
February	0	0	0	0	0
March	0	0	0	0	0
April	0	0	0	0	0
May	0	0	0	0	0
June	0	0	0	0	0
July	0	0	0	0	0
August	0	0	0	0	0
September	0	0	0	0	0
October	0	0	0	0	0
<b>Annual Total</b>	0	0	0	0	0
<b>Annual Allowance</b>					<b>108,000</b>

**Part J Item 3 and 4 Water Use and Waste Locations (GPS Coordinates)**

GPS coordinates of locations of water sources and waste associated with the camp and drilling activities will be kept on file when established with the Inspector. At this time, there are no water sources being used and no waste being produced.

**Part J Item 5 Daily Quantities of Effluent Discharged, Containment Pond, Bulk Fuel Storage and Quarry Pond****Table 2. Effluent Discharge**

Facility	Station Code	Discharge Volume (m <sup>3</sup> )	Exceedances of Discharge Criteria	Discharge Location	Licence Reference
Madrid North Pollution Control Pond (PCP) Water at the point of discharge	MAE-04	0	0	Tundra Discharge	Part J Item 5
Madrid South Pollution Control Pond (PCP) No. 1 water at the point of discharge.	MAE-05	0	0	Tundra Discharge	Part J Item 5
Madrid South Pollution Control Pond No. 2 Water at the point of discharge.	MAE-06	0	0	Tundra Discharge	Part J Item 5
Madrid South Fuel Storage Area Water Sump	MAE-07	0		Tundra Discharge	Part J Item 5
Madrid North Fuel Transfer Station	MAE-08	0	0	Tundra Discharge	Part J Item 5
Madrid South Fuel Storage Area Water Sump	MAE-09	0	0	Tundra Discharge	Part J Item 5
Madrid South Fuel Storage Area Water Sump	MAE-10	0	0	Tundra Discharge	Part J Item 5
Quarry G Contact Water Sump	MAE-11	0	0	Tundra Discharge	Part J Item 5
Quarry H Contact Water Sum	MAE-12	0	0	Tundra Discharge	Part J Item 5
Quarry I Contact Water Sump	MAE-13	0	0	Tundra Discharge	Part J Item 5

**Part J Item 6 and 9 (also Part E, Item 2) Sampling at Pollution Control Ponds**

No samples were taken from monitoring station MAE-04, MAE-05 and MAE-06 as containment ponds have not been constructed at this time.

**Part J Item 7 and 10 (also Part E, Item 9) Sampling at Fuel Storage Sites**

No samples were taken from monitoring station MAE-07, MAE-08 and MAE-09 as facilities have not been constructed at this time.

**Part J Item 8 and 10 (also Part G, Item 7) Sampling at Quarry Sumps**

No samples were taken from monitoring station MAE-11, MAE-12 and MAE-13 as Quarry's are not operational.

**Part J Item 11 Sampling of Water from Madrid South Underground Mine Water Sumps**

No mining operations occurring at this time.

**Part J Item 12 Sampling at Windy Lake, Patch Lake and Wolverine Lake downgradient of Pollution Control Ponds Discharge**

These ponds have not been constructed at this time. The proposed monitoring locations for MAE-14, MAE-15 and MAE-16 are provided in Figure 1 below. No samples were taken from monitoring stations MAE-14, MAE-15 and MAE-16 during the month of October.

**Part J Item 13 (also Part F, Item 11) Under-Ice Quality Sampling**

Not applicable as on-ice drilling did not occur pertaining to licence 2BB-MAE1727.

**Incident Reporting**

No incidents pertaining to this licence occurred during the month.

Yours sincerely,



M. John Roberts  
Vice President, Environmental Affairs  
Hope Bay Project  
(416) 628-0216

cc. Eva Paul, Water Resources Officer, INAC

Figure 1. 2BB-MAE1727 SNP Monitoring Locations

