



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fwd: [Licensing] RE: Water license 2BE-MEA1318 amendment application

1 message

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Tue, Aug 4, 2015 at 12:07 PM

To: Licensing Department <licensing@nwb-oen.ca>

Please include this as well with the Amendment Application.



Karén Kharatyan, Ph. D- ᑭᑦᑲᑦᑲᑦᑲᑦ ᑭᑦᑲᑦᑲᑦ

Technical Advisor - Conseiller Technique

ᐱᑭᑦᑲᑦᑲᑦᑲᑦ ᑭᑦᑲᑦᑲᑦᑲᑦ - Pituaqnaqtutigirigimun Ikayugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᑭᑦᑲᑦᑲᑦᑲᑦ ᑭᑦᑲᑦᑲᑦᑲᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Cjjoa Haven, NU, X0B 1J0

C.P. 119

Cjjoa Haven (Nunavut), X0B 1J0

ᑭᑦᑲᑦᑲᑦᑲᑦ 119

ᑭᑦᑲᑦᑲᑦᑲᑦ X0B 1J0

Titiqaaqvia 119

Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᑭᑦᑲᑦᑲᑦᑲᑦ / Hivayuta: (867) 360-6338 | Fax / Télécopieur / ᑭᑦᑲᑦᑲᑦᑲᑦ / Fax-kut: (867) 360-6369

Toll Free / Sans Frais / ᑭᑦᑲᑦᑲᑦᑲᑦᑲᑦ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(ou) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

🌱 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: David Frenette <david.frenette@agnicoeagle.com>

Date: Tue, Jul 28, 2015 at 11:39 AM

Subject: RE: [Licensing] RE: Water license 2BE-MEA1318 amendment application

To: Karén Kharatyan <karen.kharatyan@nwb-oen.ca>, Ida Porter <ida.porter@nwb-oen.ca>, Licensing Department <licensing@nwb-oen.ca>

Hi,

For the fuel storage, 17 tanks doubles walled will be added on a gravel pad constructed for this use. Attached is a sketch of this installation. Each tank has a volume of 50 000 liters. A stamped plan for the gravel pads construction should be available by the end of this week.

The new bionest will be exactly the same design than the 40' bionest already installed. Actually on site, we have 2 bionests: 1 x 20' and 1 x 40'. The 20' can treat up to 5500 liters per day and the 40' up to 13000liters per day for a total of 18500 liters per day. With the amendment request, the water allocation for the camp would be 29 000 liters per day, so we need to add a bionest. In the case we don't use all this water for the camp, the retention time in the bionests will be greater and the effluent quality improved.

David Frenette

Environmental Coordinatordavid.frenette@agnicoeagle.com

T: 819.874.5980 ,3622

Agnico Eagle Mines Limited
765, chemin de la mine Goldex c.p. 87
Val-d'Or, QC, Canada
J9P 4N9

agnicoeagle.com**AGNICO EAGLE****De :** Karén Kharatyan [mailto:karen.kharatyan@nwb-oen.ca]**Envoyé :** 28 juillet 2015 12:38**À :** David Frenette; Ida Porter; Licensing Department**Objet :** Re: [Licensing] RE: Water license 2BE-MEA1318 amendment application

Good morning David,

I am just looking at the amendment application and I have a couple of additional small questions related to the scope including addition of double wall fuel and gas tanks, and addition of another Kodiak Bionest.

Could you please provide some details about fuel tanks construction/installation: construction activities involved, are there design drawings for these installation, the volume of tanks or additional fuel to be stored on site and any other information will be helpful.

Regarding the additional Kodiak Bionest: whether this will have the same specifics that the one already installed? I am also wondering on the rational of this addition as the proposed domestic water use and generated waste-water volume changes will be minor?

Regards,



Karén Kharatyan, Ph. D- ԵՐԸ ԵՏՈԿԸ

Technical Advisor- Conseiller Technique

ᐱᓗᑦᑐᑦ ᑭᓪᓴᓂᑦᑐᑦ ᐃᔨᑦᐸᓂᑦ- Piliuaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓂᓪ ᐃᓚᓕᓂᓪ ᑲᓚᓂᓪᓴ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
၂၀၁၆ ခုနှစ်၊ မေလ ၁၀ ရက်

Titigaqavua 119
Uqhuqhuq, NU, X013 130

Tel / Téléphone / ᐅᑦᓴᐅᑕ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᑦᓴᐅᑕ / Fax-kut: (867) 360-6369
Toll Free / Sans Frais / ᐱᐅᓂᑦᓴᐅᑕᖅᔨ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiat et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Mon, Jul 27, 2015 at 2:57 PM, Karén Kharatyan <karen.kharatyan@nwb-oen.ca> wrote:

Hi David,

Thank you for additional information. As the submitted application is not still distributed for public comments we can include these items within the Scope of Amendment # 3 request.

One more thing: If the new exploration area or claims change the general project extent please include also the updated Coordinates for the Project extent.

Regards,



Karén Kharatyan, Ph. D- ԵՂԸԻ ԵՏՈՆԻԸ

Technical Advisor- Conseiller Technique

Λαδ^{9b}α^{9b}δ^{9b}α^{9b}σ^{9b}λ^{9b} Δβ^{9b}η- Piliuqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᓐ ᐃᓕᓕᓴᓐ ᓴᓕᓕᓴᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၂၀၁၆ ခုနှစ် ၁၁၉

Titigaqavua 119
Uqhuqtinaq, NU, X013 1J0

Tel / Téléphone / ᐃᓕᓕᓕᓕ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐃᓕᓕᓕᓕ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᐃᓕᓕᓕᓕᓕᓕᓕᓕ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **David Frenette** <david.frenette@agnicoeagle.com>

Date: Mon, Jul 27, 2015 at 7:18 AM

Subject: [Licensing] RE: Water license 2BE-MEA1318 amendment application

To: Brian Aglukark <aglukark@nunavut.ca>

Cc: Info at NIRB <info@nirb.ca>, "licensing@nunavutwaterboard.org" <licensing@nunavutwaterboard.org>

Good Morning,

This email is regarding the amendment request I submitted July 14th. The AANDC inspector did a visit of the the Amaruq camp site last July 22nd and she asked me to request a modification in the amendment application.

Is it possible for all of you to use this email as a supplementary request for the amendment application #3?

The request from the inspector is to modify the monitoring station name MEA-1 for MEA-2. And to add a monitoring station MEA-1 as the camp water intake volume.

I would also use this occasion to update the exploration area covered by this B water licence. We applied for new claims and signed for others and they would be managed using this water licence.

David Frenette
Environmental Coordinator

david.frenette@agnicoeagle.com

T: 819.874.5980 ,3622

Agnico Eagle Mines Limited
765, chemin de la mine Goldex c.p. 87
Val-d'Or, QC, Canada
J9P 4N9

agnicoeagle.com



De : David Frenette
Envoyé : 14 juillet 2015 11:06
À : 'Brian Aglukark'
Cc : 'Info at NIRB'; licensing@nunavutwaterboard.org
Objet : Water license 2BE-MEA1318 amendment application

Hi M. Aglukark,

Please find attached an application for the amendment #3 to the water license 2BE-MEA1318 related to the Amaruq exploration project.

Please forward the information to the NWB once conformity review completed.

Should you need more information to complete the application, just to contact me.

Regards,

David Frenette
Environmental Coordinator

david.frenette@agnicoeagle.com


T: [819.874.5980](tel:819.874.5980) ,3622

Agnico Eagle Mines Limited
765, chemin de la mine Goldex c.p. 87
Val-d'Or, QC, Canada
J9P 4N9

agnicoeagle.com



AGNICO EAGLE



Plan 2015-2016_camp area.jpg
245K