

ᓄᓇᐅᑦ ᐃᐱᑦᓴᐅᑦ ᓐᓴᓴᐅᐅᐅᐅ
 NUNAVUT IMALIRIYIN KATIMAYINGI
 NUNAVUT WATER BOARD
 OFFICE DES EAUX DU NUNAVUT

The NWB Technical Advisor assigned to your application may be in touch with you to clarify any technical details related to your application.

However, before your application can be processed further by the NWB, it is subject to sections 38(1) to 38(5) of the Act and therefore must first be reviewed by the **Nunavut Planning Commission (NPC)** to determine its conformity with an approved land use plan. **By copy of this letter to the NPC, we are formally asking our sister board to undertake this determination and inform the NWB of its decision.**

Pursuant to Section 13.7.3 of the Nunavut Land Claims Agreement this application is of a class that does not require a public hearing, and is therefore exempt from screening by the Nunavut Impact Review Board, as per Schedule 12-1 of the NLCA. We are consequently requesting **NPC to forward the application back to the NWB** when its determination is complete.

Finally, by copy of this letter to the distribution list and the enclosed notice of application sent to the council of the municipality or municipalities most affected by your application, we invite interested persons to make representations directly to the NWB within 30 days from the date of this letter. Please note that a Spill Plan & an Abandonment & Restoration Plan was also received with the application and requires review. The NWB may provide additional procedural instructions once the application has been reviewed.

Sincerely,

Original signed by:

Phyllis Beaulieu
Manager of Licensing

Enclosure: Notice of Application

cc: Distribution List – Kivalliq